

2006 Behavioral Health Risks



Of Pennsylvania Adults

**DEPARTMENT OF
HEALTH**

Bureau of Health Statistics and Research

Edward G. Rendell, Governor

Calvin B. Johnson, M.D., M.P.H., Secretary

2006
BEHAVIORAL HEALTH RISKS
of PENNSYLVANIA ADULTS

**A Report of Data Collected During 2006 for the
Behavioral Risk Factor Surveillance System**

September 2007

Bureau of Health Statistics and Research
Pennsylvania Department of Health
555 Walnut Street, 6th Floor
Harrisburg, PA 17101-1914

Introduction

Nearly half of all deaths occurring annually are the result of modifiable behavioral risk factors (McGinnis, 1993). These risk factors include uncontrolled hypertension and diabetes, smoking, physical inactivity, poor diet, alcohol abuse, violence, and risky sexual behavior. It has been estimated that control of fewer than ten risk factors could prevent between 40 and 70 percent of all premature deaths, a third of all cases of acute disability, and two-thirds of all cases of chronic disability (Sullivan, 1991).

In an effort to measure and address these health issues, the Centers for Disease Control and Prevention (CDC) implemented the Behavioral Risk Factor Surveillance System (BRFSS) in the mid-1980s with fifteen states. The BRFSS survey consists of telephone interviews using randomly generated telephone numbers to determine the households contacted. The survey contains a core set of questions provided by CDC to gather comprehensive, standard information nationwide. The questions asked concern health status, access to health care, health awareness, use of preventive services, and knowledge and attitude assessment.

The BRFSS now includes all fifty states, three territories and the District of Columbia, comprising the largest ongoing telephone health survey in the world. The Pennsylvania Department of Health has been participating in the BRFSS since 1989.

The BRFSS survey results provide valuable tools in measuring health trends, assessing chronic disease risk, and monitoring the effectiveness of policies, programs, and awareness campaigns. The information obtained from the data is used to guide health policy decisions, monitor progress toward achieving national year 2010 health objectives, propose and support legislation, develop public awareness strategies, and identify critical areas for future attention.

Since sample data were used in this report, it was necessary to use weighted data for calculating percentages. This was done to adjust for under-representation of certain population subgroups in the sample. Please note that respondents who had missing, don't know, and refused answers were removed from all analyses. This is a change from reports prior to 2000 and percentages shown may vary slightly from previously published data. Confidence intervals (at the 95% level) were also calculated and shown for percentages to provide a basis for quality analysis and comparability. Please review the Technical Notes section in the back of this report for more thorough discussions of these and other data concerns.


The Bureau of Health Statistics and Research welcomes comments on the content and format of this report and the data. Copies of BRFSS data and additional statistics are available upon request.

Please direct all comments, questions and requests for data to:


**Bureau of Health Statistics and Research
Pennsylvania Department of Health
555 Walnut Street, 6th Floor
Harrisburg, PA 17101-1914
Telephone: 717-783-2548
FAX: 717-772-3258**

This report and many other health statistics are available on the Bureau of Health Statistics and Research web pages of the Department's website at www.health.state.pa.us/stats/

Fair or Poor General Health, Pennsylvania Adults, 1995-2006




Physical or Mental Health Not Good 1+ Days in the Past Month
Pennsylvania Adults, 1995-2006



Percent Fair or Poor General Health, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Fair or Poor General Health

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	14	13	15
2006	Sex: M	13	12	15
2006	Sex: F	15	14	16
2006	Age: 18-29	6	4	8
2006	Age: 30-44	9	7	10
2006	Age: 45-64	17	15	18
2006	Age: GE 65	26	24	28
2006	Ed: LT High School	34	30	38
2006	Ed: High School	17	16	19
2006	Ed: Some College	12	10	14
2006	Ed: College Degree	6	6	8
2006	Inc: LT \$15,000	42	38	46
2006	Inc: \$15,000-24,999	25	23	28
2006	Inc: \$25,000-49,999	14	12	15
2006	Inc: \$50,000-74,999	7	5	8
2006	Inc: GE \$75,000	5	4	6
2006	R/E: W, non-Hisp	13	13	14
2006	R/E: B, non-Hisp	22	18	26
2006	R/E: Hispanic	16	11	23


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Physical Health Not Good 1 or More Days in the Past Month, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Physical Health Not Good 1 or More Days in the Past Month

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	36	35	38
2006	Sex: M	34	32	36
2006	Sex: F	39	37	40
2006	Age: 18-29	37	33	41
2006	Age: 30-44	35	33	37
2006	Age: 45-64	37	35	39
2006	Age: GE 65	37	35	40
2006	Ed: LT High School	48	43	53
2006	Ed: High School	37	35	39
2006	Ed: Some College	36	33	39
2006	Ed: College Degree	33	31	35
2006	Inc: LT \$15,000	58	53	62
2006	Inc: \$15,000-24,999	44	40	47
2006	Inc: \$25,000-49,999	36	33	38
2006	Inc: \$50,000-74,999	31	28	34
2006	Inc: GE \$75,000	31	29	34
2006	R/E: W, non-Hisp	36	34	37
2006	R/E: B, non-Hisp	42	37	48
2006	R/E: Hispanic	35	27	43


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Mental Health Not Good 1 or More Days in the Past Month, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Mental Health Not Good 1 or More Days in the Past Month

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	34	33	35
2006	Sex: M	28	26	30
2006	Sex: F	40	38	41
2006	Age: 18-29	44	40	48
2006	Age: 30-44	38	36	41
2006	Age: 45-64	33	31	35
2006	Age: GE 65	19	18	21
2006	Ed: LT High School	36	32	41
2006	Ed: High School	32	30	34
2006	Ed: Some College	37	34	40
2006	Ed: College Degree	33	31	35
2006	Inc: LT \$15,000	48	44	53
2006	Inc: \$15,000-24,999	36	32	39
2006	Inc: \$25,000-49,999	35	33	37
2006	Inc: \$50,000-74,999	33	29	36
2006	Inc: GE \$75,000	29	27	32
2006	R/E: W, non-Hisp	33	32	35
2006	R/E: B, non-Hisp	37	32	43
2006	R/E: Hispanic	35	28	44


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Poor Physical or Mental Health Prevented Usual Activities 1 or More Days in the Past Month, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Poor Physical or Mental Health Prevented Usual Activities 1 or More Days in the Past Month


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	20	19	21
2006	Sex: M	17	15	18
2006	Sex: F	22	21	24
2006	Age: 18-29	21	18	25
2006	Age: 30-44	20	18	22
2006	Age: 45-64	20	19	22
2006	Age: GE 65	17	16	19
2006	Ed: LT High School	26	22	30
2006	Ed: High School	20	18	21
2006	Ed: Some College	20	17	22
2006	Ed: College Degree	18	17	20
2006	Inc: LT \$15,000	40	36	44
2006	Inc: \$15,000-24,999	26	23	29
2006	Inc: \$25,000-49,999	18	16	20
2006	Inc: \$50,000-74,999	18	15	20
2006	Inc: GE \$75,000	14	12	17
2006	R/E: W, non-Hisp	19	18	20
2006	R/E: B, non-Hisp	27	23	33
2006	R/E: Hispanic	14	9	19

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.


Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

No Health Insurance, Ages 18-64, Pennsylvania Adults, 1995-2006



Percent No Health Insurance, Age 18-64, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: No Health Insurance, Age 18-64


YEAR	DEMOGRAPHIC	PERCENT	<u>L</u>	<u>U</u>
2006	All Adults, Age 18-64	12	11	13
2006	Sex: M, Age 18-64	13	11	15
2006	Sex: F, Age 18-64	11	10	12
2006	Age: 18-29	19	15	22
2006	Age: 30-44	11	9	12
2006	Age: 45-64	9	8	11
2006	Ed: LT High School, Age 18-64	25	20	31
2006	Ed: High School, Age 18-64	16	14	19
2006	Ed: Some College, Age 18-64	10	8	13
2006	Ed: College Degree, Age 18-64	6	5	7
2006	Inc: LT \$15,000, Age 18-64	30	24	36
2006	Inc: \$15,000-24,999, Age 18-64	29	25	34
2006	Inc: \$25,000-49,999, Age 18-64	13	11	15
2006	Inc: \$50,000-74,999, Age 18-64	4	3	6
2006	Inc: GE \$75,000, Age 18-64	3	2	4
2006	R/E: W, non-Hisp, Age 18-64	11	10	12
2006	R/E: B, non-Hisp, Age 18-64	21	16	27
2006	R/E: Hispanic, Age 18-64	22	15	33

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Does Not Have a Personal Health Care Provider, 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: Does Not Have a Personal Health Care Provider


YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	10	10	11
2006	Sex: M	15	13	17
2006	Sex: F	7	6	8
2006	Age: 18-29	21	18	25
2006	Age: 30-44	13	11	15
2006	Age: 45-64	6	5	7
2006	Age: GE 65	4	3	5
2006	Ed: LT High School	14	11	18
2006	Ed: High School	11	9	12
2006	Ed: Some College	11	9	13
2006	Ed: College Degree	9	7	10
2006	Inc: LT \$15,000	13	10	17
2006	Inc: \$15,000-24,999	14	11	17
2006	Inc: \$25,000-49,999	11	9	13
2006	Inc: \$50,000-74,999	10	8	12
2006	Inc: GE \$75,000	8	6	10
2006	R/E: W, non-Hisp	9	9	10
2006	R/E: B, non-Hisp	17	12	23
2006	R/E: Hispanic	21	14	31

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Needed To See a Doctor But Could Not Because of Cost in the Past 12 Months, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Needed To See a Doctor But Could Not Because of Cost in the Past 12 Months


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	11	10	11
2006	Sex: M	9	8	11
2006	Sex: F	12	11	13
2006	Age: 18-29	15	12	18
2006	Age: 30-44	13	11	15
2006	Age: 45-64	10	9	11
2006	Age: GE 65	5	4	6
2006	Ed: LT High School	15	12	19
2006	Ed: High School	13	11	14
2006	Ed: Some College	11	9	13
2006	Ed: College Degree	7	5	8
2006	Inc: LT \$15,000	24	20	29
2006	Inc: \$15,000-24,999	21	18	24
2006	Inc: \$25,000-49,999	11	9	13
2006	Inc: \$50,000-74,999	7	5	9
2006	Inc: GE \$75,000	3	2	5
2006	R/E: W, non-Hisp	9	8	10
2006	R/E: B, non-Hisp	19	15	23
2006	R/E: Hispanic	22	15	31

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Visited a Doctor For a Routine Checkup Within the Past 2 Years, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Visited a Doctor For a Routine Checkup Within the Past 2 Years


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	81	80	82
2006	Sex: M	78	76	80
2006	Sex: F	85	83	86
2006	Age: 18-29	78	74	81
2006	Age: 30-44	74	72	76
2006	Age: 45-64	83	82	85
2006	Age: GE 65	92	91	93
2006	Ed: LT High School	84	80	87
2006	Ed: High School	81	79	83
2006	Ed: Some College	80	78	83
2006	Ed: College Degree	81	80	83
2006	Inc: LT \$15,000	80	76	84
2006	Inc: \$15,000-24,999	81	77	84
2006	Inc: \$25,000-49,999	80	78	82
2006	Inc: \$50,000-74,999	80	77	82
2006	Inc: GE \$75,000	83	81	85
2006	R/E: W, non-Hisp	81	80	82
2006	R/E: B, non-Hisp	86	81	90
2006	R/E: Hispanic	87	78	93

ND = Not displayed if sample is considered statistically unreliable.


L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

No Leisure-Time Physical Activity, Pennsylvania Adults, 1995-2006



Percent No Leisure Time Physical Activity in the Past Month, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: No Leisure Time Physical Activity in the Past Month


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	24	23	25
2006	Sex: M	21	19	23
2006	Sex: F	26	25	27
2006	Age: 18-29	15	13	19
2006	Age: 30-44	20	19	23
2006	Age: 45-64	24	22	26
2006	Age: GE 65	36	34	38
2006	Ed: LT High School	39	34	43
2006	Ed: High School	30	28	32
2006	Ed: Some College	21	19	24
2006	Ed: College Degree	13	12	15
2006	Inc: LT \$15,000	41	37	45
2006	Inc: \$15,000-24,999	34	31	38
2006	Inc: \$25,000-49,999	24	22	26
2006	Inc: \$50,000-74,999	19	17	22
2006	Inc: GE \$75,000	11	10	13
2006	R/E: W, non-Hisp	22	21	23
2006	R/E: B, non-Hisp	37	33	43
2006	R/E: Hispanic	30	23	39

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Engaged in Moderate Physical Activity 5 or More Days a Week For 30 Minutes or More a Session, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Engaged in Moderate Physical Activity 5 or More Days a Week For 30 Minutes or More a Session


YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	49	47	51
2006	Sex: M	52	49	55
2006	Sex: F	46	44	48
2006	Age: 18-29	58	52	64
2006	Age: 30-44	52	49	56
2006	Age: 45-64	47	45	50
2006	Age: GE 65	37	34	40
2006	Ed: LT High School	42	35	50
2006	Ed: High School	46	43	49
2006	Ed: Some College	49	45	53
2006	Ed: College Degree	54	51	57
2006	Inc: LT \$15,000	42	36	48
2006	Inc: \$15,000-24,999	44	39	49
2006	Inc: \$25,000-49,999	47	43	50
2006	Inc: \$50,000-74,999	53	49	57
2006	Inc: GE \$75,000	56	52	60
2006	R/E: W, non-Hisp	50	48	52
2006	R/E: B, non-Hisp	42	35	50
2006	R/E: Hispanic	40	29	52

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Engaged in Vigorous Physical Activity 3 or More Days a Week For 20 Minutes or More a Session, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Engaged in Vigorous Physical Activity 3 or More Days a Week For 20 Minutes or More a Session


YEAR	DEMOGRAPHIC	PERCENT	<u>L</u>	<u>U</u>
2006	All Adults	28	26	30
2006	Sex: M	33	30	36
2006	Sex: F	23	22	25
2006	Age: 18-29	42	37	49
2006	Age: 30-44	32	29	35
2006	Age: 45-64	25	22	27
2006	Age: GE 65	15	13	17
2006	Ed: LT High School	22	16	31
2006	Ed: High School	24	22	27
2006	Ed: Some College	27	24	32
2006	Ed: College Degree	34	31	37
2006	Inc: LT \$15,000	17	13	23
2006	Inc: \$15,000-24,999	24	20	29
2006	Inc: \$25,000-49,999	24	21	27
2006	Inc: \$50,000-74,999	32	28	36
2006	Inc: GE \$75,000	40	36	44
2006	R/E: W, non-Hisp	28	27	30
2006	R/E: B, non-Hisp	22	16	31
2006	R/E: Hispanic	28	18	40

ND = Not displayed if sample is considered statistically unreliable.


L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Diabetes Prevalence Per 1,000, Pennsylvania Adults, 1995-2006



Percent Ever Told They Have Diabetes, 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: Ever Told They Have Diabetes


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	9	8	9
2006	Sex: M	10	9	11
2006	Sex: F	7	7	8
2006	Age: 18-29	1	1	2
2006	Age: 30-44	4	3	5
2006	Age: 45-64	11	10	12
2006	Age: GE 65	19	17	21
2006	Ed: LT High School	16	13	20
2006	Ed: High School	10	9	12
2006	Ed: Some College	8	6	9
2006	Ed: College Degree	5	4	6
2006	Inc: LT \$15,000	17	15	20
2006	Inc: \$15,000-24,999	13	11	15
2006	Inc: \$25,000-49,999	9	8	10
2006	Inc: \$50,000-74,999	6	5	8
2006	Inc: GE \$75,000	5	4	7
2006	R/E: W, non-Hisp	8	8	9
2006	R/E: B, non-Hisp	13	10	16
2006	R/E: Hispanic	8	5	13

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Now Taking Insulin (Out of Diabetic Adults), 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Now Taking Insulin (Out of Diabetic Adults)


YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	26	22	30
2006	Sex: M	22	17	28
2006	Sex: F	30	25	36
2006	Age: 18-29	ND	ND	ND
2006	Age: 30-44	ND	ND	ND
2006	Age: 45-64	25	20	32
2006	Age: GE 65	26	21	33
2006	Ed: LT High School	20	13	30
2006	Ed: High School	29	23	35
2006	Ed: Some College	25	16	36
2006	Ed: College Degree	23	15	34
2006	Inc: LT \$15,000	36	25	48
2006	Inc: \$15,000-24,999	24	17	34
2006	Inc: \$25,000-49,999	26	19	35
2006	Inc: \$50,000-74,999	20	11	33
2006	Inc: GE \$75,000	ND	ND	ND
2006	R/E: W, non-Hisp	25	21	30
2006	R/E: B, non-Hisp	ND	ND	ND
2006	R/E: Hispanic	ND	ND	ND

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Now Taking Diabetes Pills (Out of Diabetic Adults), 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: Now Taking Diabetes Pills (Out of Diabetic Adults)


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	72	67	76
2006	Sex: M	72	65	79
2006	Sex: F	71	66	77
2006	Age: 18-29	ND	ND	ND
2006	Age: 30-44	ND	ND	ND
2006	Age: 45-64	76	69	82
2006	Age: GE 65	75	69	80
2006	Ed: LT High School	81	70	89
2006	Ed: High School	71	64	78
2006	Ed: Some College	74	62	83
2006	Ed: College Degree	63	52	74
2006	Inc: LT \$15,000	72	60	82
2006	Inc: \$15,000-24,999	70	59	79
2006	Inc: \$25,000-49,999	72	63	80
2006	Inc: \$50,000-74,999	76	62	85
2006	Inc: GE \$75,000	ND	ND	ND
2006	R/E: W, non-Hisp	73	68	77
2006	R/E: B, non-Hisp	ND	ND	ND
2006	R/E: Hispanic	ND	ND	ND

ND = Not displayed if sample is considered statistically unreliable.


L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

**Percent Visited a Dentist or Dental Hygienist in the Past Year
Pennsylvania Adults, 1999-2006**



Percent Visited a Dentist in the Past Year, 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: Visited a Dentist in the Past Year


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	71	69	72
2006	Sex: M	69	67	71
2006	Sex: F	72	71	74
2006	Age: 18-29	70	66	74
2006	Age: 30-44	72	70	74
2006	Age: 45-64	73	72	75
2006	Age: GE 65	65	62	67
2006	Ed: LT High School	50	45	55
2006	Ed: High School	64	62	66
2006	Ed: Some College	73	70	76
2006	Ed: College Degree	82	80	84
2006	Inc: LT \$15,000	47	43	52
2006	Inc: \$15,000-24,999	55	51	58
2006	Inc: \$25,000-49,999	68	66	70
2006	Inc: \$50,000-74,999	76	72	78
2006	Inc: GE \$75,000	86	83	88
2006	R/E: W, non-Hisp	72	71	73
2006	R/E: B, non-Hisp	57	51	62
2006	R/E: Hispanic	70	62	77

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Have Had All Permanent Teeth Removed Due to Tooth Decay or Gum Disease, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Have Had All Permanent Teeth Removed Due to Tooth Decay or Gum Disease


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	7	6	7
2006	Sex: M	6	5	6
2006	Sex: F	8	7	8
2006	Age: 18-29	0	0	0
2006	Age: 30-44	1	1	1
2006	Age: 45-64	6	5	7
2006	Age: GE 65	23	21	25
2006	Ed: LT High School	23	19	26
2006	Ed: High School	9	8	10
2006	Ed: Some College	4	3	5
2006	Ed: College Degree	2	1	2
2006	Inc: LT \$15,000	20	17	23
2006	Inc: \$15,000-24,999	13	12	16
2006	Inc: \$25,000-49,999	6	5	7
2006	Inc: \$50,000-74,999	2	2	3
2006	Inc: GE \$75,000	1	1	2
2006	R/E: W, non-Hisp	7	6	8
2006	R/E: B, non-Hisp	7	5	9
2006	R/E: Hispanic	2	1	4

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Had Teeth Cleaned by a Dentist or Dental Hygienist Within the Past Year, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Had Teeth Cleaned by a Dentist or Dental Hygienist Within the Past Year


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	72	71	73
2006	Sex: M	69	67	71
2006	Sex: F	75	74	76
2006	Age: 18-29	69	65	73
2006	Age: 30-44	70	68	72
2006	Age: 45-64	74	73	76
2006	Age: GE 65	76	74	78
2006	Ed: LT High School	58	52	63
2006	Ed: High School	66	64	68
2006	Ed: Some College	72	69	75
2006	Ed: College Degree	82	80	84
2006	Inc: LT \$15,000	50	45	55
2006	Inc: \$15,000-24,999	58	54	61
2006	Inc: \$25,000-49,999	69	67	71
2006	Inc: \$50,000-74,999	74	71	77
2006	Inc: GE \$75,000	86	83	88
2006	R/E: W, non-Hisp	74	72	75
2006	R/E: B, non-Hisp	59	53	64
2006	R/E: Hispanic	70	62	78

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Ever Told They Had a Heart Attack, Heart Disease, or a Stroke, Age GE 35, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Ever Told They Had a Heart Attack, Heart Disease, or a Stroke, Age GE 35


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults, Age GE 35	12	11	13
2006	Sex: M, Age GE 35	14	13	16
2006	Sex: F, Age GE 35	10	9	11
2006	Age: 35-44	2	1	3
2006	Age: 45-54	7	5	8
2006	Age: 55-64	13	11	15
2006	Age: GE 65	25	23	27
2006	Ed: LT High School, Age GE 35	26	22	30
2006	Ed: High School, Age GE 35	13	12	14
2006	Ed: Some College, Age GE 35	12	10	13
2006	Ed: College Degree, Age GE 35	7	6	8
2006	Inc: LT \$15,000, Age GE 35	25	21	28
2006	Inc: \$15,000-24,999, Age GE 35	22	19	25
2006	Inc: \$25,000-49,999, Age GE 35	12	10	14
2006	Inc: \$50,000-74,999, Age GE 35	7	5	9
2006	Inc: GE \$75,000, Age GE 35	5	4	6
2006	R/E: W, non-Hisp, Age GE 35	12	11	13
2006	R/E: B, non-Hisp, Age GE 35	12	9	17
2006	R/E: Hispanic, Age GE 35	15	10	24

ND = Not displayed if sample is considered statistically unreliable.


L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Currently Has Asthma, Pennsylvania Adults, 1999-2006



Percent Ever Told They Have Asthma, 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: Ever Told They Have Asthma


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	12	12	13
2006	Sex: M	10	8	11
2006	Sex: F	15	14	16
2006	Age: 18-29	18	15	21
2006	Age: 30-44	12	10	13
2006	Age: 45-64	12	11	13
2006	Age: GE 65	9	8	11
2006	Ed: LT High School	15	13	19
2006	Ed: High School	11	10	13
2006	Ed: Some College	14	12	17
2006	Ed: College Degree	11	10	13
2006	Inc: LT \$15,000	22	19	26
2006	Inc: \$15,000-24,999	14	12	17
2006	Inc: \$25,000-49,999	11	9	13
2006	Inc: \$50,000-74,999	10	8	12
2006	Inc: GE \$75,000	12	10	14
2006	R/E: W, non-Hisp	12	11	13
2006	R/E: B, non-Hisp	16	13	20
2006	R/E: Hispanic	18	13	25

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Currently Has Asthma, 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: Currently Has Asthma


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	9	8	9
2006	Sex: M	6	5	7
2006	Sex: F	11	10	12
2006	Age: 18-29	12	10	15
2006	Age: 30-44	8	7	10
2006	Age: 45-64	8	7	9
2006	Age: GE 65	7	6	8
2006	Ed: LT High School	12	10	16
2006	Ed: High School	8	7	9
2006	Ed: Some College	10	8	12
2006	Ed: College Degree	8	7	9
2006	Inc: LT \$15,000	16	14	20
2006	Inc: \$15,000-24,999	10	8	12
2006	Inc: \$25,000-49,999	8	7	9
2006	Inc: \$50,000-74,999	6	5	8
2006	Inc: GE \$75,000	8	6	9
2006	R/E: W, non-Hisp	8	7	9
2006	R/E: B, non-Hisp	13	10	16
2006	R/E: Hispanic	15	10	22

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent A Medical Professional Ever Said The Child Has Asthma, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: A Medical Professional Ever Said The Child Has Asthma


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Children	12	10	14
2006	Sex: B	14	12	18
2006	Sex: G	10	7	13
2006	Age: 0-11	13	10	16
2006	Age: 12-17	12	9	15
2006	R/E: W, non-Hisp	11	9	13
2006	R/E: B, non-Hisp	20	13	31
2006	R/E: Hispanic	16	8	28

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Child Currently Has Asthma, 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: Child Currently Has Asthma


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Children	8	7	10
2006	Sex: B	9	7	12
2006	Sex: G	7	5	10
2006	Age: 0-11	9	7	12
2006	Age: 12-17	8	6	10
2006	R/E: W, non-Hisp	7	6	9
2006	R/E: B, non-Hisp	13	7	22
2006	R/E: Hispanic	12	6	24

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Limited in Activity Due to Physical, Mental, or Emotional Problems, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Limited in Activity Due to Physical, Mental, or Emotional Problems


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	18	17	19
2006	Sex: M	17	15	18
2006	Sex: F	20	19	21
2006	Age: 18-29	9	7	11
2006	Age: 30-44	14	12	16
2006	Age: 45-64	22	21	24
2006	Age: GE 65	28	26	30
2006	Ed: LT High School	30	26	35
2006	Ed: High School	20	18	21
2006	Ed: Some College	18	16	20
2006	Ed: College Degree	14	13	16
2006	Inc: LT \$15,000	43	39	47
2006	Inc: \$15,000-24,999	27	24	30
2006	Inc: \$25,000-49,999	16	15	18
2006	Inc: \$50,000-74,999	15	13	18
2006	Inc: GE \$75,000	10	9	12
2006	R/E: W, non-Hisp	18	17	19
2006	R/E: B, non-Hisp	19	15	22
2006	R/E: Hispanic	16	11	23

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Health Problems Require the Use of Special Equipment, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Health Problems Require the Use of Special Equipment


YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	7	7	8
2006	Sex: M	7	6	8
2006	Sex: F	8	7	9
2006	Age: 18-29	1	1	3
2006	Age: 30-44	4	3	5
2006	Age: 45-64	8	7	9
2006	Age: GE 65	17	16	19
2006	Ed: LT High School	14	11	17
2006	Ed: High School	8	7	9
2006	Ed: Some College	7	6	9
2006	Ed: College Degree	5	4	5
2006	Inc: LT \$15,000	21	19	25
2006	Inc: \$15,000-24,999	12	10	14
2006	Inc: \$25,000-49,999	6	5	7
2006	Inc: \$50,000-74,999	3	2	4
2006	Inc: GE \$75,000	3	2	3
2006	R/E: W, non-Hisp	7	6	8
2006	R/E: B, non-Hisp	11	8	14
2006	R/E: Hispanic	5	3	9

ND = Not displayed if sample is considered statistically unreliable.


L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

**Current Smokers Who Smoke Everyday And Quit Smoking 1+ Days in the Past Year
Pennsylvania Adults, 1995-2006**



Percent Current Smoker, 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: Current Smoker


YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	22	21	23
2006	Sex: M	22	21	24
2006	Sex: F	22	20	23
2006	Age: 18-29	29	25	33
2006	Age: 30-44	26	24	28
2006	Age: 45-64	22	21	24
2006	Age: GE 65	9	8	11
2006	Ed: LT High School	36	31	41
2006	Ed: High School	27	25	29
2006	Ed: Some College	23	20	26
2006	Ed: College Degree	11	10	13
2006	Inc: LT \$15,000	32	28	37
2006	Inc: \$15,000-24,999	26	23	30
2006	Inc: \$25,000-49,999	25	23	27
2006	Inc: \$50,000-74,999	21	18	24
2006	Inc: GE \$75,000	15	13	17
2006	R/E: W, non-Hisp	21	20	23
2006	R/E: B, non-Hisp	28	23	33
2006	R/E: Hispanic	27	19	36

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Former Smoker, 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: Former Smoker


YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	25	24	26
2006	Sex: M	29	27	31
2006	Sex: F	22	21	23
2006	Age: 18-29	11	8	13
2006	Age: 30-44	19	17	21
2006	Age: 45-64	30	28	31
2006	Age: GE 65	40	38	42
2006	Ed: LT High School	25	22	29
2006	Ed: High School	26	24	27
2006	Ed: Some College	25	22	27
2006	Ed: College Degree	25	23	27
2006	Inc: LT \$15,000	26	23	29
2006	Inc: \$15,000-24,999	27	24	31
2006	Inc: \$25,000-49,999	26	24	28
2006	Inc: \$50,000-74,999	25	23	28
2006	Inc: GE \$75,000	25	23	27
2006	R/E: W, non-Hisp	26	25	28
2006	R/E: B, non-Hisp	16	13	20
2006	R/E: Hispanic	20	14	28

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Quit Smoking at Least One Day in Past Year (Out of Adults Who Smoke Everyday), 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Quit Smoking at Least One Day in Past Year (Out of Adults Who Smoke Everyday)

<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	51	48	54
2006	Sex: M	54	48	59
2006	Sex: F	48	44	52
2006	Age: 18-29	59	50	67
2006	Age: 30-44	53	47	58
2006	Age: 45-64	47	43	52
2006	Age: GE 65	37	30	45
2006	Ed: LT High School	53	45	61
2006	Ed: High School	47	42	51
2006	Ed: Some College	56	48	63
2006	Ed: College Degree	56	47	64
2006	Inc: LT \$15,000	59	49	68
2006	Inc: \$15,000-24,999	51	43	59
2006	Inc: \$25,000-49,999	49	43	55
2006	Inc: \$50,000-74,999	53	45	61
2006	Inc: GE \$75,000	51	42	60
2006	R/E: W, non-Hisp	49	45	52
2006	R/E: B, non-Hisp	70	59	80
2006	R/E: Hispanic	ND	ND	ND


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Smoking Not Allowed Inside the Home, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Smoking Not Allowed Inside the Home

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	72	70	73
2006	Sex: M	72	69	74
2006	Sex: F	72	70	74
2006	Age: 18-29	74	69	79
2006	Age: 30-44	77	74	80
2006	Age: 45-64	68	66	71
2006	Age: GE 65	69	66	72
2006	Ed: LT High School	59	53	65
2006	Ed: High School	66	64	69
2006	Ed: Some College	72	68	75
2006	Ed: College Degree	83	80	85
2006	Inc: LT \$15,000	60	55	65
2006	Inc: \$15,000-24,999	64	59	68
2006	Inc: \$25,000-49,999	69	66	72
2006	Inc: \$50,000-74,999	75	71	78
2006	Inc: GE \$75,000	84	81	86
2006	R/E: W, non-Hisp	73	71	74
2006	R/E: B, non-Hisp	65	59	72
2006	R/E: Hispanic	70	57	80


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Smoking Not Allowed In Any Work Area (Out of Employed Adults Who Work Mostly Indoors), 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Smoking Not Allowed In Any Work Area (Out of Employed Adults Who Work Mostly Indoors)

<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	82	80	84
2006	Sex: M	76	72	80
2006	Sex: F	88	85	90
2006	Age: 18-29	72	64	78
2006	Age: 30-44	85	82	88
2006	Age: 45-64	85	82	87
2006	Age: GE 65	85	77	90
2006	Ed: LT High School	53	40	66
2006	Ed: High School	72	68	77
2006	Ed: Some College	84	79	87
2006	Ed: College Degree	92	89	94
2006	Inc: LT \$15,000	ND	ND	ND
2006	Inc: \$15,000-24,999	68	57	77
2006	Inc: \$25,000-49,999	78	74	82
2006	Inc: \$50,000-74,999	87	83	90
2006	Inc: GE \$75,000	91	88	93
2006	R/E: W, non-Hisp	84	82	86
2006	R/E: B, non-Hisp	75	65	84
2006	R/E: Hispanic	ND	ND	ND


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Smoking Never Allowed In Car, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Smoking Never Allowed In Car


YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	68	66	70
2006	Sex: M	64	61	67
2006	Sex: F	72	70	74
2006	Age: 18-29	60	54	66
2006	Age: 30-44	69	66	72
2006	Age: 45-64	67	65	70
2006	Age: GE 65	76	73	78
2006	Ed: LT High School	59	52	66
2006	Ed: High School	62	59	65
2006	Ed: Some College	66	62	70
2006	Ed: College Degree	78	76	80
2006	Inc: LT \$15,000	66	59	72
2006	Inc: \$15,000-24,999	59	53	65
2006	Inc: \$25,000-49,999	63	59	66
2006	Inc: \$50,000-74,999	67	63	71
2006	Inc: GE \$75,000	79	76	82
2006	R/E: W, non-Hisp	68	66	70
2006	R/E: B, non-Hisp	70	62	76
2006	R/E: Hispanic	66	52	77

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Served Active Duty in US Armed Forces, In Reg. Military, Nat. Guard or Military Res. Unit, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Served Active Duty in US Armed Forces, In Reg. Military, Nat. Guard or Military Res. Unit


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	14	13	14
2006	Sex: M	27	25	29
2006	Sex: F	1	1	2
2006	Age: 18-29	2	1	4
2006	Age: 30-44	9	7	10
2006	Age: 45-64	15	13	16
2006	Age: GE 65	29	27	31
2006	Ed: LT High School	11	9	13
2006	Ed: High School	14	13	16
2006	Ed: Some College	15	14	17
2006	Ed: College Degree	12	11	13
2006	Inc: LT \$15,000	12	9	15
2006	Inc: \$15,000-24,999	16	14	19
2006	Inc: \$25,000-49,999	14	13	16
2006	Inc: \$50,000-74,999	16	14	19
2006	Inc: GE \$75,000	11	10	13
2006	R/E: W, non-Hisp	14	13	15
2006	R/E: B, non-Hisp	13	10	18
2006	R/E: Hispanic	7	4	11

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Binge Drinking (5 Drinks Men and 4 Drinks Women on 1 or More Times Pst Mnth), 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Binge Drinking (5 Drinks Men and 4 Drinks Women on 1 or More Times Pst Mnth)


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	16	15	17
2006	Sex: M	22	20	24
2006	Sex: F	11	10	12
2006	Age: 18-29	29	25	33
2006	Age: 30-44	21	19	23
2006	Age: 45-64	13	11	14
2006	Age: GE 65	4	3	5
2006	Ed: LT High School	13	10	17
2006	Ed: High School	16	14	18
2006	Ed: Some College	16	14	19
2006	Ed: College Degree	17	15	19
2006	Inc: LT \$15,000	11	8	14
2006	Inc: \$15,000-24,999	13	10	16
2006	Inc: \$25,000-49,999	17	15	19
2006	Inc: \$50,000-74,999	18	15	20
2006	Inc: GE \$75,000	20	17	22
2006	R/E: W, non-Hisp	17	16	18
2006	R/E: B, non-Hisp	9	6	14
2006	R/E: Hispanic	15	9	25

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Chronically Drinking (Avg. of 2 Drinks or More Every Day Pst 30 Days), 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Chronically Drinking (Avg. of 2 Drinks or More Every Day Pst 30 Days)


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	5	4	6
2006	Sex: M	9	7	10
2006	Sex: F	2	2	3
2006	Age: 18-29	9	6	12
2006	Age: 30-44	4	3	5
2006	Age: 45-64	5	4	6
2006	Age: GE 65	3	3	4
2006	Ed: LT High School	7	4	11
2006	Ed: High School	5	4	6
2006	Ed: Some College	6	4	8
2006	Ed: College Degree	4	4	6
2006	Inc: LT \$15,000	5	3	8
2006	Inc: \$15,000-24,999	4	3	6
2006	Inc: \$25,000-49,999	7	5	8
2006	Inc: \$50,000-74,999	4	3	6
2006	Inc: GE \$75,000	6	4	7
2006	R/E: W, non-Hisp	5	5	6
2006	R/E: B, non-Hisp	3	2	5
2006	R/E: Hispanic	ND	ND	ND

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent At Risk for Heavy Drinking (Defined GT 2 Drinks Per Day Men and GT 1 Drink Per Day Wmn), 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: At Risk for Heavy Drinking (Defined GT 2 Drinks Per Day Men and GT 1 Drink Per Day Wmn)


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	5	4	6
2006	Sex: M	6	5	8
2006	Sex: F	4	3	5
2006	Age: 18-29	10	7	13
2006	Age: 30-44	5	4	6
2006	Age: 45-64	4	4	5
2006	Age: GE 65	2	2	3
2006	Ed: LT High School	7	4	10
2006	Ed: High School	5	4	6
2006	Ed: Some College	6	4	8
2006	Ed: College Degree	4	3	6
2006	Inc: LT \$15,000	5	3	7
2006	Inc: \$15,000-24,999	4	2	5
2006	Inc: \$25,000-49,999	6	5	8
2006	Inc: \$50,000-74,999	5	3	6
2006	Inc: GE \$75,000	6	4	7
2006	R/E: W, non-Hisp	5	5	6
2006	R/E: B, non-Hisp	3	2	5
2006	R/E: Hispanic	6	2	18

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Had a Flu Shot in the Past Year, Age GE 50, 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: Had a Flu Shot in the Past Year, Age GE 50


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults, Age GE 50	52	51	54
2006	Sex: M, Age GE 50	50	48	53
2006	Sex: F, Age GE 50	54	52	56
2006	Age: 50-64	39	37	41
2006	Age: GE 65	68	66	70
2006	Ed: LT High School, Age GE 50	55	50	60
2006	Ed: High School, Age GE 50	50	48	52
2006	Ed: Some College, Age GE 50	53	49	56
2006	Ed: College Degree, Age GE 50	54	51	57
2006	Inc: LT \$15,000, Age GE 50	51	46	55
2006	Inc: \$15,000-24,999, Age GE 50	55	51	58
2006	Inc: \$25,000-49,999, Age GE 50	53	50	56
2006	Inc: \$50,000-74,999, Age GE 50	46	42	51
2006	Inc: GE \$75,000, Age GE 50	48	44	52
2006	R/E: W, non-Hisp, Age GE 50	53	51	55
2006	R/E: B, non-Hisp, Age GE 50	42	35	49
2006	R/E: Hispanic, Age GE 50	48	35	61

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Ever Had a Pneumonia Vaccination, Age GE 65, 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: Ever Had a Pneumonia Vaccination, Age GE 65


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults, Age GE 65	68	66	70
2006	Sex: M, Age GE 65	66	62	69
2006	Sex: F, Age GE 65	70	67	72
2006	Age: 65-74	60	57	63
2006	Age: GE 75	76	73	79
2006	Ed: LT High School, Age GE 65	65	59	70
2006	Ed: High School, Age GE 65	66	63	69
2006	Ed: Some College, Age GE 65	76	72	80
2006	Ed: College Degree, Age GE 65	68	64	73
2006	Inc: LT \$15,000, Age GE 65	68	62	73
2006	Inc: \$15,000-24,999, Age GE 65	70	65	74
2006	Inc: \$25,000-49,999, Age GE 65	68	64	72
2006	Inc: \$50,000-74,999, Age GE 65	70	62	77
2006	Inc: GE \$75,000, Age GE 65	64	55	73
2006	R/E: W, non-Hisp, Age GE 65	69	67	71
2006	R/E: B, non-Hisp, Age GE 65	55	45	65
2006	R/E: Hispanic, Age GE 65	ND	ND	ND

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Ever Received the Hepatitis B Vaccine (Denominator Includes Adults Not Knowing If Had a Hep B Vac), 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Ever Received the Hepatitis B Vaccine (Denominator Includes Adults Not Knowing If Had a Hep B Vac)


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	31	30	33
2006	Sex: M	30	28	32
2006	Sex: F	33	31	34
2006	Age: 18-29	61	57	65
2006	Age: 30-44	35	32	37
2006	Age: 45-64	25	23	27
2006	Age: GE 65	10	9	12
2006	Ed: LT High School	23	19	29
2006	Ed: High School	24	22	26
2006	Ed: Some College	38	35	41
2006	Ed: College Degree	37	35	39
2006	Inc: LT \$15,000	26	22	31
2006	Inc: \$15,000-24,999	27	24	31
2006	Inc: \$25,000-49,999	32	29	34
2006	Inc: \$50,000-74,999	34	31	38
2006	Inc: GE \$75,000	36	33	38
2006	R/E: W, non-Hisp	30	29	32
2006	R/E: B, non-Hisp	39	34	45
2006	R/E: Hispanic	48	39	57

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Do Not Know If They Ever Received the Hepatitis B Vaccine, 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: Do Not Know If They Ever Received the Hepatitis B Vaccine


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	13	13	14
2006	Sex: M	15	13	17
2006	Sex: F	12	11	13
2006	Age: 18-29	15	13	19
2006	Age: 30-44	17	15	19
2006	Age: 45-64	11	10	12
2006	Age: GE 65	11	9	12
2006	Ed: LT High School	16	13	21
2006	Ed: High School	12	11	14
2006	Ed: Some College	15	13	17
2006	Ed: College Degree	14	12	15
2006	Inc: LT \$15,000	12	10	15
2006	Inc: \$15,000-24,999	11	8	13
2006	Inc: \$25,000-49,999	13	12	15
2006	Inc: \$50,000-74,999	13	11	16
2006	Inc: GE \$75,000	14	12	17
2006	R/E: W, non-Hisp	14	13	15
2006	R/E: B, non-Hisp	11	8	14
2006	R/E: Hispanic	12	8	18

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent At Risk for Hepatitis B, 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: At Risk for Hepatitis B


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	5	4	6
2006	Sex: M	8	6	9
2006	Sex: F	3	2	3
2006	Age: 18-29	13	10	17
2006	Age: 30-44	5	4	6
2006	Age: 45-64	3	3	4
2006	Age: GE 65	1	0	1
2006	Ed: LT High School	6	4	10
2006	Ed: High School	5	4	7
2006	Ed: Some College	6	5	8
2006	Ed: College Degree	4	3	5
2006	Inc: LT \$15,000	8	5	12
2006	Inc: \$15,000-24,999	6	4	8
2006	Inc: \$25,000-49,999	4	3	6
2006	Inc: \$50,000-74,999	6	4	9
2006	Inc: GE \$75,000	4	3	5
2006	R/E: W, non-Hisp	5	4	5
2006	R/E: B, non-Hisp	8	6	12
2006	R/E: Hispanic	10	6	17

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Have Fallen in the Past 3 Months, Age GE 45, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Have Fallen in the Past 3 Months, Age GE 45


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults, Age GE 45	15	14	16
2006	Sex: M, Age GE 45	15	13	16
2006	Sex: F, Age GE 45	16	15	17
2006	Age: 45-64	16	14	17
2006	Age: 65-74	13	11	15
2006	Age: GE 75	17	15	20
2006	Ed: LT High School, Age GE 45	18	15	22
2006	Ed: High School, Age GE 45	15	13	16
2006	Ed: Some College, Age GE 45	17	15	20
2006	Ed: College Degree, Age GE 45	14	12	16
2006	Inc: LT \$15,000, Age GE 45	23	20	27
2006	Inc: \$15,000-24,999, Age GE 45	18	16	21
2006	Inc: \$25,000-49,999, Age GE 45	14	12	16
2006	Inc: \$50,000-74,999, Age GE 45	12	10	15
2006	Inc: GE \$75,000, Age GE 45	14	12	17
2006	R/E: W, non-Hisp, Age GE 45	15	14	16
2006	R/E: B, non-Hisp, Age GE 45	16	12	21
2006	R/E: Hispanic, Age GE 45	19	11	31

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Has Been Injured By a Fall in the Past 3 Months, Age GE 45, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Has Been Injured By a Fall in the Past 3 Months, Age GE 45

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults, Age GE 45	5	4	6
2006	Sex: M, Age GE 45	4	3	5
2006	Sex: F, Age GE 45	6	5	7
2006	Age: 45-64	5	4	6
2006	Age: 65-74	3	2	5
2006	Age: GE 75	5	4	7
2006	Ed: LT High School, Age GE 45	6	4	9
2006	Ed: High School, Age GE 45	5	4	6
2006	Ed: Some College, Age GE 45	6	4	7
2006	Ed: College Degree, Age GE 45	4	3	6
2006	Inc: LT \$15,000, Age GE 45	11	9	15
2006	Inc: \$15,000-24,999, Age GE 45	6	5	9
2006	Inc: \$25,000-49,999, Age GE 45	4	3	5
2006	Inc: \$50,000-74,999, Age GE 45	3	2	5
2006	Inc: GE \$75,000, Age GE 45	4	3	5
2006	R/E: W, non-Hisp, Age GE 45	5	4	5
2006	R/E: B, non-Hisp, Age GE 45	5	3	8
2006	R/E: Hispanic, Age GE 45	9	4	19


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Always Use a Seat Belt When Either Driving or Riding in a Car, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Always Use a Seat Belt When Either Driving or Riding in a Car

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	72	71	73
2006	Sex: M	66	64	68
2006	Sex: F	77	76	79
2006	Age: 18-29	64	60	68
2006	Age: 30-44	70	68	73
2006	Age: 45-64	74	73	76
2006	Age: GE 65	79	77	81
2006	Ed: LT High School	65	60	70
2006	Ed: High School	67	65	69
2006	Ed: Some College	72	69	74
2006	Ed: College Degree	81	79	82
2006	Inc: LT \$15,000	65	61	70
2006	Inc: \$15,000-24,999	69	65	72
2006	Inc: \$25,000-49,999	69	66	71
2006	Inc: \$50,000-74,999	72	69	75
2006	Inc: GE \$75,000	79	76	81
2006	R/E: W, non-Hisp	73	71	74
2006	R/E: B, non-Hisp	66	60	71
2006	R/E: Hispanic	72	63	79


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Driving One or More Times When Having Had too Much to Drink in the Past 30 Days, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Driving One or More Times When Having Had too Much to Drink in the Past 30 Days


YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	5	4	6
2006	Sex: M	8	6	10
2006	Sex: F	2	2	3
2006	Age: 18-29	9	7	13
2006	Age: 30-44	5	4	7
2006	Age: 45-64	4	3	5
2006	Age: GE 65	1	1	2
2006	Ed: LT High School	ND	ND	ND
2006	Ed: High School	5	4	7
2006	Ed: Some College	5	3	7
2006	Ed: College Degree	5	4	6
2006	Inc: LT \$15,000	5	2	9
2006	Inc: \$15,000-24,999	6	3	10
2006	Inc: \$25,000-49,999	7	5	9
2006	Inc: \$50,000-74,999	5	4	8
2006	Inc: GE \$75,000	5	4	7
2006	R/E: W, non-Hisp	5	5	7
2006	R/E: B, non-Hisp	4	1	11
2006	R/E: Hispanic	0	0	0

ND = Not displayed if sample is considered statistically unreliable.


L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Had a Clinical Breast Exam and Mammogram in Past 2 Years
Pennsylvania Women Age 50+, 1995-2006



Percent Women Who Had a Mammogram in the Past Year, Age GE 40, 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: Women Who Had a Mammogram in the Past Year, Age GE 40


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	F, Age GE 40	62	60	64
2006	Age: F, 40-49	54	51	58
2006	Age: F, 50-64	67	64	70
2006	Age: F, 65-74	66	63	70
2006	Age: F, GE 75	61	57	64
2006	Ed: F, LT High School, Age GE 40	49	44	55
2006	Ed: F, High School, Age GE 40	61	58	63
2006	Ed: F, Some College, Age GE 40	62	59	66
2006	Ed: F, College Degree, Age GE 40	68	64	71
2006	Inc: F, LT \$15,000, Age GE 40	49	44	54
2006	Inc: F, \$15,000-24,999, Age GE 40	56	52	60
2006	Inc: F, \$25,000-49,999, Age GE 40	63	60	67
2006	Inc: F, \$50,000-74,999, Age GE 40	60	56	65
2006	Inc: F, GE \$75,000, Age GE 40	70	66	74
2006	R/E: F, W, non-Hisp, Age GE 40	62	61	64
2006	R/E: F, B, non-Hisp, Age GE 40	53	46	59
2006	R/E: F, Hispanic, Age GE 40	75	63	85

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Women Who Had a Clinical Breast Exam in the Past Year, Age GE 40, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Women Who Had a Clinical Breast Exam in the Past Year, Age GE 40


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	F, Age GE 40	65	63	67
2006	Age: F, 40-49	66	63	69
2006	Age: F, 50-64	69	66	72
2006	Age: F, 65-74	63	59	66
2006	Age: F, GE 75	57	53	61
2006	Ed: F, LT High School, Age GE 40	49	44	55
2006	Ed: F, High School, Age GE 40	61	58	63
2006	Ed: F, Some College, Age GE 40	69	65	72
2006	Ed: F, College Degree, Age GE 40	74	71	77
2006	Inc: F, LT \$15,000, Age GE 40	49	44	54
2006	Inc: F, \$15,000-24,999, Age GE 40	54	50	58
2006	Inc: F, \$25,000-49,999, Age GE 40	66	63	70
2006	Inc: F, \$50,000-74,999, Age GE 40	69	64	73
2006	Inc: F, GE \$75,000, Age GE 40	77	73	80
2006	R/E: F, W, non-Hisp, Age GE 40	65	63	67
2006	R/E: F, B, non-Hisp, Age GE 40	66	59	72
2006	R/E: F, Hispanic, Age GE 40	73	60	83

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Women Who Had a Mammogram and Clinical Breast Exam in Past 2 Years, Age GE 50, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Women Who Had a Mammogram and Clinical Breast Exam in Past 2 Years, Age GE 50


YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	F, Age GE 50	71	70	73
2006	Age: F, 50-64	77	74	79
2006	Age: F, 65-74	73	69	76
2006	Age: F, GE 75	60	56	64
2006	Ed: F, LT High School, Age GE 50	55	49	61
2006	Ed: F, High School, Age GE 50	68	66	71
2006	Ed: F, Some College, Age GE 50	77	74	81
2006	Ed: F, College Degree, Age GE 50	81	77	84
2006	Inc: F, LT \$15,000, Age GE 50	53	47	58
2006	Inc: F, \$15,000-24,999, Age GE 50	62	57	66
2006	Inc: F, \$25,000-49,999, Age GE 50	77	73	80
2006	Inc: F, \$50,000-74,999, Age GE 50	78	73	83
2006	Inc: F, GE \$75,000, Age GE 50	87	83	90
2006	R/E: F, W, non-Hisp, Age GE 50	71	69	73
2006	R/E: F, B, non-Hisp, Age GE 50	77	70	83
2006	R/E: F, Hispanic, Age GE 50	ND	ND	ND

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.


Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Having Pap Tests, Pennsylvania Women, 1995-2006



Percent Women Who Had a Pap Test in the Past 3 Years, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Women Who Had a Pap Test in the Past 3 Years

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	F	80	78	81
2006	Age: F, 18-29	83	78	87
2006	Age: F, 30-44	88	86	90
2006	Age: F, 45-64	83	81	85
2006	Age: F, GE 65	61	59	64
2006	Ed: F, LT High School	63	58	68
2006	Ed: F, High School	76	73	78
2006	Ed: F, Some College	82	79	85
2006	Ed: F, College Degree	88	86	89
2006	Inc: F, LT \$15,000	66	61	70
2006	Inc: F, \$15,000-24,999	71	67	74
2006	Inc: F, \$25,000-49,999	81	79	84
2006	Inc: F, \$50,000-74,999	84	80	87
2006	Inc: F, GE \$75,000	92	90	94
2006	R/E: F, W, non-Hisp	80	78	81
2006	R/E: F, B, non-Hisp	85	80	88
2006	R/E: F, Hispanic	84	76	89


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Women Who Had a Hysterectomy, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Women Who Had a Hysterectomy


YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	F	21	20	22
2006	Age: F, 18-29	1	0	6
2006	Age: F, 30-44	6	5	8
2006	Age: F, 45-64	27	25	29
2006	Age: F, GE 65	43	40	45
2006	Ed: F, LT High School	26	22	30
2006	Ed: F, High School	26	24	28
2006	Ed: F, Some College	20	17	22
2006	Ed: F, College Degree	13	12	15
2006	Inc: F, LT \$15,000	28	24	32
2006	Inc: F, \$15,000-24,999	27	24	31
2006	Inc: F, \$25,000-49,999	22	20	25
2006	Inc: F, \$50,000-74,999	16	13	19
2006	Inc: F, GE \$75,000	13	11	15
2006	R/E: F, W, non-Hisp	21	20	22
2006	R/E: F, B, non-Hisp	21	16	26
2006	R/E: F, Hispanic	17	11	25

ND = Not displayed if sample is considered statistically unreliable.


L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Ever Had a Prostate Specific Antigen (PSA) Blood Test
Pennsylvania Men Age 50+, 1995-2006




Percent Ever Had a Digital Rectal Exam (DRE)
Pennsylvania Men Age 50+, 1995-2006



Percent Men Who Had a PSA Blood Test Within the Past Year, Age GE 50, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Men Who Had a PSA Blood Test Within the Past Year, Age GE 50

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	M, Age GE 50	54	51	57
2006	Age: M, 50-64	46	43	50
2006	Age: M, 65-74	65	60	69
2006	Age: M, GE 75	66	60	71
2006	Ed: M, LT High School, Age GE 50	46	37	55
2006	Ed: M, High School, Age GE 50	49	45	53
2006	Ed: M, Some College, Age GE 50	53	47	59
2006	Ed: M, College Degree, Age GE 50	62	58	66
2006	Inc: M, LT \$15,000, Age GE 50	50	40	59
2006	Inc: M, \$15,000-24,999, Age GE 50	52	45	58
2006	Inc: M, \$25,000-49,999, Age GE 50	53	48	57
2006	Inc: M, \$50,000-74,999, Age GE 50	53	47	59
2006	Inc: M, GE \$75,000, Age GE 50	60	54	65
2006	R/E: M, W, non-Hisp, Age GE 50	54	51	57
2006	R/E: M, B, non-Hisp, Age GE 50	51	38	64
2006	R/E: M, Hispanic, Age GE 50	ND	ND	ND


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Men Who Had a Digital Rectal Exam (DRE) in the Past Year, Age GE 50, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Men Who Had a Digital Rectal Exam (DRE) in the Past Year, Age GE 50


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	M, Age GE 50	50	48	53
2006	Age: M, 50-64	45	41	48
2006	Age: M, 65-74	57	52	62
2006	Age: M, GE 75	60	54	66
2006	Ed: M, LT High School, Age GE 50	42	34	51
2006	Ed: M, High School, Age GE 50	47	43	51
2006	Ed: M, Some College, Age GE 50	43	38	49
2006	Ed: M, College Degree, Age GE 50	60	56	64
2006	Inc: M, LT \$15,000, Age GE 50	40	31	49
2006	Inc: M, \$15,000-24,999, Age GE 50	43	37	50
2006	Inc: M, \$25,000-49,999, Age GE 50	49	44	54
2006	Inc: M, \$50,000-74,999, Age GE 50	51	45	57
2006	Inc: M, GE \$75,000, Age GE 50	56	50	62
2006	R/E: M, W, non-Hisp, Age GE 50	51	48	54
2006	R/E: M, B, non-Hisp, Age GE 50	53	40	65
2006	R/E: M, Hispanic, Age GE 50	ND	ND	ND

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Men Who Were Ever Told They Had Prostate Cancer, Age GE 50, 2006
 Pennsylvania BRFSS



Pennsylvania BRFSS: Men Who Were Ever Told They Had Prostate Cancer, Age GE 50


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	M, Age GE 50	7	5	8
2006	Age: M, 50-64	2	1	3
2006	Age: M, 65-74	10	7	13
2006	Age: M, GE 75	17	13	22
2006	Ed: M, LT High School, Age GE 50	7	4	13
2006	Ed: M, High School, Age GE 50	7	5	10
2006	Ed: M, Some College, Age GE 50	6	4	9
2006	Ed: M, College Degree, Age GE 50	6	4	8
2006	Inc: M, LT \$15,000, Age GE 50	7	4	13
2006	Inc: M, \$15,000-24,999, Age GE 50	10	7	14
2006	Inc: M, \$25,000-49,999, Age GE 50	6	4	9
2006	Inc: M, \$50,000-74,999, Age GE 50	5	3	8
2006	Inc: M, GE \$75,000, Age GE 50	4	3	7
2006	R/E: M, W, non-Hisp, Age GE 50	7	6	8
2006	R/E: M, B, non-Hisp, Age GE 50	3	1	9
2006	R/E: M, Hispanic, Age GE 50	ND	ND	ND

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.


Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

**Percent Ever Had a Sigmoidoscopy or Colonoscopy
Pennsylvania Adults Age 50+, 1995-2006**



Percent Had a Sigmoidoscopy or Colonoscopy in the Past 5 Years, Age GE 50, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Had a Sigmoidoscopy or Colonoscopy in the Past 5 Years, Age GE 50

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults, Age GE 50	49	47	50
2006	Sex: M, Age GE 50	49	46	52
2006	Sex: F, Age GE 50	49	47	51
2006	Age: 50-64	45	43	47
2006	Age: 65-74	54	51	57
2006	Age: GE 75	53	50	56
2006	Ed: LT High School, Age GE 50	45	40	50
2006	Ed: High School, Age GE 50	44	41	46
2006	Ed: Some College, Age GE 50	51	47	55
2006	Ed: College Degree, Age GE 50	57	54	60
2006	Inc: LT \$15,000, Age GE 50	45	40	49
2006	Inc: \$15,000-24,999, Age GE 50	43	40	47
2006	Inc: \$25,000-49,999, Age GE 50	51	48	54
2006	Inc: \$50,000-74,999, Age GE 50	48	43	52
2006	Inc: GE \$75,000, Age GE 50	52	48	56
2006	R/E: W, non-Hisp, Age GE 50	49	47	51
2006	R/E: B, non-Hisp, Age GE 50	53	46	61
2006	R/E: Hispanic, Age GE 50	46	33	59


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Had a Home Blood Stool Test in the Past 2 Years, Age GE 50, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Had a Home Blood Stool Test in the Past 2 Years, Age GE 50


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults, Age GE 50	22	20	23
2006	Sex: M, Age GE 50	22	20	24
2006	Sex: F, Age GE 50	21	20	23
2006	Age: 50-64	18	16	20
2006	Age: 65-74	28	25	31
2006	Age: GE 75	24	22	27
2006	Ed: LT High School, Age GE 50	21	17	25
2006	Ed: High School, Age GE 50	21	19	23
2006	Ed: Some College, Age GE 50	21	19	24
2006	Ed: College Degree, Age GE 50	23	20	25
2006	Inc: LT \$15,000, Age GE 50	22	18	26
2006	Inc: \$15,000-24,999, Age GE 50	24	21	28
2006	Inc: \$25,000-49,999, Age GE 50	22	19	24
2006	Inc: \$50,000-74,999, Age GE 50	23	19	27
2006	Inc: GE \$75,000, Age GE 50	17	14	20
2006	R/E: W, non-Hisp, Age GE 50	22	20	23
2006	R/E: B, non-Hisp, Age GE 50	19	14	24
2006	R/E: Hispanic, Age GE 50	25	15	39

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.


Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

**Percent Tested for HIV, Except Blood Donation
Pennsylvania Adults Age 18-64, 1995-2006**



Percent Ever Tested for HIV (Except Blood Donation), Age 18-64, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Ever Tested for HIV (Except Blood Donation), Age 18-64

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults, Age 18-64	28	27	30
2006	Sex: M, Age 18-64	25	23	28
2006	Sex: F, Age 18-64	31	29	33
2006	Age: 18-29	31	27	35
2006	Age: 30-44	40	38	43
2006	Age: 45-64	17	16	18
2006	Ed: LT High School, Age 18-64	30	24	37
2006	Ed: High School, Age 18-64	25	23	27
2006	Ed: Some College, Age 18-64	32	29	35
2006	Ed: College Degree, Age 18-64	29	27	31
2006	Inc: LT \$15,000, Age 18-64	42	36	48
2006	Inc: \$15,000-24,999, Age 18-64	34	29	39
2006	Inc: \$25,000-49,999, Age 18-64	28	25	30
2006	Inc: \$50,000-74,999, Age 18-64	28	25	31
2006	Inc: GE \$75,000, Age 18-64	27	25	30
2006	R/E: W, non-Hisp, Age 18-64	25	24	26
2006	R/E: B, non-Hisp, Age 18-64	49	43	55
2006	R/E: Hispanic, Age 18-64	51	42	61


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Taking Vitamin Pills or Supplements, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Taking Vitamin Pills or Supplements

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	59	57	61
2006	Sex: M	52	48	55
2006	Sex: F	65	62	67
2006	Age: 18-29	45	39	52
2006	Age: 30-44	52	48	56
2006	Age: 45-64	63	60	65
2006	Age: GE 65	74	71	77
2006	Ed: LT High School	44	37	52
2006	Ed: High School	57	53	60
2006	Ed: Some College	58	54	63
2006	Ed: College Degree	65	62	68
2006	Inc: LT \$15,000	51	44	58
2006	Inc: \$15,000-24,999	59	54	65
2006	Inc: \$25,000-49,999	59	55	62
2006	Inc: \$50,000-74,999	60	54	65
2006	Inc: GE \$75,000	61	56	65
2006	R/E: W, non-Hisp	60	57	62
2006	R/E: B, non-Hisp	46	38	54
2006	R/E: Hispanic	ND	ND	ND


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Women Who Take Folic Acid, Age 18-44, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Women Who Take Folic Acid, Age 18-44

<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	F, Age 18-44	55	50	59
2006	Age: F, 18-29	51	43	59
2006	Age: F, 30-44	57	52	62
2006	Ed: F, LT High School, Age 18-44	ND	ND	ND
2006	Ed: F, High School, Age 18-44	48	40	57
2006	Ed: F, Some College, Age 18-44	53	44	62
2006	Ed: F, College Degree, Age 18-44	64	58	70
2006	Inc: F, LT \$15,000, Age 18-44	ND	ND	ND
2006	Inc: F, \$15,000-24,999, Age 18-44	ND	ND	ND
2006	Inc: F, \$25,000-49,999, Age 18-44	58	49	67
2006	Inc: F, \$50,000-74,999, Age 18-44	55	45	65
2006	Inc: F, GE \$75,000, Age 18-44	62	54	70
2006	R/E: F, W, non-Hisp, Age 18-44	55	50	60
2006	R/E: F, B, non-Hisp, Age 18-44	ND	ND	ND
2006	R/E: F, Hispanic, Age 18-44	ND	ND	ND


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Has a CO Detector In Home, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Has a CO Detector In Home

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	48	46	50
2006	Sex: M	48	44	51
2006	Sex: F	48	45	50
2006	Age: 18-29	49	42	55
2006	Age: 30-44	55	51	58
2006	Age: 45-64	46	43	49
2006	Age: GE 65	41	38	44
2006	Ed: LT High School	39	32	47
2006	Ed: High School	45	42	49
2006	Ed: Some College	52	47	56
2006	Ed: College Degree	50	46	53
2006	Inc: LT \$15,000	34	27	41
2006	Inc: \$15,000-24,999	41	36	46
2006	Inc: \$25,000-49,999	47	43	51
2006	Inc: \$50,000-74,999	50	45	56
2006	Inc: GE \$75,000	56	52	60
2006	R/E: W, non-Hisp	48	46	50
2006	R/E: B, non-Hisp	40	33	49
2006	R/E: Hispanic	ND	ND	ND


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Ever Told They Had An Anxiety Disorder, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Ever Told They Had An Anxiety Disorder

<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	13	11	14
2006	Sex: M	8	7	11
2006	Sex: F	16	15	19
2006	Age: 18-29	14	10	19
2006	Age: 30-44	13	11	16
2006	Age: 45-64	14	13	17
2006	Age: GE 65	8	6	10
2006	Ed: LT High School	17	11	24
2006	Ed: High School	14	12	17
2006	Ed: Some College	13	10	16
2006	Ed: College Degree	10	8	13
2006	Inc: LT \$15,000	25	19	32
2006	Inc: \$15,000-24,999	16	12	21
2006	Inc: \$25,000-49,999	12	10	15
2006	Inc: \$50,000-74,999	13	10	16
2006	Inc: GE \$75,000	11	8	14
2006	R/E: W, non-Hisp	12	11	14
2006	R/E: B, non-Hisp	12	8	18
2006	R/E: Hispanic	12	6	24


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Ever Told They Had a Depressive Disorder, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Ever Told They Had a Depressive Disorder

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	15	14	17
2006	Sex: M	10	8	12
2006	Sex: F	20	18	22
2006	Age: 18-29	13	9	17
2006	Age: 30-44	16	14	20
2006	Age: 45-64	20	17	22
2006	Age: GE 65	10	8	12
2006	Ed: LT High School	20	14	27
2006	Ed: High School	15	13	17
2006	Ed: Some College	17	14	20
2006	Ed: College Degree	14	12	17
2006	Inc: LT \$15,000	30	24	36
2006	Inc: \$15,000-24,999	18	14	22
2006	Inc: \$25,000-49,999	13	11	16
2006	Inc: \$50,000-74,999	16	12	20
2006	Inc: GE \$75,000	14	11	18
2006	R/E: W, non-Hisp	16	14	18
2006	R/E: B, non-Hisp	13	9	18
2006	R/E: Hispanic	13	7	25


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Women Ever Told By Health Professional How to Prevent Osteoporosis, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Women Ever Told By Health Professional How to Prevent Osteoporosis

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	F	40	38	42
2006	Age: F, 18-29	33	28	39
2006	Age: F, 30-44	35	32	38
2006	Age: F, 45-64	43	41	45
2006	Age: F, GE 65	47	44	50
2006	Ed: F, LT High School	31	24	38
2006	Ed: F, High School	38	35	40
2006	Ed: F, Some College	40	37	44
2006	Ed: F, College Degree	45	42	48
2006	Inc: F, LT \$15,000	33	28	38
2006	Inc: F, \$15,000-24,999	37	33	42
2006	Inc: F, \$25,000-49,999	39	36	42
2006	Inc: F, \$50,000-74,999	40	36	44
2006	Inc: F, GE \$75,000	44	40	48
2006	R/E: F, W, non-Hisp	42	40	44
2006	R/E: F, B, non-Hisp	27	22	33
2006	R/E: F, Hispanic	30	21	42


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Women Ever Having a Bone Density Test, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Women Ever Having a Bone Density Test

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	F	22	21	24
2006	Age: F, 18-29	5	3	10
2006	Age: F, 30-44	7	6	9
2006	Age: F, 45-64	26	24	28
2006	Age: F, GE 65	51	48	54
2006	Ed: F, LT High School	23	18	28
2006	Ed: F, High School	24	22	26
2006	Ed: F, Some College	22	19	25
2006	Ed: F, College Degree	21	19	23
2006	Inc: F, LT \$15,000	24	20	28
2006	Inc: F, \$15,000-24,999	26	22	29
2006	Inc: F, \$25,000-49,999	22	20	25
2006	Inc: F, \$50,000-74,999	18	16	21
2006	Inc: F, GE \$75,000	19	15	22
2006	R/E: F, W, non-Hisp	24	22	25
2006	R/E: F, B, non-Hisp	13	10	17
2006	R/E: F, Hispanic	11	7	18


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Ever Told They Have Osteoporosis, Women Age GE 50, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Ever Told They Have Osteoporosis, Women Age GE 50

<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	F, Age GE 50	21	19	23
2006	Age: F, 50-64	13	10	15
2006	Age: F, GE 65	30	27	33
2006	Ed: F, LT High School, Age GE 50	23	17	30
2006	Ed: F, High School, Age GE 50	21	19	25
2006	Ed: F, Some College, Age GE 50	20	16	25
2006	Ed: F, College Degree, Age GE 50	20	16	24
2006	Inc: F, LT \$15,000, Age GE 50	26	21	33
2006	Inc: F, \$15,000-24,999, Age GE 50	27	22	33
2006	Inc: F, \$25,000-49,999, Age GE 50	20	17	25
2006	Inc: F, \$50,000-74,999, Age GE 50	14	10	21
2006	Inc: F, GE \$75,000, Age GE 50	13	9	19
2006	R/E: F, W, non-Hisp, Age GE 50	22	20	24
2006	R/E: F, B, non-Hisp, Age GE 50	11	6	19
2006	R/E: F, Hispanic, Age GE 50	ND	ND	ND


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Women Currently Taking Calcium Supplements, or Antacids Containing Calcium, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Women Currently Taking Calcium Supplements, or Antacids Containing Calcium

<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	F	31	30	33
2006	Age: F, 18-29	16	13	21
2006	Age: F, 30-44	23	20	26
2006	Age: F, 45-64	37	34	39
2006	Age: F, GE 65	48	46	51
2006	Ed: F, LT High School	26	21	31
2006	Ed: F, High School	33	30	35
2006	Ed: F, Some College	30	27	33
2006	Ed: F, College Degree	33	30	35
2006	Inc: F, LT \$15,000	33	28	38
2006	Inc: F, \$15,000-24,999	32	27	36
2006	Inc: F, \$25,000-49,999	31	29	34
2006	Inc: F, \$50,000-74,999	29	26	33
2006	Inc: F, GE \$75,000	31	28	34
2006	R/E: F, W, non-Hisp	33	31	35
2006	R/E: F, B, non-Hisp	20	15	25
2006	R/E: F, Hispanic	27	18	39


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Eat 5 or More Fruits or Vegetables Daily, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Eat 5 or More Fruits or Vegetables Daily

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	25	24	27
2006	Sex: M	21	19	24
2006	Sex: F	29	27	31
2006	Age: 18-29	24	19	30
2006	Age: 30-44	21	19	24
2006	Age: 45-64	25	23	27
2006	Age: GE 65	33	30	36
2006	Ed: LT High School	24	18	32
2006	Ed: High School	21	19	23
2006	Ed: Some College	25	21	29
2006	Ed: College Degree	31	29	34
2006	Inc: LT \$15,000	28	23	33
2006	Inc: \$15,000-24,999	27	23	31
2006	Inc: \$25,000-49,999	24	21	26
2006	Inc: \$50,000-74,999	22	19	25
2006	Inc: GE \$75,000	27	23	31
2006	R/E: W, non-Hisp	24	23	26
2006	R/E: B, non-Hisp	31	25	38
2006	R/E: Hispanic	23	16	33


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Have a Working Smoke Detector On All Floors, Including Finished Basements and Attics, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Have a Working Smoke Detector On All Floors, Including Finished Basements and Attics


<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	89	88	90
2006	Sex: M	90	88	91
2006	Sex: F	89	88	90
2006	Age: 18-29	91	86	94
2006	Age: 30-44	92	90	94
2006	Age: 45-64	88	86	89
2006	Age: GE 65	87	84	88
2006	Ed: LT High School	86	77	91
2006	Ed: High School	89	88	91
2006	Ed: Some College	90	88	92
2006	Ed: College Degree	90	88	91
2006	Inc: LT \$15,000	84	79	88
2006	Inc: \$15,000-24,999	89	87	92
2006	Inc: \$25,000-49,999	90	89	92
2006	Inc: \$50,000-74,999	89	86	91
2006	Inc: GE \$75,000	90	87	93
2006	R/E: W, non-Hisp	89	88	90
2006	R/E: B, non-Hisp	90	85	93
2006	R/E: Hispanic	92	86	96

ND = Not displayed if sample is considered statistically unreliable.


L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Overweight, Pennsylvania Adults, 1995-2006




Percent Obese, Pennsylvania Adults, 1995-2006



Percent Overweight, 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Overweight


YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	62	61	63
2006	Sex: M	70	68	72
2006	Sex: F	54	53	56
2006	Age: 18-29	47	43	52
2006	Age: 30-44	62	60	65
2006	Age: 45-64	70	68	72
2006	Age: GE 65	64	62	66
2006	Ed: LT High School	64	59	69
2006	Ed: High School	65	63	67
2006	Ed: Some College	62	59	65
2006	Ed: College Degree	57	55	60
2006	Inc: LT \$15,000	66	61	70
2006	Inc: \$15,000-24,999	65	62	69
2006	Inc: \$25,000-49,999	66	63	68
2006	Inc: \$50,000-74,999	65	62	68
2006	Inc: GE \$75,000	57	54	60
2006	R/E: W, non-Hisp	62	60	63
2006	R/E: B, non-Hisp	67	61	72
2006	R/E: Hispanic	68	59	76

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Obese, 2006
Pennsylvania BRFSS



Pennsylvania BRFSS: Obese

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	25	24	26
2006	Sex: M	26	24	28
2006	Sex: F	24	22	25
2006	Age: 18-29	16	14	20
2006	Age: 30-44	26	24	29
2006	Age: 45-64	30	28	32
2006	Age: GE 65	22	20	24
2006	Ed: LT High School	30	26	35
2006	Ed: High School	26	25	28
2006	Ed: Some College	27	25	30
2006	Ed: College Degree	19	18	21
2006	Inc: LT \$15,000	32	28	36
2006	Inc: \$15,000-24,999	28	25	31
2006	Inc: \$25,000-49,999	28	26	31
2006	Inc: \$50,000-74,999	27	24	30
2006	Inc: GE \$75,000	20	18	22
2006	R/E: W, non-Hisp	24	23	26
2006	R/E: B, non-Hisp	32	27	37
2006	R/E: Hispanic	28	21	36


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Trying to Lose Weight (Out of Overweight Adults), 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Trying to Lose Weight (Out of Overweight Adults)

YEAR	DEMOGRAPHIC	PERCENT	L	U
2006	All Adults	64	62	66
2006	Sex: M	55	51	58
2006	Sex: F	75	73	78
2006	Age: 18-29	70	62	76
2006	Age: 30-44	61	57	65
2006	Age: 45-64	69	66	72
2006	Age: GE 65	55	51	59
2006	Ed: LT High School	62	55	69
2006	Ed: High School	60	57	64
2006	Ed: Some College	67	62	71
2006	Ed: College Degree	67	63	71
2006	Inc: LT \$15,000	61	54	67
2006	Inc: \$15,000-24,999	60	54	66
2006	Inc: \$25,000-49,999	64	60	68
2006	Inc: \$50,000-74,999	65	60	70
2006	Inc: GE \$75,000	66	61	71
2006	R/E: W, non-Hisp	65	63	67
2006	R/E: B, non-Hisp	60	51	68
2006	R/E: Hispanic	68	55	79


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Trying to Lose Wgt Using Phys Act (Out of Ovrwgt Adults Trying to Lose or Maintain Wgt), 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Trying to Lose Wgt Using Phys Act (Out of Ovrwgt Adults Trying to Lose or Maintain Wgt)

<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	69	67	71
2006	Sex: M	72	69	75
2006	Sex: F	66	64	69
2006	Age: 18-29	89	83	93
2006	Age: 30-44	75	71	79
2006	Age: 45-64	67	64	70
2006	Age: GE 65	53	49	57
2006	Ed: LT High School	54	46	61
2006	Ed: High School	65	62	68
2006	Ed: Some College	71	67	75
2006	Ed: College Degree	78	74	81
2006	Inc: LT \$15,000	56	49	63
2006	Inc: \$15,000-24,999	61	55	67
2006	Inc: \$25,000-49,999	67	63	71
2006	Inc: \$50,000-74,999	75	70	79
2006	Inc: GE \$75,000	77	73	82
2006	R/E: W, non-Hisp	70	68	72
2006	R/E: B, non-Hisp	63	54	71
2006	R/E: Hispanic	ND	ND	ND


ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Percent Advised By a Health Professional to Lose Weight (Out of Overweight Adults), 2006

Pennsylvania BRFSS



Pennsylvania BRFSS: Advised By a Health Professional to Lose Weight (Out of Overweight Adults)

<u>YEAR</u>	<u>DEMOGRAPHIC</u>	<u>PERCENT</u>	<u>L</u>	<u>U</u>
2006	All Adults	23	21	25
2006	Sex: M	21	19	24
2006	Sex: F	25	23	28
2006	Age: 18-29	14	9	21
2006	Age: 30-44	23	20	27
2006	Age: 45-64	30	27	33
2006	Age: GE 65	16	14	19
2006	Ed: LT High School	25	19	31
2006	Ed: High School	20	18	23
2006	Ed: Some College	25	21	29
2006	Ed: College Degree	25	22	28
2006	Inc: LT \$15,000	25	20	31
2006	Inc: \$15,000-24,999	20	16	24
2006	Inc: \$25,000-49,999	23	20	27
2006	Inc: \$50,000-74,999	23	19	27
2006	Inc: GE \$75,000	24	20	28
2006	R/E: W, non-Hisp	22	20	24
2006	R/E: B, non-Hisp	30	24	38
2006	R/E: Hispanic	23	14	36

ND = Not displayed if sample is considered statistically unreliable.

L/U = Lower and upper 95% confidence bounds.

Source: Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS). Please note that the BRFSS data displayed in the Pennsylvania EpiQMS, starting in 2002, includes data gathered by Pennsylvania collecting samples of behavioral risk information for Local Health Partnerships at the county level. Due to the inclusion of these sample data, analysis of Pennsylvania BRFSS data presented by others may differ in sample sizes and have slightly different percent estimates and confidence bounds.

Technical Notes

Survey Management

The Behavioral Risk Factor Surveillance System (BRFSS) is a cooperative effort of the Centers for Disease Control and Prevention (CDC) and participating states. The CDC develops the core questionnaire and provides training, technical assistance, standardized data analyses and funding. The Pennsylvania Department of Health develops supplemental questions (or modules), facilitates the Pennsylvania BRFSS Local Sampling Program, performs analyses, and responds to requests for data. Sampling and interviewing in 2006 were done by Clearwater Research, Incorporated which was selected by competitive bid.

Sample Selection

Respondents were selected using a two-stage random digit dialing sample design. In the first selection stage, a disproportionate stratified sample of telephone numbers was selected from two telephone number strata. One stratum consists of a listed Pennsylvania residential telephone numbers. The other stratum consists of blocks of telephone numbers, known to include one or more residential telephone numbers. Both strata's telephone numbers begin with area codes and exchange prefixes specific to Pennsylvania. Cell phone numbers are not included in the BRFSS sample selection.

Under the disproportionate stratified sample design, the sample of Pennsylvania telephone numbers that is divided into the two strata described in the previous paragraph are selected based on the estimated probability that the phone number is attached to a housing unit. A larger proportion of the sample is selected from the strata of listed telephone numbers known to be connected to residential households.

In the first stage of sampling, the selected telephone numbers were called to determine if they were residential telephone numbers. Nonresidential telephone numbers were discarded from the sample. Residential numbers were subjected to the second stage of sampling wherein an adult was randomly selected as the respondent from a list of adults residing in the household. The person who answers the telephone generates this list.

Questionnaire

The survey questionnaire for the statewide survey of Pennsylvania consists of a standardized core, state-selected modules, and state-added questions. The CDC developed the core questionnaire with recommendations from all participating jurisdictions. Most of the core questions had been used during the 2006 BRFSS survey. All items new to the 2006 survey were field-tested.

Questions of interest to Pennsylvania were added as the state supplement to the core questionnaire. State-added modules and questions concerned diabetes, influenza, asthma, arthritis, weight control, tobacco use, dental insurance, and heart attack and stroke.

Determining Accuracy of the Estimates and Significance Using Confidence Intervals

Tables included in this report show the 95% confidence intervals associated with all reported percentages. They appear in the table columns labeled (CI).

Confidence intervals are a way to measure sampling error and define the range of values where percentages estimated by multiple samples of the same population would be found (95% of the time). The size of the confidence interval is directly related to the sample taken or the probability of selection and characteristics of the people surveyed within the universe being sampled. In addition, percentages for two different subgroups of the population can be determined to be significantly different if their confidence intervals or ranges do not overlap.

Confidence intervals were calculated using SUDAAN, a software package developed by the Research Triangle Institute, that properly estimates sample variances for complex sample designs.

Percentages were not calculated and shown for subgroups of the population when their sample size was less than 50 or when the portion of the sample being represented was of size greater than or equal to 50 but the calculated percentage was deemed to be statistically unreliable. The method used to determine the reliability of percentages calculated from sample sizes of 50 or more consisted of a comparison of the relative standard error of the calculated percentage with the relative standard error of the same percentage outcome for a simple random sample. If the relative standard error for the percentage being tested was smaller than the relative standard error of the same percentage outcome for the simple random sample, then the calculated percentage was considered reliable

Data Adjustment

The data were adjusted, or weighted, to correspond to estimated age and sex distribution of the population for Pennsylvania in 2006. Because people living in households with more than one telephone or more than one adult had differing probabilities of being selected, the responses were also adjusted to reflect the number of different telephone numbers per household and the number of adults residing in the household. All of the percentages reported here were calculated with weighted data and should be representative of the adult population of Pennsylvania. It should be noted that the percentages might not add to 100 due to rounding. When calculating the percentages of prevalence for each health topic in this report, responses of “Don’t know/Not sure” and “Refused” were removed from the denominators. This is to reflect a more accurately estimated presentation of prevalence for the topics within Pennsylvania’s population. Those responses, which were removed from the denominator, tend to dilute the prevalence percentages and do not contribute to their further understanding.

Data Comparison To Other Sources

Please note that different sources of behavioral risk factor surveillance system data for Pennsylvania may display percentages that are different from those displayed in this report. Other sources may use additional available data, such as the Department’s interactive web tool Epidemiological Querying and Mapping System (EpiQMS) which uses data from the Pennsylvania Behavioral Risk Factor Surveillance System (BRFSS) Local Sampling Program in conjunction with the Pennsylvania BRFSS statewide sample. This report only uses the statewide sample to compute its percentages. Also, other sources may include or exclude data from the denominator data used to calculate percentages. For example, the exclusion or inclusion of “Don’t Know/Not Sure” or “Refused” responses could potentially effect the final response percentage calculation.

If you have any questions about these differences, please contact the Bureau of Health Statistics and Research by phone at 717-783-2548 or by mail at 555 Walnut Street, 6th Floor, Harrisburg, PA 17101-1914.