

Women's Health (continued) - Pap Test

Those who ever had a Pap test:

- Ninety percent of Pennsylvania women responded in 2014 that they ever had a pap test.
- Pennsylvania women age 18-29 had a significantly lower percentage (59 percent, CI: 52-65) compared to Pennsylvania women age 30-44 (97 percent, CI: 96-98), women age 45-64 (98 percent, CI: 97-99) and women age 65 and older (95 percent, CI: 93-96).
- Pennsylvania women age 65 and older had a significantly lower percentage (95 percent, CI: 93-96) compared to Pennsylvania women age 45-64 (98 percent, CI: 97-99).
- Pennsylvania women with less than a high school education had a significantly lower percentage (74 percent, CI: 64-82) compared to Pennsylvania women with a high school education (90 percent, CI: 87-93), women with some college education (90 percent, CI: 86-93) and women with a college degree (95 percent, CI: 93-97).

Those who had a Pap test in the past three years:

- Sixty-nine percent of Pennsylvania women indicated in 2014 that they had a pap test in the past three years.
- Pennsylvania women age 18-29 had a significantly lower percentage (57 percent, CI: 50-63) compared to Pennsylvania women age 30-44 (86 percent, CI: 83-89) and women age 45-64 (76 percent, CI: 74-78).
- Pennsylvania women age 45-64 had a significantly lower percentage (76 percent, CI: 74-78) compared to Pennsylvania women age 30-44 (86 percent, CI: 83-89).
- Pennsylvania women age 65 and older had a significantly lower percentage (50 percent, CI: 47-53) compared to Pennsylvania women age 30-44 (86 percent, CI: 83-89) and women age 45-64 (76 percent, CI: 74-78).
- Pennsylvania women with less than a high school education had a significantly lower percentage (48 percent, CI: 40-56) compared to Pennsylvania women with a high school education (63 percent, CI: 60-66), women with some college education (71 percent, CI: 68-75) and women with a college degree (81 percent, CI: 79-84).
- Pennsylvania women with a high school education had a significantly lower percentage (63 percent, CI: 60-66) compared to Pennsylvania women with some college education (71 percent, CI: 68-75) and women with a college degree (81 percent, CI: 79-84).
- Pennsylvania women with some college education had a significantly lower percentage (71 percent, CI: 68-75) compared to Pennsylvania adults with a college degree (81 percent, CI: 79-84).
- Pennsylvania women with a household income of less than \$15,000 had a significantly lower percentage (60 percent, CI: 54-66) compared to Pennsylvania women with a household income of \$50,000 to \$74,999 (76 percent, CI: 72-80) and women with a household income of \$75,000 or more (80 percent, CI: 76-84).
- Pennsylvania women with a household income of \$15,000 to \$24,999 had a significantly lower percentage (63 percent, CI: 58-67) compared to Pennsylvania women with a household income of \$50,000 to \$74,999 (76 percent, CI: 72-80) and women with a household income of \$75,000 or more (80 percent, CI: 76-84).
- Pennsylvania women with a household income of \$25,000 to \$49,999 had a significantly lower percentage (67 percent, CI: 63-71) compared to Pennsylvania women with a household income of \$50,000 to \$74,999 (76 percent, CI: 72-80) and women with a household income of \$75,000 or more (80 percent, CI: 76-84).

Women's Health (continued) - Pap Test

Those who had a Pap test in the past five years:


- Seventy-five percent of Pennsylvania women responded in 2014 that they had a pap test in the past five years.
- Pennsylvania women age 18-29 had a significantly lower percentage (58 percent, CI: 51-65) compared to Pennsylvania women age 30-44 (92 percent, CI: 90-94) and women age 45-64 (82 percent, CI: 80-84).
- Pennsylvania women age 45-64 had a significantly lower percentage (82 percent, CI: 80-84) compared to Pennsylvania women age 30-44 (92 percent, CI: 90-94).
- Pennsylvania women age 65 and older had a significantly lower percentage (62 percent, CI: 59-64) compared to Pennsylvania women age 30-44 (92 percent, CI: 90-94) and women age 45-64 (82 percent, CI: 80-84).
- Pennsylvania women with less than a high school education had a significantly lower percentage (54 percent, CI: 45-62) compared to Pennsylvania women with a high school education (71 percent, CI: 68-74), women with some college education (77 percent, CI: 74-81) and women with a college degree (87 percent, CI: 85-89).
- Pennsylvania women with a high school education had a significantly lower percentage (71 percent, CI: 68-74) compared to Pennsylvania women with a college degree (87 percent, CI: 85-89).
- Pennsylvania women with some college education had a significantly lower percentage (77 percent, CI: 74-81) compared to Pennsylvania women with a college degree (87 percent, CI: 85-89).
- Pennsylvania women with a household income of less than \$15,000 had a significantly lower percentage (67 percent, CI: 61-72) compared to Pennsylvania women with a household income of \$50,000 to \$74,999 (83 percent, CI: 79-86) and women with a household income of \$75,000 or more (85 percent, CI: 80-88).
- Pennsylvania women with a household income of \$15,000 to \$24,999 had a significantly lower percentage (71 percent, CI: 66-75) compared to Pennsylvania women with a household income of \$50,000 to \$74,999 (83 percent, CI: 79-86) and women with a household income of \$75,000 or more (85 percent, CI: 80-88).
- Pennsylvania women with a household income of \$25,000 to \$49,999 had a significantly lower percentage (74 percent, CI: 70-78) compared to Pennsylvania women with a household income of \$50,000 to \$74,999 (83 percent, CI: 79-86) and women with a household income of \$75,000 or more (85 percent, CI: 80-88).

Those who ever had a hysterectomy:

- Twenty percent of Pennsylvania adults indicated in 2014 that they ever had a hysterectomy.
- Pennsylvania women age 18-29 had a significantly lower percentage (0 percent, CI: 0-1) compared to Pennsylvania women age 30-44 (6 percent, CI: 4-8), women age 45-64 (26 percent, CI: 23-28) and women age 65 and older (39 percent, CI: 36-41).
- Pennsylvania women age 30-44 had a significantly lower percentage (6 percent, CI: 4-8) compared to Pennsylvania women age 45-64 (26 percent, CI: 23-28) and women age 65 and older (39 percent, CI: 36-41).
- Pennsylvania women age 45-64 had a significantly lower percentage (26 percent, CI: 23-28) compared to Pennsylvania women age 65 and older (39 percent, CI: 36-41).
- Pennsylvania women with some college education had a significantly lower percentage (18 percent, CI: 15-20) compared to Pennsylvania women with a high school education (26 percent, CI: 24-28).
- Pennsylvania women with a college degree had a significantly lower percentage (12 percent, CI: 10-14) compared to Pennsylvania women with less than a high school education (22 percent, CI: 18-27), women with a high school education (26 percent, CI: 24-28) and women with some college education (18 percent, CI: 15-20).
- Pennsylvania women with a household income of \$75,000 or more had a significantly lower percentage (12 percent, CI: 10-14) compared to Pennsylvania women with a household income of less than \$15,000 (23 percent, CI: 19-27), women with a household income of \$15,000 to \$24,999 (24 percent, CI: 21-27), women with a household income of \$25,000 to \$49,999 (24 percent, CI: 21-27) and women with a household income of \$50,000 to \$74,999 (18 percent, CI: 15-21).

Women's Health (continued) - Pap Test

Figure 21A: Women's Health - Pap Test Prevalence per 1,000 Pennsylvania Population, Pennsylvania Women, 2012-2014



**Table 21: Women's Health - Pap Test, Pennsylvania Women, 2014
(with 95% Confidence Intervals)**

	Ever Had a Pap Test*		Had a Pap Test in Past 3 Years*		Had a Pap Test in Past 5 Years*		Ever Had a Hysterectomy*	
	%	CI	%	CI	%	CI	%	CI
Gender:								
Female	90	88-91	69	67-71	75	73-77	20	18-21
Age:								
18-29	59	52-65	57	50-63	58	51-65	0	0-1
30-44	97	96-98	86	83-89	92	90-94	6	4-8
45-64	98	97-99	76	74-78	82	80-84	26	23-28
65+	95	93-96	50	47-53	62	59-64	39	36-41
Education:								
<High school	74	64-82	48	40-56	54	45-62	22	18-27
High school	90	87-93	63	60-66	71	68-74	26	24-28
Some college	90	86-93	71	68-75	77	74-81	18	15-20
College degree	95	93-97	81	79-84	87	85-89	12	10-14
Household income:								
<\$15,000	86	81-91	60	54-66	67	61-72	23	19-27
\$15,000 to \$24,999	91	87-94	63	58-67	71	66-75	24	21-27
\$25,000 to \$49,999	90	85-93	67	63-71	74	70-78	24	21-27
\$50,000 to \$74,999	95	91-97	76	72-80	83	79-86	18	15-21
\$75,000+	93	88-96	80	76-84	85	80-88	12	10-14
Race:								
White, non-Hispanic	92	90-94	68	66-70	75	73-77	21	19-22
Black, non-Hispanic	88	83-92	75	69-80	81	76-85	20	16-24
Hispanic	NSR	NSR	NSR	NSR	NSR	NSR	11	6-20

*Excludes missing, don't know and refused
 Note: When comparing demographic estimates, confidence intervals that do not overlap indicate a significant difference.
 Note: If "NSR" is displayed then the total response is less than 50 and/or the percentage prevalence is considered "not statistically reliable."

Figure 21B: Had a Pap Test in the Past 3 Years, Pennsylvania Women, Pennsylvania Health Districts, 2014

