

Tables

Category	Percent of students who ever tried smoking, even a puff or two % (95%CI)	Percent of ever smokers who were age 10 or under for first whole cigarette % (95%CI)***	Percent of students who have smoked 100 cigarettes or more % (95%CI)	Percent of students who have ever smoked daily, that is, at least one cigarette every day for 30 days % (95%CI)	Percent of students who smoked cigarettes for one or more days in the past 30 days % (95%CI)
<b>Middle School (Grades 6-8)</b>					
<b>Total</b>	<b>11.4 (9.6 - 13.5)</b>	<b>25.6 (18.3 - 34.6)</b>	<b>0.7 (0.4 - 1.4)</b>	<b>1.5 (1.0 - 2.3)</b>	<b>3.4 (2.4 - 4.8)</b>
<b>Sex</b>					
Female	10.6 (8.3 - 13.3)	20.3 (12.8 - 30.7)	0.5 (0.2 - 1.3)	1.5 (0.9 - 2.4)	3.2 (2.1 - 4.7)
Male	12.1 (10.0 - 14.6)	30.6 (20.0 - 43.7)	1.0 (0.5 - 2.0)	1.6 (1.0 - 2.6)	3.7 (2.4 - 5.7)
<b>Grade</b>					
6th grade	6.0 (3.9 - 9.2)	DSU	0.0 (0.0 - 0.3)	0.4 (0.1 - 1.2)	1.3 (0.6 - 2.8)
7th grade	8.7 (6.0 - 12.5)	DSU	0.1 (0.0 - 0.7)	0.8 (0.4 - 1.8)	2.1 (1.1 - 3.9)
8th grade	19.4 (16.2 - 23.0)	15.6 (9.3 - 24.9)	2.1 (1.1 - 3.9)	3.3 (2.1 - 5.3)	6.7 (4.6 - 9.7)
<b>Race/Ethnicity</b>					
Black non-Hispanic	17.2 (12.5 - 23.1)	DSU	0.3 (0.0 - 2.6)	1.2 (0.5 - 2.7)	2.6 (1.4 - 4.9)
Hispanic any Race	15.6 (10.4 - 22.8)	DSU	0.6 (0.1 - 4.0)	0.6 (0.1 - 4.0)	3.8 (1.6 - 8.6)
White non-Hispanic	10.0 (8.4 - 12.0)	26.1 (17.6 - 36.9)	0.8 (0.4 - 1.7)	1.6 (0.9 - 2.6)	3.5 (2.3 - 5.2)
<b>High School (Grades 9-12)</b>					
<b>Total</b>	<b>38.8 (34.3 - 43.5)</b>	<b>12.4 (10.1 - 15.1)</b>	<b>11.9 (9.4 - 14.9)</b>	<b>12.9 (10.4 - 15.9)</b>	<b>18.6 (15.3 - 22.4)</b>
<b>Sex</b>					
Female	38.7 (33.1 - 44.6)	10.3 (7.5 - 13.9)	9.9 (7.3 - 13.4)	11.6 (8.5 - 15.7)	17.5 (13.7 - 22.1)
Male	38.9 (34.6 - 43.5)	14.0 (10.3 - 18.9)	13.6 (10.6 - 17.3)	14.1 (11.3 - 17.6)	19.6 (15.9 - 23.9)
<b>Grade</b>					
9th grade	22.6 (17.6 - 28.6)	15.9 (11.4 - 21.8)	3.9 (2.4 - 6.2)	4.6 (3.0 - 6.9)	9.8 (7.1 - 13.4)
10th grade	34.2 (28.8 - 40.0)	12.6 (7.4 - 20.6)	8.9 (6.3 - 12.3)	11.0 (7.6 - 15.8)	15.6 (11.1 - 21.4)
11th grade	50.2 (42.5 - 57.8)	14.1 (10.2 - 19.2)	15.7 (11.2 - 21.5)	17.4 (12.8 - 23.2)	25.8 (19.5 - 33.3)
12th grade	49.5 (42.2 - 56.9)	9.2 (5.6 - 15.0)	19.7 (13.8 - 27.3)	19.6 (14.0 - 26.7)	24.0 (17.7 - 31.7)
<b>Race/Ethnicity</b>					
Black non-Hispanic	35.3 (29.8 - 41.1)	12.0 (5.5 - 24.4)	4.9 (2.4 - 9.8)	6.2 (3.4 - 11.1)	9.4 (5.4 - 15.9)
Hispanic any Race	47.8 (37.7 - 58.0)	DSU	7.6 (4.2 - 13.3)	10.5 (5.7 - 18.7)	21.5 (13.6 - 32.3)
White non-Hispanic	38.8 (33.4 - 44.4)	11.7 (9.3 - 14.8)	13.9 (11.0 - 17.4)	14.2 (11.3 - 17.7)	20.2 (16.6 - 24.3)

\*\*\*Students who currently do not smoke or have never smoked cigarettes were excluded from the denominator for questions which begin with: "Percent of smokers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.

Youth Tobacco Survey 2010/2011

Category	Of those who smoked in the past 30 days, percent who smoked one or more cigarettes per day on days smoked % (95%CI)***	Percent of smokers who usually smoke menthol cigarettes % (95%CI)***	Percent of smokers under 18 who, in the past 30 days, usually got cigarettes in a store % (95%CI)***	Percent of purchasers who last bought cigarettes in a gas station or convenience store % (95%CI)***	Percent of purchasers who were asked for proof of age during the past 30 days % (95%CI)***
<b>Middle School (Grades 6-8)</b>					
<b>Total</b>	<b>66.1 (55.6 - 75.1)</b>	<b>50.8 (43.7 - 57.8)</b>	<b>5.8 ( 3.1 - 10.4)</b>	<b>37.3 (25.9 - 50.2)</b>	<b>DSU</b>
<b>Sex</b>					
Female	DSU	61.8 (50.5 - 71.9)	3.8 ( 1.0 - 12.7)	DSU	DSU
Male	DSU	42.2 (32.5 - 52.6)	7.8 ( 3.6 - 16.0)	DSU	DSU
<b>Grade</b>					
6th grade	DSU	DSU	DSU	DSU	DSU
7th grade	DSU	DSU	DSU	DSU	DSU
8th grade	68.6 (55.1 - 79.5)	57.9 (48.1 - 67.2)	5.3 ( 2.1 - 12.4)	DSU	DSU
<b>Race/Ethnicity</b>					
Black non-Hispanic	DSU	DSU	DSU	DSU	DSU
Hispanic any Race	DSU	DSU	DSU	DSU	DSU
White non-Hispanic	69.6 (58.3 - 78.9)	51.7 (42.5 - 60.7)	4.6 ( 1.7 - 11.9)	DSU	DSU
<b>High School (Grades 9-12)</b>					
<b>Total</b>	<b>83.6 (79.6 - 86.9)</b>	<b>62.3 (58.7 - 65.8)</b>	<b>19.4 (15.3 - 24.3)</b>	<b>69.3 (63.0 - 74.9)</b>	<b>47.7 (41.9 - 53.6)</b>
<b>Sex</b>					
Female	82.0 (74.1 - 87.8)	69.3 (63.9 - 74.3)	12.0 ( 7.5 - 18.7)	64.7 (55.9 - 72.6)	45.7 (36.3 - 55.4)
Male	84.7 (79.4 - 88.9)	56.5 (52.2 - 60.8)	26.8 (20.9 - 33.7)	72.9 (63.5 - 80.6)	49.1 (41.7 - 56.6)
<b>Grade</b>					
9th grade	66.1 (52.3 - 77.6)	61.9 (50.8 - 71.8)	8.9 ( 4.1 - 18.2)	DSU	DSU
10th grade	83.3 (73.9 - 89.8)	62.7 (55.1 - 69.7)	17.9 (11.1 - 27.5)	57.5 (44.2 - 69.8)	DSU
11th grade	84.2 (76.6 - 89.6)	62.8 (56.6 - 68.6)	16.2 ( 9.8 - 25.6)	66.4 (57.7 - 74.2)	30.0 (19.6 - 42.9)
12th grade	90.8 (84.7 - 94.6)	61.8 (55.4 - 67.8)	35.3 (24.7 - 47.5)	85.9 (77.0 - 91.7)	61.9 (51.9 - 71.0)
<b>Race/Ethnicity</b>					
Black non-Hispanic	DSU	DSU	DSU	DSU	DSU
Hispanic any Race	DSU	DSU	DSU	DSU	DSU
White non-Hispanic	85.6 (81.0 - 89.3)	62.5 (58.4 - 66.4)	19.0 (14.1 - 25.1)	72.9 (67.3 - 77.8)	49.8 (42.9 - 56.6)

\*\*\*Students who currently do not smoke or have never smoked cigarettes were excluded from the denominator for questions which begin with: "Percent of smokers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.

Youth Tobacco Survey 2010/2011

Category	Percent of purchasers who were denied sale because of age during the past 30 days % (95%CI)***	Percent of students who know places that sell single or loose cigarettes % (95%CI)	Percent of students who smoked cigarettes at school at least one day during the past 30 days % (95%CI)	Percent of students who smoked even a puff or two within past week % (95%CI)	Percent of smokers who can go a day or less before needing a cigarette % (95%CI)***
<b>Middle School (Grades 6-8)</b>					
<b>Total</b>	<b>DSU</b>	<b>24.0 (20.6 - 27.8)</b>	<b>0.5 (0.3 - 0.8)</b>	<b>2.1 (1.3 - 3.3)</b>	<b>30.7 (20.7 - 42.9)</b>
<b>Sex</b>					
Female	DSU	22.5 (17.9 - 27.9)	0.3 (0.1 - 0.8)	2.0 (1.1 - 3.4)	DSU
Male	DSU	25.5 (22.2 - 29.1)	0.7 (0.3 - 1.4)	2.2 (1.3 - 4.0)	DSU
<b>Grade</b>					
6th grade	DSU	23.0 (18.6 - 28.2)	0.0 (0.0 - 0.4)	0.7 (0.2 - 1.9)	DSU
7th grade	DSU	22.4 (18.6 - 26.7)	0.5 (0.2 - 1.4)	1.1 (0.6 - 2.2)	DSU
8th grade	DSU	26.5 (21.5 - 32.1)	0.9 (0.4 - 1.9)	4.4 (2.6 - 7.4)	35.0 (23.8 - 48.2)
<b>Race/Ethnicity</b>					
Black non-Hispanic	DSU	44.5 (33.1 - 56.6)	0.3 (0.0 - 2.6)	1.0 (0.3 - 3.1)	DSU
Hispanic any Race	DSU	19.0 (13.4 - 26.3)	1.2 (0.2 - 8.0)	1.9 (0.6 - 6.0)	DSU
White non-Hispanic	DSU	19.6 (17.7 - 21.5)	0.3 (0.1 - 0.7)	2.4 (1.4 - 3.9)	38.1 (26.6 - 51.2)
<b>High School (Grades 9-12)</b>					
<b>Total</b>	<b>29.1 (22.9 - 36.1)</b>	<b>24.2 (19.9 - 29.1)</b>	<b>5.0 (3.8 - 6.4)</b>	<b>14.8 (12.2 - 17.9)</b>	<b>42.3 (37.5 - 47.2)</b>
<b>Sex</b>					
Female	21.7 (14.3 - 31.4)	24.8 (19.6 - 31.0)	3.5 (2.4 - 5.2)	13.9 (10.8 - 17.8)	35.9 (27.3 - 45.5)
Male	33.1 (24.2 - 43.3)	23.9 (19.7 - 28.7)	6.3 (4.6 - 8.4)	15.6 (12.6 - 19.2)	48.1 (41.2 - 55.1)
<b>Grade</b>					
9th grade	DSU	24.5 (18.5 - 31.8)	1.8 (0.9 - 3.5)	7.0 (5.1 - 9.5)	DSU
10th grade	DSU	23.7 (18.1 - 30.3)	5.2 (2.8 - 9.5)	12.3 (8.6 - 17.3)	45.2 (35.1 - 55.7)
11th grade	32.2 (22.2 - 44.2)	27.3 (20.4 - 35.4)	6.0 (4.1 - 8.9)	20.6 (15.2 - 27.3)	40.3 (31.9 - 49.3)
12th grade	23.0 (15.6 - 32.5)	21.2 (15.2 - 28.7)	7.1 (4.6 - 10.8)	20.1 (14.4 - 27.3)	48.1 (39.9 - 56.4)
<b>Race/Ethnicity</b>					
Black non-Hispanic	DSU	46.7 (34.1 - 59.8)	4.0 (1.8 - 8.8)	7.0 (3.6 - 13.3)	DSU
Hispanic any Race	DSU	39.1 (28.0 - 51.4)	7.2 (4.2 - 12.2)	14.8 (9.6 - 21.9)	DSU
White non-Hispanic	27.3 (20.2 - 35.6)	18.2 (15.9 - 20.6)	4.5 (3.4 - 6.1)	16.2 (13.3 - 19.7)	43.8 (38.2 - 49.5)

\*\*\*Students who currently do not smoke or have never smoked cigarettes were excluded from the denominator for questions which begin with: "Percent of smokers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.

Youth Tobacco Survey 2010/2011

Category	Percent of smokers who want to quit % (95%CI)***	Percent of students who were asked in past year by health professional if they smoked % (95%CI)	Percent of students who were advised in past year by health professional not to smoke % (95%CI)	Percent of students who had an asthma attack in past 12 months % (95%CI)	Percent of smokers who tried to quit one or more times in past year % (95%CI)***
<b>Middle School (Grades 6-8)</b>					
<b>Total</b>	<b>58.9 (45.1 - 71.4)</b>	<b>18.1 (16.0 - 20.5)</b>	<b>38.5 (35.5 - 41.7)</b>	<b>8.9 ( 7.7 - 10.3)</b>	<b>67.4 (56.8 - 76.4)</b>
<b>Sex</b>					
Female	DSU	19.2 (16.5 - 22.3)	34.2 (30.4 - 38.3)	10.3 ( 8.3 - 12.8)	DSU
Male	DSU	17.1 (14.6 - 20.0)	42.6 (39.0 - 46.2)	7.6 ( 5.9 - 9.8)	68.2 (55.7 - 78.5)
<b>Grade</b>					
6th grade	DSU	11.3 ( 8.2 - 15.4)	37.8 (32.1 - 43.9)	8.5 ( 6.6 - 11.0)	DSU
7th grade	DSU	18.2 (14.7 - 22.3)	37.3 (32.7 - 42.2)	8.2 ( 6.2 - 10.6)	DSU
8th grade	DSU	24.7 (21.0 - 28.7)	40.5 (35.7 - 45.4)	10.1 ( 7.7 - 13.2)	65.5 (52.3 - 76.7)
<b>Race/Ethnicity</b>					
Black non-Hispanic	DSU	19.8 (15.0 - 25.6)	44.5 (38.2 - 50.9)	12.4 ( 9.0 - 16.7)	DSU
Hispanic any Race	DSU	21.7 (15.0 - 30.2)	34.7 (23.9 - 47.3)	8.6 ( 4.3 - 16.3)	DSU
White non-Hispanic	65.0 (51.6 - 76.4)	17.4 (15.4 - 19.5)	37.3 (34.3 - 40.5)	8.0 ( 6.6 - 9.7)	68.9 (56.4 - 79.1)
<b>High School (Grades 9-12)</b>					
<b>Total</b>	<b>49.2 (43.5 - 55.0)</b>	<b>42.5 (39.8 - 45.2)</b>	<b>38.5 (35.4 - 41.7)</b>	<b>8.7 ( 7.6 - 9.9)</b>	<b>52.4 (47.8 - 57.0)</b>
<b>Sex</b>					
Female	51.7 (42.7 - 60.7)	43.7 (38.4 - 49.1)	38.2 (33.7 - 43.0)	10.7 ( 8.7 - 13.0)	55.4 (48.1 - 62.4)
Male	46.6 (37.1 - 56.3)	41.2 (38.5 - 44.0)	39.0 (35.0 - 43.1)	6.6 ( 5.2 - 8.5)	48.9 (42.1 - 55.7)
<b>Grade</b>					
9th grade	DSU	29.8 (25.0 - 35.1)	36.7 (32.1 - 41.5)	9.6 ( 7.3 - 12.4)	53.8 (39.4 - 67.5)
10th grade	52.7 (39.2 - 65.8)	40.6 (35.1 - 46.3)	38.2 (32.3 - 44.5)	9.2 ( 7.0 - 12.1)	47.0 (37.5 - 56.7)
11th grade	49.7 (40.5 - 58.9)	45.2 (40.6 - 49.8)	37.6 (32.7 - 42.8)	7.8 ( 5.8 - 10.5)	54.0 (46.1 - 61.6)
12th grade	45.7 (38.3 - 53.2)	54.8 (49.3 - 60.1)	41.2 (35.6 - 47.0)	7.9 ( 5.2 - 11.9)	53.4 (44.8 - 61.7)
<b>Race/Ethnicity</b>					
Black non-Hispanic	DSU	44.5 (37.0 - 52.1)	38.4 (29.9 - 47.7)	7.1 ( 3.9 - 12.7)	DSU
Hispanic any Race	DSU	43.9 (33.6 - 54.7)	34.6 (25.5 - 44.9)	13.1 ( 8.0 - 20.9)	DSU
White non-Hispanic	49.8 (43.3 - 56.2)	42.1 (39.2 - 45.1)	39.0 (35.6 - 42.5)	8.9 ( 7.6 - 10.4)	51.6 (46.6 - 56.5)

\*\*\*Students who currently do not smoke or have never smoked cigarettes were excluded from the denominator for questions which begin with: "Percent of smokers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.

Youth Tobacco Survey 2010/2011

Category	Of smokers who tried to quit in past year, percent who stayed off cigarettes for 30 days or more % (95%CI)***	Percent of students who ever used smokeless tobacco % (95%CI)	Percent of ever smokeless users who were age 10 or under for first try of smokeless tobacco % (95%CI)***	Percent of students who used smokeless tobacco during past 30 days for one day or more % (95%CI)	Percent of students who used smokeless tobacco in past 30 days on school property one or more days % (95%CI)
<b>Middle School (Grades 6-8)</b>					
<b>Total</b>	<b>50.4 (40.5 - 60.2)</b>	<b>4.7 (3.8 - 5.8)</b>	<b>34.0 (26.3 - 42.7)</b>	<b>2.4 (1.9 - 3.1)</b>	<b>0.5 (0.3 - 0.8)</b>
<b>Sex</b>					
Female	DSU	1.5 (1.0 - 2.2)	DSU	1.0 (0.5 - 1.8)	0.2 (0.1 - 0.7)
Male	DSU	7.7 (6.1 - 9.8)	35.4 (27.8 - 43.9)	3.7 (2.7 - 5.1)	0.7 (0.3 - 1.6)
<b>Grade</b>					
6th grade	DSU	3.3 (2.2 - 5.0)	DSU	2.0 (1.2 - 3.3)	0.1 (0.0 - 0.7)
7th grade	DSU	2.8 (1.8 - 4.5)	DSU	0.9 (0.5 - 1.7)	0.3 (0.1 - 0.9)
8th grade	57.9 (44.5 - 70.2)	7.9 (6.3 - 9.9)	19.1 (11.4 - 30.3)	4.3 (3.2 - 5.8)	0.9 (0.4 - 1.8)
<b>Race/Ethnicity</b>					
Black non-Hispanic	DSU	1.7 (0.9 - 3.2)	DSU	1.1 (0.5 - 2.6)	0.7 (0.2 - 2.4)
Hispanic any Race	DSU	2.7 (0.9 - 8.2)	DSU	1.2 (0.2 - 8.0)	0.0 (0.0 - 2.5)
White non-Hispanic	48.7 (36.5 - 61.0)	5.5 (4.3 - 7.0)	33.0 (26.3 - 40.5)	2.8 (2.1 - 3.7)	0.4 (0.2 - 0.8)
<b>High School (Grades 9-12)</b>					
<b>Total</b>	<b>47.1 (41.5 - 52.7)</b>	<b>18.1 (14.4 - 22.4)</b>	<b>14.0 (9.3 - 20.6)</b>	<b>8.5 (6.4 - 11.1)</b>	<b>5.3 (4.0 - 6.9)</b>
<b>Sex</b>					
Female	44.0 (35.8 - 52.6)	9.0 (5.8 - 13.6)	8.0 (3.1 - 19.0)	2.3 (1.3 - 3.9)	1.5 (0.8 - 2.8)
Male	49.8 (42.7 - 56.8)	26.7 (22.1 - 31.9)	15.9 (10.6 - 23.1)	14.3 (10.9 - 18.5)	8.7 (6.6 - 11.4)
<b>Grade</b>					
9th grade	49.2 (35.7 - 62.8)	10.7 (6.8 - 16.5)	11.1 (4.9 - 23.3)	4.5 (2.8 - 7.1)	2.2 (1.3 - 3.8)
10th grade	48.9 (38.9 - 59.1)	15.5 (11.8 - 20.1)	DSU	8.0 (5.3 - 11.7)	5.8 (3.5 - 9.7)
11th grade	47.4 (36.9 - 58.1)	22.9 (15.9 - 31.9)	16.9 (8.8 - 30.2)	11.5 (7.0 - 18.3)	6.1 (3.4 - 10.6)
12th grade	45.0 (36.0 - 54.3)	24.0 (17.3 - 32.2)	9.9 (4.5 - 20.5)	10.4 (7.1 - 14.9)	7.3 (4.9 - 10.8)
<b>Race/Ethnicity</b>					
Black non-Hispanic	DSU	8.2 (4.3 - 15.1)	DSU	4.2 (1.7 - 9.5)	4.1 (1.8 - 9.2)
Hispanic any Race	DSU	9.4 (4.1 - 20.4)	DSU	6.0 (2.2 - 15.3)	5.9 (2.3 - 14.2)
White non-Hispanic	46.5 (40.0 - 53.1)	21.0 (16.9 - 25.7)	12.3 (7.6 - 19.2)	9.6 (7.2 - 12.7)	5.2 (3.9 - 6.9)

\*\*\*Students who currently do not smoke or have never smoked cigarettes were excluded from the denominator for questions which begin with: "Percent of smokers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.

Youth Tobacco Survey 2010/2011

Category	Percent of users who, in the past 30 days, usually got smokeless tobacco in a store % (95%CI)***	Percent of students who ever tried cigars or cigarillos, even a puff or two % (95%CI)	Percent of cigar users who were age 10 or under for first try of cigars % (95%CI)***	Percent of students who smoked cigars during past 30 days for one day or more % (95%CI)	Percent of cigar smokers who usually got cigars in a store % (95%CI)***
<b>Middle School (Grades 6-8)</b>					
<b>Total</b>	<b>DSU</b>	<b>5.6 (4.6 - 7.0)</b>	<b>31.6 (24.4 - 39.8)</b>	<b>1.4 (1.0 - 2.0)</b>	<b>1.6 (0.2 - 11.3)</b>
<b>Sex</b>					
Female	DSU	3.8 (2.8 - 5.3)	DSU	1.5 (1.0 - 2.4)	DSU
Male	DSU	7.3 (5.7 - 9.4)	29.5 (20.2 - 40.9)	1.3 (0.8 - 2.1)	DSU
<b>Grade</b>					
6th grade	DSU	3.3 (2.1 - 5.3)	DSU	0.9 (0.4 - 2.2)	DSU
7th grade	DSU	3.2 (2.0 - 5.1)	DSU	0.5 (0.2 - 1.3)	DSU
8th grade	DSU	10.3 (8.5 - 12.4)	17.2 (12.1 - 23.9)	2.8 (2.0 - 4.0)	DSU
<b>Race/Ethnicity</b>					
Black non-Hispanic	DSU	5.3 (3.5 - 8.1)	DSU	2.5 (1.2 - 5.0)	DSU
Hispanic any Race	DSU	4.5 (1.9 - 10.0)	DSU	0.0 (0.0 - 2.5)	DSU
White non-Hispanic	DSU	5.7 (4.5 - 7.3)	28.1 (20.4 - 37.2)	1.3 (0.8 - 2.0)	DSU
<b>High School (Grades 9-12)</b>					
<b>Total</b>	<b>28.1 (22.3 - 34.7)</b>	<b>28.4 (24.7 - 32.5)</b>	<b>6.9 (5.0 - 9.5)</b>	<b>10.7 (8.8 - 13.1)</b>	<b>30.8 (23.9 - 38.7)</b>
<b>Sex</b>					
Female	DSU	20.3 (16.3 - 24.9)	5.6 (3.5 - 8.7)	5.7 (4.0 - 8.0)	19.7 (11.4 - 32.0)
Male	33.9 (26.6 - 42.1)	36.3 (32.1 - 40.9)	7.1 (4.4 - 11.1)	15.8 (13.1 - 18.9)	34.8 (26.2 - 44.5)
<b>Grade</b>					
9th grade	DSU	15.9 (13.2 - 19.1)	11.3 (6.9 - 18.1)	4.7 (3.5 - 6.2)	DSU
10th grade	DSU	25.7 (21.4 - 30.5)	7.9 (3.1 - 18.6)	10.1 (7.5 - 13.4)	DSU
11th grade	24.4 (15.5 - 36.2)	35.2 (28.6 - 42.4)	4.9 (2.9 - 8.4)	13.8 (10.4 - 18.2)	18.4 (12.0 - 27.0)
12th grade	42.4 (31.9 - 53.7)	37.7 (29.6 - 46.6)	6.1 (3.7 - 10.0)	14.9 (10.8 - 20.1)	53.3 (42.3 - 64.0)
<b>Race/Ethnicity</b>					
Black non-Hispanic	DSU	20.2 (14.5 - 27.4)	1.1 (0.1 - 8.4)	7.0 (3.4 - 13.6)	DSU
Hispanic any Race	DSU	18.8 (11.5 - 29.3)	DSU	6.5 (2.8 - 14.0)	DSU
White non-Hispanic	27.7 (21.2 - 35.3)	31.4 (27.5 - 35.5)	6.1 (4.6 - 8.0)	11.7 (9.6 - 14.3)	27.8 (19.9 - 37.5)

\*\*\*Students who currently do not smoke or have never smoked cigarettes were excluded from the denominator for questions which begin with: "Percent of smokers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.

Youth Tobacco Survey 2010/2011

Category	Percent of students who smoked a pipe during past 30 days for one day or more % (95%CI)	Percent of students who ever tried bidis or kreteks % (95%CI)	Percent of students who smoked bidis during past 30 days for one day or more % (95%CI)	Percent who expect to try a cigarette soon (of those who have not tried smoking cigarettes) % (95%CI)	Percent of students who expect to smoke cigarettes during the next year % (95%CI)
<b>Middle School (Grades 6-8)</b>					
<b>Total</b>	<b>0.4 ( 0.2 - 0.7)</b>	<b>1.2 ( 0.7 - 1.8)</b>	<b>0.4 ( 0.2 - 0.9)</b>	<b>2.6 ( 2.0 - 3.5)</b>	<b>4.6 ( 3.7 - 5.8)</b>
<b>Sex</b>					
Female	0.6 ( 0.3 - 1.2)	1.1 ( 0.7 - 1.8)	0.5 ( 0.2 - 1.1)	2.7 ( 1.8 - 4.0)	4.6 ( 3.5 - 6.1)
Male	0.2 ( 0.1 - 0.7)	1.2 ( 0.5 - 2.8)	0.4 ( 0.1 - 1.1)	2.4 ( 1.6 - 3.6)	4.6 ( 3.5 - 6.0)
<b>Grade</b>					
6th grade	0.1 ( 0.0 - 0.8)	0.5 ( 0.2 - 1.4)	0.0 ( 0.0 - 0.4)	2.4 ( 1.3 - 4.3)	1.5 ( 0.8 - 3.0)
7th grade	0.1 ( 0.0 - 0.9)	1.3 ( 0.7 - 2.3)	0.4 ( 0.2 - 0.9)	2.0 ( 1.2 - 3.2)	2.7 ( 1.8 - 4.2)
8th grade	0.8 ( 0.4 - 1.7)	1.5 ( 0.7 - 3.2)	0.8 ( 0.3 - 2.3)	3.6 ( 2.4 - 5.3)	9.5 ( 7.9 - 11.5)
<b>Race/Ethnicity</b>					
Black non-Hispanic	0.9 ( 0.4 - 2.3)	2.1 ( 0.9 - 5.0)	0.9 ( 0.3 - 2.5)	2.9 ( 1.3 - 6.6)	4.5 ( 2.4 - 8.4)
Hispanic any Race	0.0 ( 0.0 - 2.5)	1.2 ( 0.2 - 8.2)	1.2 ( 0.2 - 8.2)	7.1 ( 3.8 - 12.8)	3.0 ( 1.2 - 7.4)
White non-Hispanic	0.3 ( 0.2 - 0.7)	0.9 ( 0.5 - 1.5)	0.3 ( 0.1 - 0.7)	2.3 ( 1.6 - 3.2)	4.8 ( 3.7 - 6.2)
<b>High School (Grades 9-12)</b>					
<b>Total</b>	<b>3.0 ( 2.1 - 4.1)</b>	<b>4.9 ( 3.9 - 6.2)</b>	<b>2.0 ( 1.3 - 2.9)</b>	<b>5.4 ( 4.0 - 7.4)</b>	<b>21.3 (18.1 - 25.0)</b>
<b>Sex</b>					
Female	1.4 ( 0.8 - 2.6)	3.3 ( 2.4 - 4.6)	1.0 ( 0.6 - 1.9)	4.9 ( 3.3 - 7.3)	19.7 (16.1 - 24.0)
Male	4.5 ( 3.2 - 6.3)	6.5 ( 4.8 - 8.7)	2.9 ( 1.8 - 4.6)	6.0 ( 3.8 - 9.4)	22.8 (19.3 - 26.8)
<b>Grade</b>					
9th grade	1.1 ( 0.5 - 2.5)	2.5 ( 1.7 - 3.8)	1.4 ( 0.7 - 2.7)	3.6 ( 2.4 - 5.4)	13.9 (10.2 - 18.6)
10th grade	4.5 ( 2.4 - 8.0)	3.4 ( 1.6 - 7.4)	2.1 ( 0.7 - 6.0)	5.9 ( 2.6 - 12.9)	18.9 (14.7 - 23.9)
11th grade	2.9 ( 1.7 - 5.2)	6.1 ( 4.0 - 9.1)	2.2 ( 1.3 - 3.9)	7.1 ( 4.2 - 11.8)	25.2 (18.4 - 33.4)
12th grade	3.4 ( 2.2 - 5.4)	7.7 ( 5.3 - 11.0)	2.2 ( 1.1 - 4.0)	5.3 ( 3.1 - 8.7)	27.7 (22.0 - 34.2)
<b>Race/Ethnicity</b>					
Black non-Hispanic	3.2 ( 1.3 - 7.8)	4.8 ( 2.4 - 9.4)	2.3 ( 1.1 - 4.9)	8.5 ( 4.6 - 15.0)	13.9 ( 9.5 - 19.8)
Hispanic any Race	4.8 ( 2.0 - 10.9)	5.5 ( 3.1 - 9.8)	4.2 ( 1.8 - 9.4)	5.6 ( 2.1 - 14.0)	21.4 (14.3 - 30.9)
White non-Hispanic	2.4 ( 1.7 - 3.3)	4.6 ( 3.4 - 6.2)	1.5 ( 0.9 - 2.3)	4.9 ( 3.5 - 6.8)	23.2 (19.6 - 27.2)

\*\*\*Students who currently do not smoke or have never smoked cigarettes were excluded from the denominator for questions which begin with: "Percent of smokers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.

Youth Tobacco Survey 2010/2011

Category	Percent of students who, if offered a cigarette by a best friend, would smoke it % (95%CI)	Percent of students whose parents/guardians in past year discussed dangers of tobacco % (95%CI)	Percent of smokers whose parents know they smoke % (95%CI)***	Percent of students who think tobacco is addictive, like cocaine or heroin % (95%CI)	Percent of students who think cigarette smokers have more friends % (95%CI)
<b>Middle School (Grades 6-8)</b>					
<b>Total</b>	<b>5.1 ( 4.2 - 6.0)</b>	<b>72.1 (69.7 - 74.3)</b>	<b>19.7 (15.0 - 25.2)</b>	<b>92.9 (91.2 - 94.3)</b>	<b>16.1 (13.6 - 18.9)</b>
<b>Sex</b>					
Female	5.3 ( 4.1 - 6.9)	73.9 (71.2 - 76.5)	21.1 (13.7 - 31.0)	95.4 (93.5 - 96.7)	16.9 (13.6 - 20.7)
Male	4.8 ( 3.6 - 6.3)	70.4 (66.9 - 73.7)	18.1 (10.9 - 28.7)	90.7 (88.2 - 92.7)	15.3 (12.6 - 18.4)
<b>Grade</b>					
6th grade	2.1 ( 1.4 - 3.0)	71.7 (67.8 - 75.3)	DSU	92.9 (89.5 - 95.3)	16.9 (12.3 - 22.7)
7th grade	3.9 ( 2.7 - 5.6)	72.6 (68.1 - 76.7)	DSU	93.8 (91.1 - 95.7)	13.7 (11.0 - 17.1)
8th grade	9.1 ( 7.3 - 11.4)	71.8 (68.1 - 75.2)	21.3 (14.8 - 29.7)	92.1 (88.7 - 94.5)	17.5 (13.9 - 21.9)
<b>Race/Ethnicity</b>					
Black non-Hispanic	5.3 ( 3.4 - 8.2)	67.9 (61.1 - 74.0)	DSU	86.1 (80.4 - 90.3)	26.0 (20.6 - 32.2)
Hispanic any Race	6.0 ( 3.1 - 11.3)	70.2 (59.9 - 78.7)	DSU	92.0 (86.9 - 95.2)	26.0 (16.8 - 38.0)
White non-Hispanic	5.0 ( 4.1 - 6.1)	73.4 (70.7 - 75.8)	22.5 (16.2 - 30.3)	94.7 (93.2 - 95.8)	13.1 (11.2 - 15.1)
<b>High School (Grades 9-12)</b>					
<b>Total</b>	<b>20.9 (17.8 - 24.3)</b>	<b>64.5 (61.9 - 67.0)</b>	<b>45.6 (41.0 - 50.2)</b>	<b>88.7 (86.3 - 90.8)</b>	<b>18.1 (15.6 - 20.8)</b>
<b>Sex</b>					
Female	19.4 (15.9 - 23.5)	65.0 (61.6 - 68.3)	37.3 (30.6 - 44.6)	92.6 (89.7 - 94.8)	14.4 (11.6 - 17.7)
Male	22.1 (18.6 - 26.0)	64.2 (60.9 - 67.3)	53.1 (46.7 - 59.3)	85.3 (82.4 - 87.8)	21.6 (18.3 - 25.4)
<b>Grade</b>					
9th grade	12.5 ( 9.0 - 17.1)	71.8 (67.7 - 75.5)	25.5 (19.2 - 33.1)	92.4 (89.1 - 94.7)	16.2 (12.7 - 20.5)
10th grade	19.5 (14.9 - 25.2)	65.7 (59.2 - 71.6)	45.8 (33.7 - 58.3)	86.6 (80.8 - 90.8)	20.3 (16.2 - 25.2)
11th grade	25.4 (18.9 - 33.3)	62.7 (58.3 - 66.9)	48.3 (40.9 - 55.7)	89.3 (85.0 - 92.4)	18.7 (14.0 - 24.6)
12th grade	26.3 (20.6 - 32.9)	57.8 (53.4 - 62.1)	53.5 (43.9 - 62.8)	86.9 (83.2 - 90.0)	16.8 (12.4 - 22.5)
<b>Race/Ethnicity</b>					
Black non-Hispanic	15.0 (10.8 - 20.4)	59.7 (51.7 - 67.3)	DSU	85.9 (78.7 - 90.9)	22.9 (17.4 - 29.5)
Hispanic any Race	22.8 (15.6 - 32.2)	66.3 (60.9 - 71.4)	DSU	86.2 (79.0 - 91.1)	29.0 (22.8 - 36.2)
White non-Hispanic	22.2 (18.8 - 26.0)	66.0 (63.2 - 68.6)	46.4 (41.4 - 51.4)	89.9 (87.5 - 91.9)	16.2 (13.8 - 19.0)

\*\*\*Students who currently do not smoke or have never smoked cigarettes were excluded from the denominator for questions which begin with: "Percent of smokers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.

Youth Tobacco Survey 2010/2011

Category	Percent of students who think cigarette smoking makes people look "cool" or fit in % (95%CI)	Percent of students who think people risk harming themselves by smoking one to five cigarettes per day % (95%CI)	Percent of students who think it safe to smoke for a year or two, if they then quit % (95%CI)	Percent of smokers who believe that light cigarettes are somewhat less risky than regular ones % (95%CI)***	Percent of smokers who think they could quit now if they wanted to % (95%CI)***
<b>Middle School (Grades 6-8)</b>					
<b>Total</b>	<b>8.2 ( 6.8 - 9.9)</b>	<b>93.7 (92.4 - 94.8)</b>	<b>6.7 ( 5.6 - 8.0)</b>	<b>30.4 (27.2 - 33.9)</b>	<b>68.2 (59.1 - 76.1)</b>
<b>Sex</b>					
Female	8.1 ( 6.0 - 10.8)	94.9 (93.6 - 96.1)	5.8 ( 4.5 - 7.3)	27.6 (23.5 - 32.2)	DSU
Male	8.2 ( 6.6 - 10.2)	92.7 (90.8 - 94.2)	7.5 ( 5.7 - 9.7)	32.6 (27.8 - 37.7)	65.9 (55.3 - 75.1)
<b>Grade</b>					
6th grade	6.3 ( 4.1 - 9.5)	92.3 (89.5 - 94.5)	6.3 ( 4.7 - 8.4)	28.4 (19.5 - 39.3)	DSU
7th grade	6.6 ( 5.0 - 8.6)	94.8 (93.0 - 96.1)	5.9 ( 4.5 - 7.6)	31.1 (24.1 - 39.2)	DSU
8th grade	11.5 ( 8.9 - 14.7)	94.1 (91.2 - 96.1)	7.6 ( 5.5 - 10.4)	31.1 (26.0 - 36.7)	71.2 (57.9 - 81.6)
<b>Race/Ethnicity</b>					
Black non-Hispanic	15.2 (11.6 - 19.8)	87.4 (83.0 - 90.8)	8.4 ( 5.2 - 13.4)	29.3 (21.4 - 38.7)	DSU
Hispanic any Race	9.7 ( 5.1 - 17.8)	90.7 (84.5 - 94.6)	8.5 ( 5.3 - 13.4)	DSU	DSU
White non-Hispanic	6.3 ( 5.0 - 7.8)	95.3 (94.1 - 96.2)	5.9 ( 4.6 - 7.5)	30.9 (27.2 - 34.9)	68.9 (60.7 - 76.1)
<b>High School (Grades 9-12)</b>					
<b>Total</b>	<b>11.3 ( 9.4 - 13.5)</b>	<b>93.0 (91.0 - 94.6)</b>	<b>11.4 ( 9.9 - 13.1)</b>	<b>25.0 (21.8 - 28.6)</b>	<b>77.6 (73.6 - 81.2)</b>
<b>Sex</b>					
Female	8.6 ( 6.9 - 10.6)	94.5 (91.9 - 96.4)	8.8 ( 7.2 - 10.8)	21.0 (16.8 - 26.1)	79.1 (71.1 - 85.4)
Male	13.7 (11.0 - 17.0)	91.6 (89.5 - 93.3)	13.9 (11.8 - 16.3)	28.9 (24.2 - 34.1)	76.2 (71.0 - 80.7)
<b>Grade</b>					
9th grade	10.7 ( 8.2 - 13.9)	93.9 (90.0 - 96.3)	9.9 ( 7.4 - 13.2)	30.8 (24.8 - 37.6)	82.6 (71.1 - 90.1)
10th grade	13.4 (10.2 - 17.4)	92.1 (88.7 - 94.5)	11.8 ( 8.9 - 15.3)	28.4 (23.4 - 34.0)	74.7 (64.4 - 82.8)
11th grade	10.1 ( 7.3 - 13.8)	92.5 (90.5 - 94.1)	12.9 ( 9.4 - 17.4)	26.2 (20.1 - 33.4)	79.0 (72.8 - 84.2)
12th grade	10.7 ( 7.5 - 15.1)	93.7 (89.5 - 96.3)	10.8 ( 8.1 - 14.2)	17.7 (13.1 - 23.5)	75.5 (68.0 - 81.6)
<b>Race/Ethnicity</b>					
Black non-Hispanic	15.5 (10.6 - 22.0)	89.4 (81.2 - 94.3)	13.5 ( 9.4 - 19.0)	24.9 (16.0 - 36.6)	DSU
Hispanic any Race	12.1 ( 7.4 - 19.3)	87.0 (78.0 - 92.7)	13.4 ( 7.7 - 22.3)	22.4 (13.8 - 34.4)	DSU
White non-Hispanic	10.1 ( 8.1 - 12.6)	95.0 (93.7 - 96.0)	10.3 ( 8.7 - 12.1)	25.2 (21.5 - 29.2)	80.7 (76.7 - 84.2)

\*\*\*Students who currently do not smoke or have never smoked cigarettes were excluded from the denominator for questions which begin with: "Percent of smokers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.

Youth Tobacco Survey 2010/2011

Category	Percent of smokers who ever participated in a program to quit % (95%CI)***	Percent of students whose school has group or class for students who want to quit % (95%CI)	Percent of students who were taught danger of tobacco use in class during this school year % (95%CI)	Percent who practiced saying NO to tobacco in class during this school year % (95%CI)	Percent who participated in community activities to discourage tobacco use in past 12 months % (95%CI)
<b>Middle School (Grades 6-8)</b>					
<b>Total</b>	<b>11.4 ( 8.2 - 15.7)</b>	<b>4.1 ( 3.0 - 5.6)</b>	<b>50.3 (43.2 - 57.4)</b>	<b>32.4 (26.9 - 38.4)</b>	<b>7.2 ( 6.0 - 8.7)</b>
<b>Sex</b>					
Female	11.9 ( 6.8 - 20.0)	3.6 ( 2.5 - 5.2)	50.4 (42.8 - 57.9)	33.3 (27.6 - 39.6)	7.1 ( 5.3 - 9.4)
Male	11.3 ( 7.4 - 17.0)	4.5 ( 3.0 - 6.6)	50.5 (43.0 - 57.9)	31.7 (25.5 - 38.6)	7.4 ( 5.9 - 9.2)
<b>Grade</b>					
6th grade	22.0 (14.1 - 32.6)	4.7 ( 3.1 - 7.1)	53.8 (42.2 - 65.0)	38.3 (29.6 - 47.7)	8.7 ( 6.9 - 10.8)
7th grade	13.1 ( 6.6 - 24.3)	3.7 ( 2.0 - 6.8)	50.0 (39.1 - 60.8)	34.7 (26.4 - 44.0)	7.8 ( 5.8 - 10.5)
8th grade	6.0 ( 3.1 - 11.2)	3.9 ( 2.5 - 6.0)	47.4 (41.5 - 53.5)	24.4 (20.1 - 29.4)	5.2 ( 3.4 - 7.9)
<b>Race/Ethnicity</b>					
Black non-Hispanic	DSU	3.0 ( 1.8 - 4.9)	48.1 (37.6 - 58.7)	32.2 (25.5 - 39.7)	9.5 ( 6.0 - 14.9)
Hispanic any Race	DSU	1.9 ( 0.3 - 11.7)	DSU	33.3 (21.4 - 47.9)	7.5 ( 3.6 - 15.0)
White non-Hispanic	10.7 ( 7.2 - 15.6)	4.7 ( 3.3 - 6.5)	50.8 (43.5 - 58.0)	32.3 (26.5 - 38.8)	6.6 ( 5.2 - 8.3)
<b>High School (Grades 9-12)</b>					
<b>Total</b>	<b>6.2 ( 4.4 - 8.7)</b>	<b>7.8 ( 5.6 - 10.7)</b>	<b>28.5 (25.6 - 31.5)</b>	<b>11.0 ( 9.3 - 12.9)</b>	<b>5.6 ( 4.5 - 6.8)</b>
<b>Sex</b>					
Female	3.0 ( 1.4 - 6.2)	5.8 ( 3.8 - 8.9)	27.9 (24.1 - 32.1)	11.9 ( 9.9 - 14.2)	5.9 ( 4.6 - 7.6)
Male	8.5 ( 5.7 - 12.6)	9.8 ( 7.0 - 13.5)	29.0 (26.1 - 32.1)	9.9 ( 8.1 - 12.1)	5.3 ( 3.8 - 7.3)
<b>Grade</b>					
9th grade	7.7 ( 4.1 - 14.2)	7.5 ( 4.5 - 12.4)	29.7 (25.0 - 34.9)	15.6 (10.7 - 22.1)	6.3 ( 4.2 - 9.2)
10th grade	5.1 ( 1.7 - 14.1)	8.3 ( 6.0 - 11.4)	26.7 (22.0 - 31.9)	9.7 ( 6.8 - 13.7)	5.1 ( 3.6 - 7.3)
11th grade	6.3 ( 3.6 - 10.8)	8.1 ( 4.9 - 13.2)	30.7 (25.1 - 37.0)	10.9 ( 7.9 - 14.8)	5.1 ( 3.2 - 7.8)
12th grade	6.4 ( 3.5 - 11.4)	7.3 ( 3.9 - 13.4)	26.4 (21.9 - 31.4)	7.5 ( 5.6 - 10.1)	5.5 ( 3.6 - 8.4)
<b>Race/Ethnicity</b>					
Black non-Hispanic	8.1 ( 3.5 - 17.7)	6.1 ( 3.2 - 11.4)	24.1 (18.6 - 30.6)	11.1 ( 6.9 - 17.4)	6.1 ( 3.1 - 11.5)
Hispanic any Race	11.5 ( 6.2 - 20.6)	5.0 ( 2.2 - 11.4)	34.8 (30.3 - 39.5)	19.5 (14.4 - 25.9)	5.1 ( 3.2 - 8.2)
White non-Hispanic	5.4 ( 3.5 - 8.1)	8.3 ( 6.0 - 11.5)	28.8 (25.7 - 32.1)	10.4 ( 8.8 - 12.3)	5.5 ( 4.4 - 6.8)

\*\*\*Students who currently do not smoke or have never smoked cigarettes were excluded from the denominator for questions which begin with: "Percent of smokers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.

Youth Tobacco Survey 2010/2011

Category	Percent of students who heard commercials on TV, the Internet or radio on dangers of smoking in past 30 days % ( 95%CI )	Percent of TV viewers who saw actors using tobacco on TV or in movies most or some of the time in past 30 days % ( 95%CI )	Percent of TV viewers who saw athletes using tobacco on TV most or some of the time in past 30 days % ( 95%CI )	Percent of internet users who see ads for tobacco products on internet (most or some of the time) % ( 95%CI )	Percent of students who bought or received an item with a tobacco company name or picture on it % ( 95%CI )
<b>Middle School (Grades 6-8)</b>					
<b>Total</b>	<b>51.2 (48.6 - 53.7)</b>	<b>72.3 (70.0 - 74.5)</b>	<b>27.0 (24.4 - 29.9)</b>	<b>39.9 (36.6 - 43.4)</b>	<b>6.3 ( 5.3 - 7.4)</b>
<b>Sex</b>					
Female	54.3 (50.0 - 58.4)	69.1 (65.5 - 72.4)	25.2 (21.7 - 29.0)	42.1 (37.6 - 46.8)	4.9 ( 3.8 - 6.3)
Male	48.1 (45.1 - 51.0)	75.3 (72.3 - 78.1)	28.8 (26.0 - 31.7)	38.1 (34.6 - 41.7)	7.6 ( 6.0 - 9.5)
<b>Grade</b>					
6th grade	45.1 (41.5 - 48.8)	66.0 (61.9 - 69.9)	26.3 (23.1 - 29.7)	37.5 (32.0 - 43.3)	5.0 ( 3.7 - 6.8)
7th grade	49.5 (45.5 - 53.6)	71.9 (68.4 - 75.1)	27.7 (22.8 - 33.2)	36.9 (32.4 - 41.8)	5.6 ( 4.2 - 7.3)
8th grade	58.3 (53.1 - 63.3)	78.6 (74.8 - 82.0)	27.0 (23.6 - 30.6)	45.3 (40.9 - 49.7)	8.1 ( 6.4 - 10.3)
<b>Race/Ethnicity</b>					
Black non-Hispanic	47.0 (41.1 - 53.0)	74.9 (69.6 - 79.5)	26.2 (20.7 - 32.6)	47.1 (39.9 - 54.5)	6.6 ( 4.7 - 9.2)
Hispanic any Race	51.2 (42.7 - 59.7)	68.8 (62.2 - 74.8)	24.2 (15.9 - 34.9)	41.5 (31.7 - 52.0)	2.1 ( 0.6 - 6.9)
White non-Hispanic	52.1 (48.8 - 55.4)	72.2 (69.4 - 74.9)	27.4 (24.0 - 31.0)	38.4 (35.3 - 41.6)	6.4 ( 5.2 - 7.7)
<b>High School (Grades 9-12)</b>					
<b>Total</b>	<b>68.7 (66.5 - 70.9)</b>	<b>83.8 (81.9 - 85.4)</b>	<b>27.3 (24.8 - 29.9)</b>	<b>43.9 (40.7 - 47.0)</b>	<b>11.1 ( 9.3 - 13.1)</b>
<b>Sex</b>					
Female	71.5 (68.7 - 74.2)	83.9 (81.7 - 85.8)	25.4 (22.4 - 28.7)	45.6 (41.8 - 49.6)	8.0 ( 6.4 - 10.0)
Male	65.9 (62.7 - 69.0)	83.6 (80.7 - 86.2)	28.8 (25.3 - 32.6)	42.4 (38.2 - 46.7)	14.1 (11.7 - 16.9)
<b>Grade</b>					
9th grade	65.7 (62.6 - 68.6)	80.3 (76.6 - 83.6)	28.3 (24.2 - 32.9)	43.8 (40.3 - 47.4)	7.8 ( 5.8 - 10.4)
10th grade	68.7 (64.1 - 73.0)	82.5 (79.4 - 85.2)	29.2 (26.4 - 32.2)	42.5 (37.1 - 48.1)	10.4 ( 7.3 - 14.6)
11th grade	71.0 (66.2 - 75.3)	86.6 (82.2 - 90.1)	26.0 (21.8 - 30.7)	46.6 (39.1 - 54.2)	14.7 (11.2 - 18.9)
12th grade	69.8 (64.6 - 74.5)	86.7 (82.3 - 90.1)	25.6 (20.3 - 31.7)	42.9 (37.9 - 48.1)	12.0 ( 8.5 - 16.6)
<b>Race/Ethnicity</b>					
Black non-Hispanic	66.3 (61.0 - 71.2)	86.5 (82.0 - 90.0)	23.2 (17.9 - 29.4)	50.4 (45.4 - 55.3)	9.6 ( 5.3 - 16.7)
Hispanic any Race	59.1 (52.3 - 65.7)	80.7 (75.1 - 85.3)	17.0 (11.2 - 24.9)	44.2 (37.0 - 51.6)	9.5 ( 4.6 - 18.6)
White non-Hispanic	70.5 (67.8 - 73.0)	84.3 (82.0 - 86.3)	28.6 (25.7 - 31.6)	42.9 (39.1 - 46.8)	11.5 ( 9.7 - 13.6)

\*\*\*Students who currently do not smoke or have never smoked cigarettes were excluded from the denominator for questions which begin with: "Percent of smokers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.

Youth Tobacco Survey 2010/2011

Category	Percent of students who would use an item with a tobacco company name or picture on it % (95%CI)	Percent of students who were in a room with someone smoking cigarettes at least one day in past seven days % (95%CI)	Percent of students who have rules in house where they live which never allow smoking inside % (95%CI)	Percent of students who have rules in the vehicle they use the most which never allow smoking inside % (95%CI)	Percent of students who rode in a car with someone smoking cigarettes at least one day in past seven days % (95%CI)
<b>Middle School (Grades 6-8)</b>					
<b>Total</b>	<b>10.6 (9.2 - 12.1)</b>	<b>42.7 (39.8 - 45.7)</b>	<b>76.0 (73.3 - 78.4)</b>	<b>70.1 (66.8 - 73.3)</b>	<b>31.8 (28.9 - 34.8)</b>
<b>Sex</b>					
Female	6.6 (5.2 - 8.3)	46.4 (42.3 - 50.6)	75.0 (71.5 - 78.2)	68.5 (64.5 - 72.3)	36.5 (33.0 - 40.1)
Male	14.4 (12.3 - 16.8)	39.1 (35.9 - 42.5)	76.9 (74.2 - 79.5)	71.7 (68.0 - 75.1)	27.3 (23.5 - 31.5)
<b>Grade</b>					
6th grade	7.6 (5.5 - 10.5)	34.4 (29.9 - 39.1)	77.7 (73.0 - 81.8)	73.9 (69.2 - 78.0)	25.9 (21.8 - 30.4)
7th grade	9.7 (7.3 - 12.7)	42.1 (37.5 - 46.8)	77.9 (73.5 - 81.8)	71.9 (65.4 - 77.6)	29.7 (24.4 - 35.6)
8th grade	14.4 (12.2 - 16.9)	51.1 (47.1 - 55.0)	72.7 (68.7 - 76.3)	64.9 (60.1 - 69.4)	39.4 (35.8 - 43.2)
<b>Race/Ethnicity</b>					
Black non-Hispanic	10.7 (7.9 - 14.3)	40.1 (34.1 - 46.5)	72.0 (65.5 - 77.7)	71.2 (63.6 - 77.7)	33.4 (26.6 - 40.8)
Hispanic any Race	7.3 (3.6 - 14.2)	34.0 (23.9 - 45.8)	78.4 (70.0 - 84.9)	75.3 (67.5 - 81.7)	28.9 (21.5 - 37.6)
White non-Hispanic	10.6 (9.0 - 12.5)	44.0 (40.5 - 47.5)	76.5 (73.3 - 79.4)	69.2 (65.0 - 73.0)	32.0 (28.4 - 35.7)
<b>High School (Grades 9-12)</b>					
<b>Total</b>	<b>23.4 (20.3 - 26.8)</b>	<b>54.2 (49.7 - 58.6)</b>	<b>74.6 (70.5 - 78.2)</b>	<b>62.6 (58.7 - 66.4)</b>	<b>39.9 (35.2 - 44.9)</b>
<b>Sex</b>					
Female	18.1 (15.2 - 21.6)	57.5 (52.4 - 62.3)	73.8 (69.1 - 78.0)	62.8 (58.5 - 67.0)	42.5 (37.2 - 48.0)
Male	28.5 (24.7 - 32.8)	50.7 (46.1 - 55.3)	75.7 (71.3 - 79.7)	62.6 (58.0 - 67.0)	37.0 (31.7 - 42.6)
<b>Grade</b>					
9th grade	15.5 (11.7 - 20.2)	46.3 (40.0 - 52.7)	80.1 (75.2 - 84.3)	70.8 (65.4 - 75.7)	29.5 (23.4 - 36.5)
10th grade	22.8 (18.1 - 28.4)	54.6 (48.3 - 60.8)	72.9 (66.5 - 78.5)	62.2 (55.1 - 68.8)	39.9 (32.7 - 47.6)
11th grade	26.2 (18.6 - 35.6)	60.2 (52.6 - 67.2)	73.2 (67.7 - 78.1)	59.1 (52.9 - 65.0)	43.8 (36.0 - 51.9)
12th grade	29.6 (24.5 - 35.3)	56.1 (47.8 - 64.0)	72.5 (66.1 - 78.2)	58.1 (50.5 - 65.2)	47.2 (39.1 - 55.5)
<b>Race/Ethnicity</b>					
Black non-Hispanic	20.4 (14.0 - 28.6)	57.1 (50.2 - 63.7)	69.9 (61.5 - 77.1)	66.0 (59.3 - 72.1)	38.1 (30.9 - 45.9)
Hispanic any Race	22.5 (15.8 - 31.0)	45.6 (39.0 - 52.4)	74.9 (66.0 - 82.2)	70.2 (63.7 - 76.0)	30.9 (25.4 - 37.0)
White non-Hispanic	24.3 (20.7 - 28.4)	54.6 (49.2 - 59.9)	76.0 (71.7 - 79.9)	61.4 (56.8 - 65.8)	41.5 (36.0 - 47.2)

\*\*\*Students who currently do not smoke or have never smoked cigarettes were excluded from the denominator for questions which begin with: "Percent of smokers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.

Youth Tobacco Survey 2010/2011

Category	Percent of students who think smoking should never be allowed in indoor areas in workplaces % (95%CI)	Percent of working students who work in a place where smoking is never allowed % (95%CI)***	Percent of workers who breathed someone else's smoke at work at least one day in past week % (95%CI)***	Percent of students who think smoking should not be allowed in indoor public places such as malls, movie theatres, clubs % (95%CI)	Percent of students who think secondhand smoke is harmful to them % (95%CI)
<b>Middle School (Grades 6-8)</b>					
<b>Total</b>	<b>86.9 (85.5 - 88.3)</b>	<b>67.5 (61.4 - 73.1)</b>	<b>49.7 (42.9 - 56.4)</b>	<b>84.5 (82.8 - 86.2)</b>	<b>91.6 (89.6 - 93.3)</b>
<b>Sex</b>					
Female	88.9 (86.7 - 90.8)	68.5 (59.9 - 75.9)	54.2 (40.7 - 67.0)	85.4 (82.8 - 87.7)	92.9 (90.8 - 94.6)
Male	85.0 (83.2 - 86.6)	67.0 (58.4 - 74.6)	46.8 (37.7 - 56.1)	83.6 (81.3 - 85.7)	90.5 (88.0 - 92.5)
<b>Grade</b>					
6th grade	89.4 (86.9 - 91.6)	DSU	DSU	87.2 (84.3 - 89.7)	91.0 (87.4 - 93.6)
7th grade	87.9 (85.3 - 90.1)	DSU	47.6 (34.6 - 61.0)	85.8 (82.7 - 88.4)	92.6 (90.4 - 94.3)
8th grade	83.7 (80.9 - 86.2)	67.4 (59.0 - 74.9)	50.0 (38.1 - 61.9)	80.7 (77.7 - 83.4)	91.4 (87.9 - 94.0)
<b>Race/Ethnicity</b>					
Black non-Hispanic	90.5 (86.5 - 93.5)	DSU	DSU	91.1 (86.7 - 94.2)	83.3 (76.8 - 88.3)
Hispanic any Race	92.8 (88.4 - 95.7)	DSU	DSU	90.9 (84.9 - 94.7)	93.9 (88.1 - 97.0)
White non-Hispanic	85.6 (83.7 - 87.3)	64.1 (56.3 - 71.1)	51.6 (41.9 - 61.2)	82.6 (80.6 - 84.3)	93.3 (91.9 - 94.4)
<b>High School (Grades 9-12)</b>					
<b>Total</b>	<b>76.5 (73.7 - 79.1)</b>	<b>47.9 (43.9 - 51.9)</b>	<b>37.0 (31.7 - 42.6)</b>	<b>78.9 (76.2 - 81.4)</b>	<b>93.4 (92.0 - 94.6)</b>
<b>Sex</b>					
Female	80.9 (77.5 - 83.9)	54.8 (48.9 - 60.6)	32.0 (25.0 - 39.9)	83.7 (81.1 - 86.0)	96.0 (94.2 - 97.2)
Male	72.1 (68.5 - 75.5)	42.6 (37.8 - 47.6)	41.1 (34.1 - 48.5)	74.3 (70.7 - 77.6)	90.8 (88.5 - 92.7)
<b>Grade</b>					
9th grade	83.4 (79.3 - 86.8)	63.6 (53.3 - 72.7)	41.2 (30.8 - 52.4)	83.3 (80.1 - 86.1)	94.6 (92.2 - 96.3)
10th grade	75.2 (69.0 - 80.6)	49.7 (38.0 - 61.6)	44.4 (33.7 - 55.5)	76.7 (72.3 - 80.6)	92.0 (88.0 - 94.7)
11th grade	72.4 (64.5 - 79.1)	47.8 (40.6 - 55.1)	37.4 (28.5 - 47.1)	74.3 (67.2 - 80.3)	94.0 (91.7 - 95.7)
12th grade	74.8 (69.2 - 79.7)	42.7 (35.9 - 49.8)	31.7 (24.3 - 40.1)	81.1 (77.1 - 84.5)	93.8 (91.3 - 95.5)
<b>Race/Ethnicity</b>					
Black non-Hispanic	82.6 (77.5 - 86.8)	DSU	DSU	84.4 (79.7 - 88.2)	92.3 (87.9 - 95.2)
Hispanic any Race	83.1 (78.0 - 87.3)	DSU	DSU	87.5 (80.5 - 92.2)	88.0 (81.8 - 92.3)
White non-Hispanic	74.8 (71.5 - 77.9)	47.6 (43.6 - 51.5)	34.5 (28.8 - 40.6)	77.2 (74.3 - 79.9)	94.4 (93.0 - 95.6)

\*\*\*Students who do not work were excluded from the denominator for questions which begin with: "Percent of workers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.

Youth Tobacco Survey 2010/2011

Category	Percent of students who currently live with someone who smokes cigarettes % (95%CI)	Percent of students who currently live with someone who uses smokeless tobacco % (95%CI)	Percent of students who have at least one of four closest friends who smoke % (95%CI)	Percent of students who have at least one of four closest friends who use smokeless tobacco % (95%CI)	Percent of students who used any tobacco product in past 30 days % (95%CI)
<b>Middle School (Grades 6-8)</b>					
<b>Total</b>	<b>37.5 (34.1 - 41.1)</b>	<b>13.5 (11.0 - 16.5)</b>	<b>15.5 (13.0 - 18.4)</b>	<b>7.9 (6.4 - 9.8)</b>	<b>5.3 (4.3 - 6.5)</b>
<b>Sex</b>					
Female	38.8 (35.4 - 42.3)	12.5 (10.0 - 15.6)	15.6 (12.4 - 19.5)	5.5 (4.1 - 7.3)	4.4 (3.3 - 5.9)
Male	36.3 (31.7 - 41.3)	14.3 (11.5 - 17.6)	15.3 (12.5 - 18.5)	10.2 (7.8 - 13.2)	6.1 (4.5 - 8.1)
<b>Grade</b>					
6th grade	34.4 (28.6 - 40.8)	14.1 (10.2 - 19.3)	7.4 (5.0 - 10.9)	4.5 (2.7 - 7.4)	2.9 (2.0 - 4.2)
7th grade	38.0 (31.9 - 44.4)	11.2 (7.2 - 17.1)	13.6 (10.1 - 18.1)	6.3 (4.4 - 8.8)	2.9 (1.7 - 5.0)
8th grade	39.9 (36.2 - 43.7)	15.0 (12.6 - 17.8)	25.5 (21.3 - 30.2)	13.2 (10.7 - 16.2)	9.8 (7.9 - 12.2)
<b>Race/Ethnicity</b>					
Black non-Hispanic	37.7 (31.7 - 44.2)	2.8 (1.2 - 6.3)	17.1 (12.7 - 22.6)	3.5 (1.6 - 7.2)	4.6 (3.1 - 7.0)
Hispanic any Race	35.6 (26.8 - 45.5)	3.0 (1.1 - 8.0)	19.7 (11.0 - 32.6)	4.7 (1.8 - 11.6)	3.7 (1.6 - 8.5)
White non-Hispanic	37.5 (33.3 - 41.8)	16.6 (13.6 - 20.2)	14.8 (12.4 - 17.7)	8.9 (7.0 - 11.3)	5.5 (4.3 - 7.1)
<b>High School (Grades 9-12)</b>					
<b>Total</b>	<b>41.4 (37.4 - 45.6)</b>	<b>15.8 (12.7 - 19.4)</b>	<b>45.9 (41.3 - 50.6)</b>	<b>28.7 (24.0 - 33.8)</b>	<b>24.9 (21.0 - 29.2)</b>
<b>Sex</b>					
Female	42.3 (38.0 - 46.7)	13.5 (10.1 - 17.9)	45.6 (39.6 - 51.7)	19.5 (14.6 - 25.6)	20.3 (16.2 - 25.1)
Male	40.3 (35.6 - 45.1)	18.0 (14.5 - 22.3)	46.0 (41.5 - 50.6)	37.9 (33.3 - 42.8)	29.2 (24.7 - 34.2)
<b>Grade</b>					
9th grade	34.1 (27.7 - 41.2)	14.4 (10.2 - 20.1)	34.2 (27.9 - 41.0)	19.4 (13.7 - 26.9)	13.0 (9.8 - 17.1)
10th grade	42.2 (35.4 - 49.3)	14.6 (10.6 - 19.7)	42.4 (37.2 - 47.8)	28.4 (23.4 - 34.0)	23.1 (17.3 - 30.3)
11th grade	46.1 (40.6 - 51.8)	19.4 (14.5 - 25.5)	52.1 (44.2 - 59.8)	33.8 (25.1 - 43.9)	33.0 (25.9 - 41.0)
12th grade	43.6 (38.5 - 48.8)	15.1 (10.3 - 21.4)	55.7 (47.9 - 63.2)	33.7 (25.5 - 43.1)	31.6 (24.3 - 39.9)
<b>Race/Ethnicity</b>					
Black non-Hispanic	49.5 (43.3 - 55.6)	8.2 (5.0 - 13.1)	43.3 (36.9 - 49.9)	13.3 (7.9 - 21.6)	15.4 (9.9 - 23.3)
Hispanic any Race	39.8 (31.8 - 48.3)	6.5 (2.9 - 13.7)	48.5 (38.5 - 58.6)	16.5 (8.8 - 28.9)	26.0 (16.8 - 37.9)
White non-Hispanic	40.3 (35.6 - 45.1)	18.1 (14.6 - 22.1)	46.7 (41.4 - 52.0)	32.9 (28.1 - 38.1)	26.8 (22.6 - 31.5)

\*\*\*Students who currently do not smoke or have never smoked cigarettes were excluded from the denominator for questions which begin with: "Percent of smokers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.

Youth Tobacco Survey 2010/2011

Category	Percent who smoked cigarettes 20 or more of the past 30 days (frequent use) % (95%CI)	Percent who ever used any tobacco product % (95%CI)	Percent who used smokeless tobacco or cigars in the past 30 days % (95%CI)	Those who never smoked who are considered susceptible to initiating smoking during the next year % (95%CI)
<b>Middle School (Grades 6-8)</b>				
<b>Total</b>	<b>0.6 ( 0.3 - 1.2)</b>	<b>14.3 (12.2 - 16.6)</b>	<b>3.2 ( 2.5 - 4.1)</b>	<b>16.1 (14.4-18.1)</b>
<b>Sex</b>				
Female	0.6 ( 0.2 - 1.4)	12.1 ( 9.6 - 15.0)	2.4 ( 1.6 - 3.4)	15.5 (12.7-18.8)
Male	0.6 ( 0.3 - 1.2)	16.2 (13.6 - 19.1)	4.0 ( 2.9 - 5.4)	16.8 (14.5-19.3)
<b>Grade</b>				
6th grade	0.1 ( 0.0 - 0.8)	8.3 ( 6.0 - 11.5)	2.4 ( 1.5 - 3.8)	14.2 (11.9-16.9)
7th grade	0.2 ( 0.1 - 1.0)	10.4 ( 7.6 - 14.2)	1.2 ( 0.6 - 2.5)	14.4 (11.7-17.6)
8th grade	1.4 ( 0.6 - 3.1)	23.8 (20.8 - 26.9)	5.9 ( 4.6 - 7.4)	20.3 (17.6-23.2)
<b>Race/Ethnicity</b>				
Black non-Hispanic	0.0 ( 0.0 - 1.0)	18.6 (13.6 - 25.0)	3.0 ( 1.7 - 5.4)	16.9 (11.5-24.0)
Hispanic any Race	0.0 ( 0.0 - 2.5)	17.4 (12.1 - 24.5)	1.3 ( 0.2 - 8.3)	21.4 (14.3-30.8)
White non-Hispanic	0.7 ( 0.3 - 1.5)	13.3 (11.3 - 15.6)	3.4 ( 2.6 - 4.4)	15.5 (13.6-17.6)
<b>High School (Grades 9-12)</b>				
<b>Total</b>	<b>8.4 ( 6.7 - 10.5)</b>	<b>45.0 (40.4 - 49.6)</b>	<b>14.7 (12.0 - 18.0)</b>	<b>19.4 (17.4-21.6)</b>
<b>Sex</b>				
Female	6.4 ( 4.5 - 9.0)	41.7 (36.1 - 47.5)	6.5 ( 4.5 - 9.4)	17.6 (14.7-21.0)
Male	10.2 ( 8.0 - 12.8)	48.0 (43.5 - 52.6)	22.6 (18.8 - 26.8)	21.2 (18.6-24.0)
<b>Grade</b>				
9th grade	2.0 ( 1.1 - 3.6)	27.8 (22.1 - 34.3)	7.4 ( 5.4 - 10.1)	25.2 (20.9-30.0)
10th grade	6.7 ( 4.6 - 9.5)	41.6 (36.4 - 47.1)	13.8 (10.4 - 18.2)	20.0 (15.5-25.4)
11th grade	10.7 ( 7.2 - 15.6)	56.2 (48.3 - 63.8)	19.1 (14.0 - 25.6)	13.3 ( 9.4-18.6)
12th grade	14.6 (10.6 - 19.8)	55.5 (48.0 - 62.7)	19.1 (14.2 - 25.1)	15.3 (11.0-20.8)
<b>Race/Ethnicity</b>				
Black non-Hispanic	3.5 ( 1.5 - 8.1)	39.9 (34.1 - 45.9)	7.9 ( 4.2 - 14.3)	17.7 (12.3-24.9)
Hispanic any Race	3.5 ( 1.1 - 11.2)	50.7 (40.1 - 61.4)	9.6 ( 4.1 - 20.9)	11.7 ( 5.9-22.1)
White non-Hispanic	9.6 ( 7.6 - 12.0)	45.7 (40.4 - 51.1)	16.6 (13.6 - 20.0)	20.7 (18.6-22.9)

\*\*\*Students who currently do not smoke or have never smoked cigarettes were excluded from the denominator for questions which begin with: "Percent of smokers."

Note: DSU indicates that the total response is less than 50 and/or the estimated prevalence is considered statistically unreliable.