


2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Percentage of students who ever tried cigarette smoking, even one or two puffs




QN28 - Weighted Data

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Percentage of students who smoked a whole cigarette for the first time before age 13 years




QN29 - Weighted Data

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Percentage of students who smoked cigarettes on one or more of the past 30 days




QN30 - Weighted Data

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Percentage of students who smoked cigarettes on 20 or more of the past 30 days




QNFRICIG - Weighted Data

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days



QN31 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days



QN32 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Percentage of students who smoked cigarettes on school property on one or more of the past 30 days




QN33 - Weighted Data

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days




QN34 - Weighted Data

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months



QN35 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days




QN36 - Weighted Data

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days




QN37 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days




QN38 - Weighted Data

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days




QNANYTOB - Weighted Data

*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Percentage of students who had ever been told by a doctor or nurse that they had asthma




QN86 - Weighted Data
*Non-Hispanic.

2009 Youth Risk Behavior Survey Results

Pennsylvania High School Survey

Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma



QN87 - Weighted Data

*Non-Hispanic.