

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALLENTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	26	23	2	5
MOTOR VEHICLE CRASH	9	8	1	2
RESIDENTIAL FIRE	3	3	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR ^y	1	1	0	0
HOMICIDE and LEGAL INTERVENTION	6	5	0	1
SUICIDE	1	1	0	0
ALL OTHER CAUSES	6	5	1	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	15	9.1	45	8.6
WHITE	11	7.6	37	8.1
BLACK	4	26.7	8	18.8
HISPANIC	6	13.1	19	14.4

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	2
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	5,009	2,139	827	2,686
PERCENT	22.0	12.6	43.9	51.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	115	7.0	249	16.5	118	7.2
WHITE	97	6.7	194	14.7	97	6.7
BLACK	14	9.3	43	33.1	21	14.0
HISPANIC	38	8.3	76	18.7	63	13.8

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALTOONA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	12	11	1	0
MOTOR VEHICLE CRASH	4	4	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	2	1	1	0
OTHER UNINTENDED INJUR [']	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	1	1	0	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	5	5	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	7	11.1	21	10.6
WHITE	7	11.6	19	9.8
BLACK	0	0.0	2	46.5
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	0
MUMPS	1
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	3,380	3,199	110	19
PERCENT	27.0	26.4	40.7	38.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	39	6.2	77	12.3	36	5.7
WHITE	38	6.3	74	12.3	31	5.1
BLACK	1	5.6	3	16.7	4	22.2
HISPANIC	0	0.0	0	0.0	1	25.0

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

BETHLEHEM CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	17	16	1	8
MOTOR VEHICLE CRASH	3	2	1	3
RESIDENTIAL FIRE	2	2	0	2
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR ¹	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	2	2	0	0
SUICIDE	2	2	0	1
ALL OTHER CAUSES	8	8	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	5	5.7	20	7.2
WHITE	5	6.2	17	6.7
BLACK	0	0.0	2	16.5
HISPANIC	0	0.0	4	5.6

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,995	1,265	217	1,974
PERCENT	20.2	11.2	33.1	51.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	99	11.3	104	12.1	68	7.7
WHITE	88	10.8	91	11.4	60	7.4
BLACK	7	17.1	12	30.8	8	19.5
HISPANIC	35	15.2	49	21.5	45	19.5

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

CHESTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	21	2	19	2
MOTOR VEHICLE CRASH	5	0	5	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR ¹	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	7	2	5	2
SUICIDE	0	0	0	0
ALL OTHER CAUSES	9	0	9	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	11	15.2	45	17.8
WHITE	0	0.0	2	3.9
BLACK	11	18.7	43	21.5
HISPANIC	0	0.0	1	6.5

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	3,980	297	3,370	490
PERCENT	34.4	12.8	38.4	66.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	96	13.2	276	38.5	98	13.5
WHITE	12	9.1	43	32.8	11	8.3
BLACK	84	14.3	231	39.8	87	14.8
HISPANIC	5	10.6	21	45.7	6	12.8

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

EASTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	2	0	2	0
MOTOR VEHICLE CRASH	1	0	1	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR [']	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	0	0	0	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	1	0	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	1	2.5	16	12.6
WHITE	0	0.0	12	11.3
BLACK	1	17.2	4	24.8
HISPANIC	0	0.0	1	9.3

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	1,160	752	249	219
PERCENT	19.8	16.1	31.6	56.2

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	39	9.8	78	21.4	27	6.7
WHITE	29	8.8	58	19.3	20	6.1
BLACK	8	14.0	18	34.0	7	12.1
HISPANIC	3	8.3	9	31.0	3	8.3

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ERIE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	28	19	9	0
MOTOR VEHICLE CRASH	6	3	3	0
RESIDENTIAL FIRE	1	0	1	0
DROWNING or SUFFOCATION	2	1	1	0
OTHER UNINTENDED INJUR [']	1	1	0	0
HOMICIDE and LEGAL INTERVENTION	0	0	0	0
SUICIDE	2	2	0	0
ALL OTHER CAUSES	16	12	4	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	21	11.2	69	11.3
WHITE	13	8.7	40	8.2
BLACK	8	22.3	29	25.4
HISPANIC	1	9.5	3	9.1

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	3
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	8,200	4,539	3,265	813
PERCENT	30.5	21.7	62.0	68.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	160	8.5	407	23.4	139	7.4
WHITE	106	7.1	276	19.5	89	6.0
BLACK	54	15.1	119	39.3	48	13.4
HISPANIC	9	8.6	35	38.0	17	16.2

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HARRISBURG CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	25	6	18	2
MOTOR VEHICLE CRASH	3	1	2	0
RESIDENTIAL FIRE	1	0	1	0
DROWNING or SUFFOCATION	2	0	2	0
OTHER UNINTENDED INJUR [']	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	4	0	4	0
SUICIDE	1	0	1	0
ALL OTHER CAUSES	14	5	8	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	20	18.9	56	16.3
WHITE	5	11.3	16	12.0
BLACK	15	26.0	39	19.5
HISPANIC	1	7.8	7	18.7

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	6,183	1,157	4,183	1,114
PERCENT	44.7	33.2	47.4	61.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	103	9.7	229	21.7	107	10.1
WHITE	29	6.6	77	17.6	31	7.0
BLACK	72	12.5	143	24.8	75	13.0
HISPANIC	12	9.4	32	25.4	17	13.3

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

JOHNSTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	4	4	0	0
MOTOR VEHICLE CRASH	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR ^y	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	2	2	0	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	2	2	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	4	10.3	11	9.5
WHITE	4	11.5	10	9.8
BLACK	0	0.0	1	7.3
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,622	1,971	596	66
PERCENT	43.3	38.8	65.4	52.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	32	8.2	86	22.1	25	6.4
WHITE	26	7.5	70	20.1	17	4.9
BLACK	6	15.0	15	37.5	8	20.0
HISPANIC	0	0.0	2	66.7	0	0.0

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LANCASTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	19	13	6	3
MOTOR VEHICLE CRASH	4	4	0	1
RESIDENTIAL FIRE	3	0	3	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR ¹	2	2	0	0
HOMICIDE and LEGAL INTERVENTION	1	0	1	0
SUICIDE	2	2	0	1
ALL OTHER CAUSES	7	5	2	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	5	4.3	25	7.4
WHITE	4	4.4	17	6.2
BLACK	1	5.6	7	14.3
HISPANIC	2	5.1	11	10.1

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	3
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	1
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	4,543	1,269	1,035	2,567
PERCENT	32.1	17.2	39.5	52.2

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	83	7.1	188	16.3	130	11.2
WHITE	56	6.1	137	15.2	95	10.4
BLACK	20	11.1	36	20.1	29	16.1
HISPANIC	30	7.7	78	20.3	77	19.6

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

McKEESPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	10	4	6	0
MOTOR VEHICLE CRASH	1	1	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR ^y	1	0	1	0
HOMICIDE and LEGAL INTERVENTION	1	1	0	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	7	2	5	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	3	8.1	13	10.7
WHITE	3	11.8	9	10.6
BLACK	0	0.0	4	11.3
HISPANIC	1	333.0	1	100.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,084	1,343	707	55
PERCENT	38.1	33.4	52.5	61.1

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	35	9.4	99	27.1	28	7.6
WHITE	24	9.5	59	23.5	12	4.7
BLACK	11	9.8	39	35.5	16	14.3
HISPANIC	0	0.0	2	66.7	1	33.3

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NEW CASTLE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	6	5	1	0
MOTOR VEHICLE CRASH	1	1	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR [']	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	2	2	0	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	3	2	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	3	7.0	17	13.2
WHITE	2	5.8	10	9.4
BLACK	1	12.8	7	32.9
HISPANIC	1	250.0	1	125.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	0
MUMPS	1
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,091	1,560	512	41
PERCENT	34.1	29.6	64.9	60.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	38	8.9	85	20.1	40	9.4
WHITE	28	8.1	64	18.6	29	8.4
BLACK	10	12.8	20	26.0	11	14.1
HISPANIC	0	0.0	0	0.0	0	0.0

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NORRISTOWN BOROUGH

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	7	3	4	0
MOTOR VEHICLE CRASH	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR ¹	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	1	0	1	0
SUICIDE	2	2	0	0
ALL OTHER CAUSES	4	1	3	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	13	22.5	32	17.7
WHITE	6	18.2	18	17.4
BLACK	7	32.0	14	20.0
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	0
MUMPS	1
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	868	415	437	31
PERCENT	12.4	9.7	18.0	9.1

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	47	8.2	170	29.9	36	6.2
WHITE	13	3.9	65	19.9	10	3.0
BLACK	31	14.2	97	45.1	25	11.4
HISPANIC	3	7.5	16	40.0	6	15.0

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PHILADELPHIA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	515	145	350	62
MOTOR VEHICLE CRASH	53	18	30	7
RESIDENTIAL FIRE	56	12	43	5
DROWNING or SUFFOCATION	21	7	12	4
OTHER UNINTENDED INJUR [']	26	11	11	3
HOMICIDE and LEGAL INTERVENTION	113	18	93	11
SUICIDE	12	8	4	3
ALL OTHER CAUSES	234	71	157	29

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	295	12.3	1,003	13.1
WHITE	75	7.4	248	7.7
BLACK	210	17.1	721	17.9
HISPANIC	25	9.7	105	13.5

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	1
MUMPS	1
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	112,622	22,120	71,402	17,803
PERCENT	30.3	13.9	40.5	56.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	2,670	11.2	6,690	29.2	2,062	8.6
WHITE	729	7.2	1,762	17.7	558	5.5
BLACK	1,812	14.9	4,447	38.8	1,444	11.8
HISPANIC	260	10.1	804	32.2	332	12.9

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915),
Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal
Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PITTSBURGH CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	74	27	46	0
MOTOR VEHICLE CRASH	7	4	3	0
RESIDENTIAL FIRE	4	2	2	0
DROWNING or SUFFOCATION	5	1	4	0
OTHER UNINTENDED INJUR ¹	3	2	1	0
HOMICIDE and LEGAL INTERVENTION	26	3	23	0
SUICIDE	1	1	0	0
ALL OTHER CAUSES	28	14	13	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	58	12.3	195	13.4
WHITE	23	8.4	61	7.6
BLACK	35	19.2	132	21.9
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	10
MUMPS	2
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	23,545	7,195	15,604	216
PERCENT	32.5	16.6	56.9	26.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	529	11.2	785	16.9	303	6.4
WHITE	203	7.4	276	10.2	74	2.7
BLACK	314	17.2	483	27.3	228	12.5
HISPANIC	3	6.3	11	22.9	2	4.2

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

READING CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	28	22	3	7
MOTOR VEHICLE CRASH	4	3	1	1
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	1
OTHER UNINTENDED INJUR ¹	3	2	0	2
HOMICIDE and LEGAL INTERVENTION	3	2	1	2
SUICIDE	3	3	0	1
ALL OTHER CAUSES	14	11	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	12	7.3	40	8.0
WHITE	11	8.0	32	7.6
BLACK	0	0.0	6	9.0
HISPANIC	8	12.3	17	9.1

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	6,153	2,933	979	3,580
PERCENT	31.8	22.7	39.4	56.4

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	129	7.9	546	34.5	134	8.2
WHITE	103	7.5	418	31.4	105	7.6
BLACK	22	10.9	90	46.6	23	11.4
HISPANIC	49	7.5	294	46.7	85	13.0

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

SCRANTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	17	15	1	0
MOTOR VEHICLE CRASH	1	0	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR ¹	4	4	0	0
HOMICIDE and LEGAL INTERVENTION	2	1	1	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	10	10	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	1	1.1	19	6.6
WHITE	1	1.2	18	6.6
BLACK	0	0.0	0	0.0
HISPANIC	0	0.0	1	14.3

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	3,793	3,396	300	107
PERCENT	22.5	21.2	70.1	48.0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	71	7.8	173	19.2	49	5.4
WHITE	63	7.4	156	18.4	42	4.9
BLACK	8	25.8	11	36.7	6	19.4
HISPANIC	3	10.3	14	50.0	3	10.3

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILKES-BARRE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	9	8	1	0
MOTOR VEHICLE CRASH	1	0	1	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR ¹	1	1	0	0
HOMICIDE and LEGAL INTERVENTION	1	1	0	0
SUICIDE	1	1	0	0
ALL OTHER CAUSES	5	5	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	8	15.6	21	13.4
WHITE	6	13.3	17	11.9
BLACK	2	37.7	4	32.8
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	1,954	1,639	277	29
PERCENT	20.7	18.8	51.8	38.2

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	40	7.8	54	10.6	37	7.2
WHITE	30	6.7	43	9.5	27	6.0
BLACK	10	18.9	10	18.9	10	18.9
HISPANIC	2	33.3	1	16.7	0	0.0

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILLIAMSPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	9	7	2	0
MOTOR VEHICLE CRASH	1	1	0	0
RESIDENTIAL FIRE	1	1	0	0
DROWNING or SUFFOCATION	1	0	1	0
OTHER UNINTENDED INJUR [']	1	1	0	0
HOMICIDE and LEGAL INTERVENTION	3	2	1	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	2	2	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	10	19.0	21	12.8
WHITE	8	18.7	14	10.4
BLACK	2	22.2	7	25.0
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,425	1,850	542	28
PERCENT	30.8	26.8	66.1	52.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	33	6.3	145	28.1	27	5.1
WHITE	24	5.6	110	26.2	18	4.2
BLACK	9	10.0	30	33.7	9	10.0
HISPANIC	0	0.0	1	100.0	0	0.0

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

YORK CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	8	5	3	2
MOTOR VEHICLE CRASH	0	0	0	0
RESIDENTIAL FIRE	1	0	1	0
DROWNING or SUFFOCATION	4	2	2	0
OTHER UNINTENDED INJUR ¹	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	1	1	0	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	2	2	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	10	14.2	36	15.4
WHITE	5	9.7	18	11.1
BLACK	5	27.6	18	26.8
HISPANIC	1	7.0	3	7.8

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	1
MUMPS	1
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	3,395	1,239	1,404	1,017
PERCENT	31.2	19.9	39.8	73.0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	67	9.5	209	29.9	97	13.8
WHITE	45	8.8	132	25.9	63	12.3
BLACK	21	11.6	72	40.5	34	18.8
HISPANIC	13	9.1	54	38.3	39	27.3

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PENNSYLVANIA

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1993-1995

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	2,449	1,804	593	108
MOTOR VEHICLE CRASH	514	441	63	18
RESIDENTIAL FIRE	139	71	67	7
DROWNING or SUFFOCATION	127	93	31	6
OTHER UNINTENDED INJUR ¹	162	136	18	5
HOMICIDE and LEGAL INTERVENTION	235	86	146	17
SUICIDE	128	120	7	6
ALL OTHER CAUSES	1,144	857	261	49

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1995 AND 1993-1995

RACE or ETHNICITY	1995		1993-1995	
	NO.	RATE	NO.	RATE
ALL RACES	1,164	7.7	3,793	8.1
WHITE	772	6.2	2,447	6.3
BLACK	373	17.5	1,278	18.6
HISPANIC	62	9.5	203	10.6

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1995

PERTUSSIS	102
MUMPS	52
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	1
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	432,227	270,941	124,859	38,374
PERCENT	15.7	11.5	40.6	46.7

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1995

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	11,159	7.4	24,674	16.7	6,482	4.3
WHITE	7,804	6.2	16,655	13.4	3,896	3.1
BLACK	3,037	14.3	7,055	34.7	2,478	11.6
HISPANIC	592	9.0	1,911	30.2	812	12.4

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health