

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALLENTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	21	19	1	4
MOTOR VEHICLE CRASH	6	6	0	1
RESIDENTIAL FIRE	3	3	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR [']	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	6	5	0	2
SUICIDE	0	0	0	0
ALL OTHER CAUSES	6	5	1	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	12	7.2	39	7.7
WHITE	10	7.0	32	7.3
BLACK	2	12.2	7	15.4
HISPANIC	6	11.8	17	12.1

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	5
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	5,009	2,139	827	2,686
PERCENT	22.0	12.6	43.9	51.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	165	9.9	307	19.9	114	6.9
WHITE	146	10.2	238	17.9	89	6.2
BLACK	15	9.1	48	32.7	22	13.4
HISPANIC	56	11.0	121	26.6	67	13.1

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALTOONA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	11	10	1	0
MOTOR VEHICLE CRASH	3	3	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	2	1	1	0
OTHER UNINTENDED INJUR [']	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	0	0	0	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	6	6	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	7	10.5	22	11.3
WHITE	7	10.9	20	10.6
BLACK	0	0.0	2	44.4
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	3,380	3,199	110	19
PERCENT	27.0	26.4	40.7	38.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	61	9.1	64	9.6	38	5.7
WHITE	60	9.3	59	9.2	34	5.3
BLACK	1	6.3	2	12.5	3	18.8
HISPANIC	0	0.0	0	0.0	3	37.5

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

BETHLEHEM CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	14	14	0	7
MOTOR VEHICLE CRASH	2	2	0	2
RESIDENTIAL FIRE	2	2	0	2
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR ¹	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	2	2	0	0
SUICIDE	2	2	0	1
ALL OTHER CAUSES	6	6	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	4	4.7	18	6.7
WHITE	4	5.0	17	6.9
BLACK	0	0.0	0	0.0
HISPANIC	0	0.0	2	2.8

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	3
MUMPS	1
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,995	1,265	217	1,974
PERCENT	20.2	11.2	33.1	51.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	94	11.0	130	15.4	48	5.6
WHITE	87	10.9	115	14.6	44	5.5
BLACK	7	19.4	9	25.0	4	11.1
HISPANIC	39	16.3	63	26.7	30	12.5

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

CHESTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	21	1	20	0
MOTOR VEHICLE CRASH	3	0	3	0
RESIDENTIAL FIRE	4	0	4	0
DROWNING or SUFFOCATION	1	0	1	0
OTHER UNINTENDED INJUR [']	2	1	1	0
HOMICIDE and LEGAL INTERVENTION	4	0	4	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	7	0	7	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	11	14.5	37	15.9
WHITE	2	13.6	3	6.5
BLACK	9	15.0	34	18.4
HISPANIC	1	19.2	2	13.2

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	0
MUMPS	1
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	3,980	297	3,370	490
PERCENT	34.4	12.8	38.4	66.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	89	11.8	269	37.8	108	14.3
WHITE	15	10.2	51	35.9	13	8.8
BLACK	74	12.3	216	38.4	94	15.6
HISPANIC	6	11.5	23	47.9	7	13.5

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

EASTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	3	1	2	0
MOTOR VEHICLE CRASH	1	0	1	0
RESIDENTIAL FIRE	1	1	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR ¹	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	0	0	0	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	1	0	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	6	15.4	16	13.2
WHITE	1	3.2	7	7.0
BLACK	5	90.9	9	53.9
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	3
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	1,160	752	249	219
PERCENT	19.8	16.1	31.6	56.2

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	30	7.7	85	22.5	23	5.9
WHITE	23	7.3	62	20.1	17	5.4
BLACK	4	7.3	18	34.0	5	9.1
HISPANIC	2	5.0	15	38.5	6	15.0

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ERIE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	23	17	6	1
MOTOR VEHICLE CRASH	5	3	2	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	3	1	2	0
OTHER UNINTENDED INJUR [']	1	1	0	0
HOMICIDE and LEGAL INTERVENTION	1	1	0	1
SUICIDE	2	2	0	0
ALL OTHER CAUSES	11	9	2	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	18	9.5	62	10.6
WHITE	13	8.5	39	8.3
BLACK	5	15.3	23	21.6
HISPANIC	0	0.0	1	3.2

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	5
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	8,200	4,539	3,265	813
PERCENT	30.5	21.7	62.0	68.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	154	8.2	368	21.4	146	7.8
WHITE	116	7.6	258	18.0	88	5.8
BLACK	34	10.4	102	39.8	57	17.5
HISPANIC	5	5.2	32	40.5	15	15.5

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915),
Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal
Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HARRISBURG CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	24	6	17	2
MOTOR VEHICLE CRASH	5	3	2	0
RESIDENTIAL FIRE	1	0	1	0
DROWNING or SUFFOCATION	2	0	2	0
OTHER UNINTENDED INJUR [']	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	3	0	3	0
SUICIDE	1	0	1	0
ALL OTHER CAUSES	12	3	8	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	10	9.9	50	15.6
WHITE	6	15.7	18	14.7
BLACK	4	7.1	32	17.4
HISPANIC	0	0.0	4	11.5

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	3
MUMPS	1
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	6,183	1,157	4,183	1,114
PERCENT	44.7	33.2	47.4	61.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	117	11.6	214	22.2	97	9.6
WHITE	31	8.1	62	16.8	19	5.0
BLACK	84	14.8	138	25.8	75	13.2
HISPANIC	10	8.8	21	19.4	18	15.9

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

JOHNSTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	6	5	1	0
MOTOR VEHICLE CRASH	0	0	0	0
RESIDENTIAL FIRE	1	1	0	0
DROWNING or SUFFOCATION	1	0	1	0
OTHER UNINTENDED INJUR [']	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	2	2	0	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	2	2	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	7	17.5	16	13.6
WHITE	4	11.3	12	11.5
BLACK	3	71.4	4	30.3
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,622	1,971	596	66
PERCENT	43.3	38.8	65.4	52.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	35	8.8	75	18.8	31	7.8
WHITE	30	8.5	59	16.7	24	6.8
BLACK	5	11.9	15	35.7	7	16.7
HISPANIC	1	16.7	0	0.0	1	16.7

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LANCASTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	16	10	6	3
MOTOR VEHICLE CRASH	2	2	0	0
RESIDENTIAL FIRE	3	0	3	0
DROWNING or SUFFOCATION	1	1	0	0
OTHER UNINTENDED INJUR [']	2	1	1	0
HOMICIDE and LEGAL INTERVENTION	1	1	0	1
SUICIDE	1	1	0	0
ALL OTHER CAUSES	6	4	2	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	9	7.7	25	7.2
WHITE	7	7.3	17	6.1
BLACK	2	13.2	8	16.6
HISPANIC	4	10.0	12	10.6

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	4,543	1,269	1,035	2,567
PERCENT	32.1	17.2	39.5	52.2

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	106	9.1	171	14.9	116	10.0
WHITE	88	9.2	126	13.3	93	9.7
BLACK	15	9.9	36	23.8	18	11.8
HISPANIC	50	12.6	75	19.1	70	17.5

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

McKEESPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	10	4	6	0
MOTOR VEHICLE CRASH	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR ^y	1	0	1	0
HOMICIDE and LEGAL INTERVENTION	1	1	0	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	8	3	5	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	3	7.1	8	6.6
WHITE	1	3.6	5	6.0
BLACK	2	14.5	3	8.0
HISPANIC	0	0.0	1	62.5

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	2
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,084	1,343	707	55
PERCENT	38.1	33.4	52.5	61.1

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	46	10.8	87	20.6	33	7.8
WHITE	21	7.5	42	14.9	13	4.6
BLACK	23	16.7	44	32.1	19	13.8
HISPANIC	0	0.0	6	60.0	1	10.0

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NEW CASTLE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	8	7	1	0
MOTOR VEHICLE CRASH	1	1	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR [']	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	2	2	0	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	5	4	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	6	14.2	14	11.0
WHITE	6	16.8	10	9.4
BLACK	0	0.0	4	20.0
HISPANIC	0	0.0	1	111.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	0
MUMPS	1
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,091	1,560	512	41
PERCENT	34.1	29.6	64.9	60.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	42	10.0	73	17.5	27	6.4
WHITE	35	9.8	53	14.9	17	4.8
BLACK	7	11.7	17	30.4	9	15.0
HISPANIC	1	33.3	1	33.3	0	0.0

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915),
Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal
Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NORRISTOWN BOROUGH

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	5	4	1	0
MOTOR VEHICLE CRASH	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR [']	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	0	0	0	0
SUICIDE	1	1	0	0
ALL OTHER CAUSES	4	3	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	4	7.0	31	17.8
WHITE	1	3.1	16	16.0
BLACK	3	13.1	15	22.0
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	3
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	868	415	437	31
PERCENT	12.4	9.7	18.0	9.1

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	55	9.7	162	29.6	33	5.8
WHITE	18	5.6	67	21.5	13	4.0
BLACK	36	15.7	89	40.6	20	8.7
HISPANIC	2	4.8	17	42.5	6	14.3

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PHILADELPHIA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	494	141	330	54
MOTOR VEHICLE CRASH	60	19	37	7
RESIDENTIAL FIRE	38	6	31	1
DROWNING or SUFFOCATION	26	10	14	4
OTHER UNINTENDED INJUR ¹	33	17	13	4
HOMICIDE and LEGAL INTERVENTION	118	21	93	13
SUICIDE	16	7	8	2
ALL OTHER CAUSES	203	61	134	23

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	278	12.2	921	12.7
WHITE	67	7.0	229	7.5
BLACK	196	16.9	648	17.3
HISPANIC	27	10.4	99	12.8

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	68
MUMPS	3
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	112,622	22,120	71,402	17,803
PERCENT	30.3	13.9	40.5	56.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	2,646	11.6	6,051	27.9	1,901	8.4
WHITE	766	8.0	1,595	17.0	545	5.7
BLACK	1,730	14.9	4,009	36.8	1,282	11.1
HISPANIC	268	10.4	747	30.0	323	12.5

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PITTSBURGH CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	73	22	50	0
MOTOR VEHICLE CRASH	9	6	3	0
RESIDENTIAL FIRE	3	1	2	0
DROWNING or SUFFOCATION	4	1	3	0
OTHER UNINTENDED INJUR ¹	4	3	1	0
HOMICIDE and LEGAL INTERVENTION	24	2	22	0
SUICIDE	1	1	0	0
ALL OTHER CAUSES	28	8	19	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	49	10.5	171	12.1
WHITE	16	5.9	55	6.8
BLACK	33	18.8	114	20.4
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	12
MUMPS	1
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	23,545	7,195	15,604	216
PERCENT	32.5	16.6	56.9	26.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	432	9.2	714	15.6	288	6.2
WHITE	166	6.1	253	9.4	79	2.9
BLACK	253	14.4	440	25.9	205	11.7
HISPANIC	3	5.7	9	17.6	2	3.8

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.
ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915),
Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal
Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

READING CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	27	22	2	12
MOTOR VEHICLE CRASH	5	4	1	2
RESIDENTIAL FIRE	1	1	0	1
DROWNING or SUFFOCATION	1	1	0	1
OTHER UNINTENDED INJUR [']	2	1	0	2
HOMICIDE and LEGAL INTERVENTION	4	3	1	3
SUICIDE	4	4	0	1
ALL OTHER CAUSES	10	8	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	16	10.0	42	8.5
WHITE	14	10.1	34	8.2
BLACK	2	11.3	6	9.5
HISPANIC	9	13.0	20	10.2

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	2
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	6,153	2,933	979	3,580
PERCENT	31.8	22.7	39.4	56.4

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	142	8.8	532	34.3	155	9.7
WHITE	110	7.9	458	34.1	134	9.6
BLACK	27	15.3	67	39.4	19	10.7
HISPANIC	54	7.8	291	44.0	94	13.6

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

SCRANTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	14	12	1	0
MOTOR VEHICLE CRASH	1	0	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	1	0	1	0
OTHER UNINTENDED INJUR ¹	4	4	0	0
HOMICIDE and LEGAL INTERVENTION	0	0	0	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	8	8	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	5	5.5	16	5.7
WHITE	5	5.9	15	5.7
BLACK	0	0.0	0	0.0
HISPANIC	0	0.0	1	10.1

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	3,793	3,396	300	107
PERCENT	22.5	21.2	70.1	48.0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	72	7.9	160	17.7	56	6.1
WHITE	68	8.0	149	17.7	48	5.6
BLACK	3	8.1	8	21.6	7	18.9
HISPANIC	0	0.0	18	43.9	4	9.8

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILKES-BARRE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	10	10	0	0
MOTOR VEHICLE CRASH	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER UNINTENDED INJUR [']	1	1	0	0
HOMICIDE and LEGAL INTERVENTION	1	1	0	0
SUICIDE	1	1	0	0
ALL OTHER CAUSES	7	7	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	14	28.5	26	17.2
WHITE	11	24.3	21	15.3
BLACK	3	93.8	5	41.7
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	1,954	1,639	277	29
PERCENT	20.7	18.8	51.8	38.2

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	49	10.0	48	9.8	27	5.5
WHITE	45	10.0	39	8.6	24	5.3
BLACK	2	6.3	8	25.0	2	6.3
HISPANIC	1	14.3	0	0.0	1	14.3

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILLIAMSPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	9	7	2	0
MOTOR VEHICLE CRASH	1	1	0	0
RESIDENTIAL FIRE	1	1	0	0
DROWNING or SUFFOCATION	1	0	1	0
OTHER UNINTENDED INJUR [']	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	5	4	1	0
SUICIDE	0	0	0	0
ALL OTHER CAUSES	1	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	6	13.0	23	15.0
WHITE	5	13.4	18	14.5
BLACK	1	12.0	5	18.3
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,425	1,850	542	28
PERCENT	30.8	26.8	66.1	52.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	29	6.3	103	22.9	39	8.4
WHITE	19	5.1	76	20.9	27	7.2
BLACK	10	12.0	26	32.5	12	14.5
HISPANIC	0	0.0	1	20.0	1	20.0

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

YORK CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	8	4	4	2
MOTOR VEHICLE CRASH	0	0	0	0
RESIDENTIAL FIRE	1	0	1	0
DROWNING or SUFFOCATION	3	1	2	0
OTHER UNINTENDED INJUR ¹	0	0	0	0
HOMICIDE and LEGAL INTERVENTION	1	1	0	0
SUICIDE	1	0	1	0
ALL OTHER CAUSES	2	2	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	12	16.1	35	15.3
WHITE	8	15.2	18	11.2
BLACK	4	19.7	17	26.9
HISPANIC	3	19.6	5	12.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	2
MUMPS	2
MEASLES	1
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	3,395	1,239	1,404	1,017
PERCENT	31.2	19.9	39.8	73.0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	89	11.9	185	25.1	95	12.8
WHITE	50	9.5	113	21.7	51	9.7
BLACK	38	18.7	69	34.5	42	20.7
HISPANIC	22	14.4	43	28.3	26	17.0

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PENNSYLVANIA

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1994-1996

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	2,382	1,771	556	106
MOTOR VEHICLE CRASH	538	469	60	16
RESIDENTIAL FIRE	122	64	57	4
DROWNING or SUFFOCATION	123	86	34	6
OTHER UNINTENDED INJUR ¹	173	145	23	6
HOMICIDE and LEGAL INTERVENTION	225	82	137	21
SUICIDE	140	129	10	4
ALL OTHER CAUSES	1,061	796	235	49

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1996 AND 1994-1996

RACE or ETHNICITY	1996		1994-1996	
	NO.	RATE	NO.	RATE
ALL RACES	1,145	7.7	3,581	7.9
WHITE	783	6.4	2,365	6.3
BLACK	339	16.6	1,143	17.6
HISPANIC	65	9.7	202	10.3

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1996

PERTUSSIS	245
MUMPS	38
MEASLES	2
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	432,227	270,941	124,859	38,374
PERCENT	15.7	11.5	40.6	46.7

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1996

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	11,157	7.5	22,852	15.8	6,154	4.2
WHITE	7,966	6.5	15,603	12.9	3,756	3.0
BLACK	2,891	14.2	6,371	32.9	2,264	11.1
HISPANIC	638	9.5	1,892	29.4	790	11.8

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES: Motor Vehicle Crash (E810-E825), Residential Fire (E890-E899), Drowning/Suffocation (E910-E915), Other Unintended Injury (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Suicide (E950-E959).

Hispanics can be of any race.

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Any unknown data are excluded.

SOURCE: Division of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258