

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALLENTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 27 | 21 | 6 | 0 | 8 |
| MOTOR VEHICLE ACCIDENTS | 8 | 5 | 3 | 0 | 0 |
| RESIDENTIAL FIRE | 3 | 3 | 0 | 0 | 2 |
| DROWNING or SUFFOCATION | 0 | 0 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 3 | 2 | 1 | 0 | 1 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 13 | 11 | 2 | 0 | 5 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|-------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 17 | 10.1 | 88 | 10.5 |
| WHITE | 14 | 10.0 | 71 | 10.0 |
| BLACK | 3 | DSU | 16 | 19.5 |
| ASIAN/PI* | 0 | ----- | 0 | ----- |
| HISPANIC | 5 | DSU | 26 | 9.3 |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 2 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 5,009 | 2,139 | 827 | 122 | 2,686 |
| PERCENT | 22.0 | 12.6 | 43.9 | 26.4 | 51.5 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 501 | 9.9 | 833 | 18.5 | 340 | 6.7 |
| WHITE | 392 | 9.3 | 662 | 17.5 | 272 | 6.4 |
| BLACK | 76 | 15.0 | 125 | 28.9 | 52 | 10.3 |
| ASIAN/PI* | 14 | 9.0 | 26 | 18.1 | 2 | DSU |
| HISPANIC | 194 | 11.0 | 362 | 23.5 | 201 | 11.4 |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALTOONA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 23 | 21 | 2 | 0 | 1 |
| MOTOR VEHICLE ACCIDENTS | 2 | 2 | 0 | 0 | 1 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 1 | 1 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 2 | 2 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 3 | 1 | 2 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 2 | 2 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 13 | 13 | 0 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|-------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 2 | DSU | 24 | 7.5 |
| WHITE | 1 | DSU | 22 | 7.1 |
| BLACK | 1 | DSU | 2 | DSU |
| ASIAN/PI* | 0 | ----- | 0 | ----- |
| HISPANIC | 0 | ----- | 0 | ----- |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 3,380 | 3,199 | 110 | 23 | 19 |
| PERCENT | 27.0 | 26.4 | 40.7 | 27.7 | 38.8 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 134 | 7.0 | 182 | 9.5 | 90 | 4.7 |
| WHITE | 124 | 6.7 | 165 | 8.9 | 85 | 4.6 |
| BLACK | 6 | DSU | 13 | 27.7 | 5 | DSU |
| ASIAN/PI* | 0 | ----- | 1 | DSU | 0 | ----- |
| HISPANIC | 0 | ----- | 3 | DSU | 0 | ----- |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

BETHLEHEM CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 11 | 10 | 1 | 0 | 3 |
| MOTOR VEHICLE ACCIDENTS | 4 | 4 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 0 | 0 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 2 | 2 | 0 | 0 | 2 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 5 | 4 | 1 | 0 | 1 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|-------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 2 | DSU | 23 | 5.7 |
| WHITE | 2 | DSU | 23 | 6.2 |
| BLACK | 0 | ----- | 0 | ----- |
| ASIAN/PI* | 0 | ----- | 0 | ----- |
| HISPANIC | 2 | DSU | 8 | DSU |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 2,953 | 1,265 | 217 | 61 | 1,974 |
| PERCENT | 20.0 | 11.2 | 33.1 | 19.7 | 51.6 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 222 | 9.3 | 281 | 12.2 | 144 | 6.1 |
| WHITE | 202 | 9.3 | 235 | 11.2 | 131 | 6.1 |
| BLACK | 15 | 10.9 | 35 | 27.6 | 13 | 9.5 |
| ASIAN/PI* | 1 | DSU | 6 | DSU | 0 | ----- |
| HISPANIC | 93 | 12.7 | 127 | 18.1 | 95 | 13.0 |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

CHESTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 25 | 3 | 22 | 0 | 1 |
| MOTOR VEHICLE ACCIDENTS | 2 | 1 | 1 | 0 | 1 |
| RESIDENTIAL FIRE | 4 | 0 | 4 | 0 | 0 |
| DROWNING or SUFFOCATION | 2 | 0 | 2 | 0 | 0 |
| OTHER ACCIDENTS | 3 | 1 | 2 | 0 | 0 |
| ASSAULT (HOMICIDE) | 3 | 1 | 2 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 11 | 0 | 11 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|-------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 12 | 17.8 | 48 | 13.7 |
| WHITE | 1 | DSU | 6 | DSU |
| BLACK | 11 | 19.9 | 42 | 14.6 |
| ASIAN/PI* | 0 | ----- | 0 | ----- |
| HISPANIC | 1 | DSU | 2 | DSU |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 3,980 | 297 | 3,370 | 0 | 490 |
| PERCENT | 34.4 | 12.8 | 38.4 | ----- | 66.8 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 292 | 14.4 | 726 | 37.9 | 216 | 10.7 |
| WHITE | 28 | 10.0 | 75 | 27.5 | 20 | 7.2 |
| BLACK | 259 | 15.4 | 626 | 39.4 | 187 | 11.1 |
| ASIAN/PI* | 0 | ----- | 6 | DSU | 0 | ----- |
| HISPANIC | 10 | 8.8 | 39 | 34.8 | 17 | 14.9 |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

EASTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 1 | 1 | 0 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 1 | 1 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 0 | 0 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 0 | 0 | 0 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 0 | 0 | 0 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|-------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 1 | DSU | 20 | 10.5 |
| WHITE | 1 | DSU | 11 | 7.1 |
| BLACK | 0 | ----- | 9 | DSU |
| ASIAN/PI* | 0 | ----- | 0 | ----- |
| HISPANIC | 0 | ----- | 0 | ----- |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 1,160 | 752 | 249 | 13 | 219 |
| PERCENT | 19.8 | 16.1 | 31.6 | 14.1 | 56.2 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 136 | 12.7 | 218 | 21.5 | 73 | 6.8 |
| WHITE | 100 | 11.6 | 160 | 19.4 | 59 | 6.8 |
| BLACK | 31 | 19.0 | 50 | 33.1 | 12 | 7.4 |
| ASIAN/PI* | 0 | ----- | 3 | DSU | 0 | ----- |
| HISPANIC | 23 | 16.0 | 49 | 35.8 | 12 | 8.3 |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ERIE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 33 | 21 | 10 | 2 | 4 |
| MOTOR VEHICLE ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 1 | 1 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 5 | 1 | 3 | 1 | 0 |
| OTHER ACCIDENTS | 2 | 1 | 1 | 0 | 0 |
| ASSAULT (HOMICIDE) | 3 | 2 | 1 | 0 | 1 |
| INTENTIONAL SELF-HARM (SUICIDE) | 4 | 4 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 17 | 11 | 5 | 1 | 3 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|-------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 19 | 11.6 | 98 | 11.4 |
| WHITE | 9 | DSU | 55 | 8.1 |
| BLACK | 10 | 28.9 | 43 | 25.6 |
| ASIAN/PI* | 0 | ----- | 0 | ----- |
| HISPANIC | 1 | DSU | 4 | DSU |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHtherIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 8,200 | 4,539 | 3,265 | 31 | 813 |
| PERCENT | 30.5 | 21.7 | 62.0 | 24.0 | 68.5 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 426 | 8.6 | 1,077 | 22.3 | 295 | 5.9 |
| WHITE | 273 | 7.1 | 704 | 18.7 | 155 | 4.0 |
| BLACK | 148 | 14.1 | 356 | 35.7 | 133 | 12.7 |
| ASIAN/PI* | 0 | ----- | 11 | 34.4 | 0 | ----- |
| HISPANIC | 27 | 9.4 | 85 | 32.0 | 27 | 9.4 |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HARRISBURG CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 22 | 5 | 17 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 2 | 2 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 1 | 0 | 1 | 0 | 0 |
| DROWNING or SUFFOCATION | 1 | 0 | 1 | 0 | 0 |
| OTHER ACCIDENTS | 1 | 0 | 1 | 0 | 0 |
| ASSAULT (HOMICIDE) | 4 | 1 | 3 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 13 | 2 | 11 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 10 | 11.6 | 45 | 9.2 |
| WHITE | 2 | DSU | 16 | 8.6 |
| BLACK | 8 | DSU | 26 | 9.4 |
| ASIAN/PI* | 0 | ----- | 2 | DSU |
| HISPANIC | 0 | ----- | 2 | DSU |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 6,183 | 1,157 | 4,183 | 104 | 1,114 |
| PERCENT | 44.7 | 33.2 | 47.4 | 44.3 | 61.6 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 332 | 12.0 | 643 | 24.3 | 239 | 8.7 |
| WHITE | 104 | 9.9 | 207 | 20.5 | 66 | 6.3 |
| BLACK | 205 | 13.4 | 397 | 27.2 | 166 | 10.9 |
| ASIAN/PI* | 8 | DSU | 19 | 24.4 | 1 | DSU |
| HISPANIC | 36 | 9.7 | 94 | 26.9 | 39 | 10.5 |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

JOHNSTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 9 | 7 | 1 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 1 | 1 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 2 | 1 | 1 | 0 | 0 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 0 | 0 | 0 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 5 | 4 | 0 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|-------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 3 | DSU | 24 | 13.7 |
| WHITE | 2 | DSU | 20 | 13.1 |
| BLACK | 0 | ----- | 3 | DSU |
| ASIAN/PI* | 0 | ----- | 0 | ----- |
| HISPANIC | 0 | ----- | 0 | ----- |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 2,622 | 1,971 | 596 | 0 | 66 |
| PERCENT | 43.3 | 38.8 | 65.4 | ----- | 52.8 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 88 | 9.0 | 167 | 17.7 | 49 | 5.0 |
| WHITE | 72 | 8.6 | 132 | 16.4 | 36 | 4.3 |
| BLACK | 15 | 11.0 | 35 | 27.6 | 13 | 9.6 |
| ASIAN/PI* | 0 | ----- | 0 | ----- | 0 | ----- |
| HISPANIC | 2 | DSU | 4 | DSU | 1 | DSU |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LANCASTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 26 | 13 | 9 | 3 | 9 |
| MOTOR VEHICLE ACCIDENTS | 4 | 0 | 4 | 0 | 0 |
| RESIDENTIAL FIRE | 2 | 2 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 2 | 2 | 0 | 0 | 1 |
| OTHER ACCIDENTS | 2 | 1 | 1 | 0 | 1 |
| ASSAULT (HOMICIDE) | 3 | 1 | 0 | 2 | 1 |
| INTENTIONAL SELF-HARM (SUICIDE) | 3 | 1 | 1 | 0 | 1 |
| ALL OTHER CAUSES | 10 | 6 | 3 | 1 | 5 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|-------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 10 | 9.7 | 43 | 8.0 |
| WHITE | 5 | DSU | 27 | 6.2 |
| BLACK | 5 | DSU | 16 | 19.3 |
| ASIAN/PI* | 0 | ----- | 0 | ----- |
| HISPANIC | 3 | DSU | 16 | 7.9 |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 4,543 | 1,269 | 1,035 | 127 | 2,567 |
| PERCENT | 32.1 | 17.2 | 39.5 | 32.5 | 52.2 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 269 | 8.7 | 372 | 12.7 | 281 | 9.1 |
| WHITE | 211 | 8.6 | 271 | 11.5 | 213 | 8.6 |
| BLACK | 52 | 10.3 | 80 | 16.9 | 64 | 12.6 |
| ASIAN/PI* | 4 | DSU | 14 | 19.2 | 2 | DSU |
| HISPANIC | 125 | 10.2 | 165 | 14.3 | 170 | 13.8 |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

McKEESPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 13 | 6 | 7 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 2 | 0 | 2 | 0 | 0 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 1 | 0 | 1 | 0 | 0 |
| OTHER ACCIDENTS | 2 | 2 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 2 | 1 | 1 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 6 | 3 | 3 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|-------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 6 | DSU | 18 | 9.6 |
| WHITE | 2 | DSU | 7 | DSU |
| BLACK | 4 | DSU | 10 | 15.0 |
| ASIAN/PI* | 0 | ----- | 0 | ----- |
| HISPANIC | 0 | ----- | 1 | DSU |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 2,084 | 1,343 | 707 | 0 | 55 |
| PERCENT | 38.1 | 33.4 | 52.5 | ----- | 61.1 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 111 | 10.7 | 130 | 12.7 | 97 | 9.4 |
| WHITE | 52 | 8.3 | 60 | 9.7 | 41 | 6.5 |
| BLACK | 59 | 15.2 | 68 | 17.8 | 55 | 14.2 |
| ASIAN/PI* | 0 | ----- | 1 | DSU | 0 | ----- |
| HISPANIC | 0 | ----- | 1 | DSU | 0 | ----- |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NEW CASTLE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 10 | 7 | 3 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 3 | 3 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 0 | 0 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 1 | 0 | 1 | 0 | 0 |
| ASSAULT (HOMICIDE) | 1 | 0 | 1 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 5 | 4 | 1 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|-------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 5 | DSU | 16 | 7.9 |
| WHITE | 5 | DSU | 16 | 9.4 |
| BLACK | 0 | ----- | 0 | ----- |
| ASIAN/PI* | 0 | ----- | 0 | ----- |
| HISPANIC | 0 | ----- | 0 | ----- |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 2,091 | 1,560 | 512 | 0 | 41 |
| PERCENT | 34.1 | 29.6 | 64.9 | ----- | 60.3 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 114 | 9.6 | 164 | 14.5 | 68 | 5.8 |
| WHITE | 81 | 8.2 | 122 | 12.8 | 53 | 5.4 |
| BLACK | 29 | 17.0 | 39 | 24.8 | 15 | 8.8 |
| ASIAN/PI* | 0 | ----- | 1 | DSU | 0 | ----- |
| HISPANIC | 1 | DSU | 1 | DSU | 0 | ----- |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NORRISTOWN BORO

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 10 | 4 | 6 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 1 | 1 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 1 | 0 | 1 | 0 | 0 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 2 | 0 | 2 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 1 | 0 | 1 | 0 | 0 |
| ALL OTHER CAUSES | 4 | 2 | 2 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|-------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 5 | DSU | 27 | 10.3 |
| WHITE | 1 | DSU | 7 | DSU |
| BLACK | 4 | DSU | 20 | 18.1 |
| ASIAN/PI* | 0 | ----- | 0 | ----- |
| HISPANIC | 0 | ----- | 2 | DSU |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 868 | 415 | 437 | 0 | 31 |
| PERCENT | 12.4 | 9.7 | 18.0 | ----- | 9.1 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 141 | 9.5 | 425 | 30.0 | 89 | 6.0 |
| WHITE | 58 | 7.8 | 189 | 26.6 | 29 | 3.9 |
| BLACK | 80 | 12.1 | 218 | 35.0 | 56 | 8.5 |
| ASIAN/PI* | 1 | DSU | 11 | 17.5 | 1 | DSU |
| HISPANIC | 14 | 5.9 | 99 | 42.9 | 8 | DSU |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PHILADELPHIA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 665 | 215 | 413 | 31 | 84 |
| MOTOR VEHICLE ACCIDENTS | 81 | 30 | 48 | 3 | 12 |
| RESIDENTIAL FIRE | 40 | 6 | 29 | 5 | 5 |
| DROWNING or SUFFOCATION | 30 | 11 | 18 | 0 | 2 |
| OTHER ACCIDENTS | 45 | 22 | 20 | 2 | 4 |
| ASSAULT (HOMICIDE) | 166 | 33 | 126 | 5 | 27 |
| INTENTIONAL SELF-HARM (SUICIDE) | 27 | 16 | 10 | 1 | 2 |
| ALL OTHER CAUSES | 276 | 97 | 162 | 15 | 32 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 224 | 10.3 | 1,312 | 11.9 |
| WHITE | 53 | 6.1 | 305 | 6.7 |
| BLACK | 160 | 14.2 | 928 | 16.3 |
| ASIAN/PI* | 9 | DSU | 31 | 5.5 |
| HISPANIC | 26 | 10.1 | 123 | 9.8 |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|----|
| PERTUSSIS | 16 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHtherIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|--------|--------|-----------|----------|
| NUMBER | 112,622 | 22,120 | 71,402 | 4,620 | 17,803 |
| PERCENT | 30.3 | 13.9 | 40.5 | 37.4 | 56.6 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 7,275 | 11.1 | 15,751 | 25.5 | 4,830 | 7.4 |
| WHITE | 2,043 | 7.7 | 4,533 | 17.7 | 1,319 | 5.0 |
| BLACK | 4,835 | 14.2 | 9,850 | 31.1 | 3,270 | 9.6 |
| ASIAN/PI* | 247 | 7.2 | 937 | 29.0 | 116 | 3.4 |
| HISPANIC | 738 | 9.9 | 1,943 | 26.9 | 834 | 11.1 |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PITTSBURGH CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 107 | 38 | 65 | 2 | 3 |
| MOTOR VEHICLE ACCIDENTS | 9 | 6 | 2 | 1 | 0 |
| RESIDENTIAL FIRE | 7 | 2 | 5 | 0 | 0 |
| DROWNING or SUFFOCATION | 3 | 1 | 2 | 0 | 0 |
| OTHER ACCIDENTS | 9 | 4 | 5 | 0 | 0 |
| ASSAULT (HOMICIDE) | 24 | 5 | 19 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 3 | 3 | 0 | 0 | 1 |
| ALL OTHER CAUSES | 52 | 17 | 32 | 1 | 2 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 49 | 12.5 | 233 | 10.9 |
| WHITE | 10 | 4.6 | 71 | 5.8 |
| BLACK | 39 | 25.2 | 157 | 19.5 |
| ASIAN/PI* | 0 | ----- | 2 | DSU |
| HISPANIC | 1 | DSU | 1 | DSU |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|----|
| PERTUSSIS | 28 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|--------|-----------|----------|
| NUMBER | 23,545 | 7,195 | 15,604 | 426 | 216 |
| PERCENT | 32.5 | 16.6 | 56.9 | 41.4 | 26.5 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 1,252 | 10.2 | 1,565 | 13.2 | 675 | 5.5 |
| WHITE | 520 | 7.5 | 595 | 8.7 | 148 | 2.1 |
| BLACK | 689 | 14.7 | 908 | 20.5 | 507 | 10.8 |
| ASIAN/PI* | 26 | 6.3 | 28 | 7.0 | 0 | ----- |
| HISPANIC | 3 | DSU | 17 | 11.7 | 2 | DSU |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

READING CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 43 | 34 | 8 | 1 | 20 |
| MOTOR VEHICLE ACCIDENTS | 5 | 4 | 0 | 1 | 3 |
| RESIDENTIAL FIRE | 8 | 4 | 4 | 0 | 3 |
| DROWNING or SUFFOCATION | 4 | 3 | 1 | 0 | 2 |
| OTHER ACCIDENTS | 3 | 3 | 0 | 0 | 1 |
| ASSAULT (HOMICIDE) | 7 | 5 | 2 | 0 | 5 |
| INTENTIONAL SELF-HARM (SUICIDE) | 2 | 2 | 0 | 0 | 1 |
| ALL OTHER CAUSES | 14 | 13 | 1 | 0 | 5 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 15 | 9.2 | 78 | 9.7 |
| WHITE | 11 | 8.2 | 60 | 8.8 |
| BLACK | 4 | DSU | 16 | 17.7 |
| ASIAN/PI* | 0 | ----- | 2 | DSU |
| HISPANIC | 7 | DSU | 42 | 12.1 |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 1 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 6,153 | 2,933 | 979 | 238 | 3,580 |
| PERCENT | 31.8 | 22.7 | 39.4 | 56.8 | 56.4 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 426 | 8.9 | 1,904 | 42.6 | 447 | 9.3 |
| WHITE | 344 | 8.6 | 1,601 | 42.4 | 370 | 9.2 |
| BLACK | 64 | 11.6 | 232 | 45.8 | 61 | 11.1 |
| ASIAN/PI* | 5 | DSU | 21 | 29.6 | 1 | DSU |
| HISPANIC | 195 | 9.2 | 950 | 48.3 | 265 | 12.5 |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

SCRANTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 18 | 16 | 2 | 0 | 1 |
| MOTOR VEHICLE ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 2 | 1 | 1 | 0 | 0 |
| OTHER ACCIDENTS | 2 | 2 | 0 | 0 | 1 |
| ASSAULT (HOMICIDE) | 2 | 2 | 0 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 2 | 2 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 9 | 8 | 1 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|-------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 5 | DSU | 25 | 5.9 |
| WHITE | 2 | DSU | 20 | 5.1 |
| BLACK | 2 | DSU | 4 | DSU |
| ASIAN/PI* | 0 | ----- | 0 | ----- |
| HISPANIC | 1 | DSU | 4 | DSU |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 3,793 | 3,396 | 300 | 74 | 107 |
| PERCENT | 22.5 | 21.2 | 70.1 | 26.9 | 48.0 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 204 | 8.2 | 495 | 20.7 | 101 | 4.1 |
| WHITE | 168 | 7.3 | 419 | 18.9 | 85 | 3.7 |
| BLACK | 27 | 19.1 | 62 | 48.4 | 14 | 9.9 |
| ASIAN/PI* | 5 | DSU | 11 | 29.7 | 0 | ----- |
| HISPANIC | 11 | 7.9 | 53 | 40.5 | 10 | 7.2 |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILKES-BARRE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 10 | 9 | 0 | 1 | 1 |
| MOTOR VEHICLE ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 1 | 1 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 1 | 1 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 1 | 1 | 0 | 0 | 1 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 7 | 6 | 0 | 1 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|-------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 3 | DSU | 32 | 14.1 |
| WHITE | 3 | DSU | 24 | 11.8 |
| BLACK | 0 | ----- | 8 | DSU |
| ASIAN/PI* | 0 | ----- | 0 | ----- |
| HISPANIC | 0 | ----- | 0 | ----- |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHTHERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 1,954 | 1,639 | 277 | 27 | 29 |
| PERCENT | 20.7 | 18.8 | 51.8 | 40.9 | 38.2 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 101 | 7.6 | 170 | 13.2 | 67 | 5.0 |
| WHITE | 88 | 7.4 | 140 | 12.2 | 59 | 5.0 |
| BLACK | 9 | DSU | 26 | 24.8 | 6 | DSU |
| ASIAN/PI* | 3 | DSU | 2 | DSU | 0 | ----- |
| HISPANIC | 0 | ----- | 6 | DSU | 1 | DSU |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILLIAMSPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 10 | 9 | 1 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 1 | 1 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 1 | 1 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 1 | 0 | 1 | 0 | 0 |
| ASSAULT (HOMICIDE) | 3 | 3 | 0 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 1 | 1 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 2 | 2 | 0 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|-------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 6 | DSU | 27 | 12.2 |
| WHITE | 2 | DSU | 17 | 9.4 |
| BLACK | 4 | DSU | 10 | 26.2 |
| ASIAN/PI* | 0 | ----- | 0 | ----- |
| HISPANIC | 0 | ----- | 0 | ----- |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 2,425 | 1,850 | 542 | 19 | 28 |
| PERCENT | 30.8 | 26.8 | 66.1 | 27.1 | 52.8 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 109 | 8.3 | 251 | 20.2 | 98 | 7.5 |
| WHITE | 82 | 7.5 | 177 | 17.0 | 67 | 6.1 |
| BLACK | 25 | 12.1 | 70 | 35.9 | 29 | 14.0 |
| ASIAN/PI* | 0 | ----- | 4 | DSU | 0 | ----- |
| HISPANIC | 2 | DSU | 7 | DSU | 3 | DSU |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

YORK CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 15 | 8 | 6 | 1 | 3 |
| MOTOR VEHICLE ACCIDENTS | 4 | 2 | 1 | 1 | 1 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 1 | 0 | 1 | 0 | 0 |
| OTHER ACCIDENTS | 2 | 1 | 1 | 0 | 0 |
| ASSAULT (HOMICIDE) | 1 | 0 | 1 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 2 | 1 | 1 | 0 | 0 |
| ALL OTHER CAUSES | 5 | 4 | 1 | 0 | 2 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|------|-------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 7 | DSU | 41 | 10.4 |
| WHITE | 4 | DSU | 27 | 9.8 |
| BLACK | 3 | DSU | 13 | 12.7 |
| ASIAN/PI* | 0 | ----- | 1 | DSU |
| HISPANIC | 1 | DSU | 9 | DSU |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|---|
| PERTUSSIS | 0 |
| MUMPS | 0 |
| MEASLES | 0 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 0 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|-------|-------|-----------|----------|
| NUMBER | 3,395 | 1,239 | 1,404 | 21 | 1,017 |
| PERCENT | 31.2 | 19.9 | 39.8 | 20.4 | 73.0 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|--------------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 240 | 9.9 | 501 | 21.7 | 213 | 8.8 |
| WHITE | 145 | 8.5 | 320 | 19.5 | 126 | 7.4 |
| BLACK | 82 | 13.3 | 157 | 27.4 | 81 | 13.1 |
| ASIAN/PI* | 6 | DSU | 4 | DSU | 1 | DSU |
| HISPANIC | 45 | 8.6 | 141 | 28.4 | 73 | 13.9 |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PENNSYLVANIA

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1996-2000

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 3,677 | 2,827 | 757 | 70 | 182 |
| MOTOR VEHICLE ACCIDENTS | 866 | 763 | 89 | 12 | 27 |
| RESIDENTIAL FIRE | 168 | 110 | 53 | 5 | 10 |
| DROWNING or SUFFOCATION | 202 | 150 | 44 | 5 | 6 |
| OTHER ACCIDENTS | 289 | 230 | 52 | 5 | 8 |
| ASSAULT (HOMICIDE) | 338 | 147 | 178 | 9 | 43 |
| INTENTIONAL SELF-HARM (SUICIDE) | 225 | 201 | 20 | 3 | 6 |
| ALL OTHER CAUSES | 1,589 | 1,226 | 321 | 31 | 82 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2000 AND 1996-2000

| RACE or ETHNICITY | 2000 | | 1996-2000 | |
|-------------------|-------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 1,023 | 7.0 | 5,339 | 7.3 |
| WHITE | 681 | 5.7 | 3,528 | 5.9 |
| BLACK | 320 | 15.8 | 1,661 | 16.4 |
| ASIAN/PI* | 15 | 3.8 | 70 | 4.1 |
| HISPANIC | 63 | 8.4 | 313 | 9.0 |

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2000

| | |
|------------|-----|
| PERTUSSIS | 205 |
| MUMPS | 1 |
| MEASLES | 1 |
| RUBELLA | 0 |
| DIPHThERIA | 0 |
| TETANUS | 1 |
| POLIO | 0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------|-----------|---------|---------|-----------|----------|
| NUMBER | 432,227 | 270,941 | 124,859 | 8,354 | 38,374 |
| PERCENT | 15.7 | 11.5 | 40.6 | 20.7 | 46.7 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1998-2000

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 33,804 | 7.8 | 62,650 | 14.9 | 15,853 | 3.6 |
| WHITE | 24,133 | 6.7 | 43,520 | 12.5 | 9,718 | 2.7 |
| BLACK | 8,423 | 13.8 | 16,206 | 28.5 | 5,658 | 9.3 |
| ASIAN/PI* | 763 | 7.1 | 1,951 | 19.3 | 151 | 1.4 |
| HISPANIC | 1,973 | 9.2 | 5,460 | 26.8 | 2,102 | 9.8 |

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2000): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander