

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALLENTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	31	22	9	0	9
MOTOR VEHICLE ACCIDENTS	12	6	6	0	2
RESIDENTIAL FIRE	3	3	0	0	2
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	14	12	2	0	5

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	16	9.7	92	11.0
WHITE	11	8.1	72	10.3
BLACK	5	DSU	19	24.0
ASIAN/PI*	0	-----	0	-----
HISPANIC	6	DSU	26	8.8

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	7,703	3,291	1,274	109	4,361
PERCENT	29.9	22.4	45.8	17.9	41.4

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	464	9.3	765	17.9	296	5.9
WHITE	356	8.6	583	16.5	230	5.6
BLACK	68	14.6	110	28.7	44	9.4
ASIAN/PI*	11	7.9	25	20.0	2	DSU
HISPANIC	178	9.6	352	22.5	173	9.3

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALTOONA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	22	20	2	0	1
MOTOR VEHICLE ACCIDENTS	2	2	0	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	2	2	0	0	0
ASSAULT (HOMICIDE)	3	1	2	0	0
INTENTIONAL SELF-HARM (SUICIDE)	2	2	0	0	0
ALL OTHER CAUSES	12	12	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	3	DSU	20	6.3
WHITE	3	DSU	18	5.9
BLACK	0	-----	2	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	2,782	2,464	116	0	23
PERCENT	24.8	23.4	45.7	-----	22.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	135	7.0	179	9.3	94	4.9
WHITE	127	6.8	165	8.9	90	4.8
BLACK	4	DSU	10	22.2	4	DSU
ASIAN/PI*	0	-----	1	DSU	0	-----
HISPANIC	1	DSU	4	DSU	0	-----

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

BETHLEHEM CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	12	11	1	0	4
MOTOR VEHICLE ACCIDENTS	4	4	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	3	3	0	0	3
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	4	3	1	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	10	11.8	29	7.2
WHITE	6	DSU	25	6.8
BLACK	4	DSU	4	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	6	DSU	14	11.5

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	1
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	3,101	1,182	277	84	2,200
PERCENT	21.2	11.8	36.4	23.2	44.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	228	9.6	275	12.3	133	5.6
WHITE	198	9.1	230	11.2	118	5.5
BLACK	20	15.7	30	26.3	13	10.2
ASIAN/PI*	4	DSU	11	20.8	1	DSU
HISPANIC	93	12.3	129	18.4	86	11.4

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

CHESTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	18	2	16	0	1
MOTOR VEHICLE ACCIDENTS	4	1	3	0	1
RESIDENTIAL FIRE	2	0	2	0	0
DROWNING or SUFFOCATION	1	0	1	0	0
OTHER ACCIDENTS	1	0	1	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	8	0	8	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	5	DSU	42	12.5
WHITE	0	-----	4	DSU
BLACK	5	DSU	38	13.6
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	1	DSU

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	3,934	149	3,463	17	394
PERCENT	37.0	19.3	37.8	25.8	55.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	260	13.3	693	37.1	204	10.4
WHITE	23	8.7	63	24.7	17	6.5
BLACK	234	14.4	602	38.8	180	11.0
ASIAN/PI*	0	-----	8	DSU	0	-----
HISPANIC	6	DSU	29	27.4	11	10.3

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

EASTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	1	1	0	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	1	1	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	6	DSU	20	10.6
WHITE	3	DSU	13	8.5
BLACK	3	DSU	7	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	1,340	711	422	0	229
PERCENT	22.3	17.7	36.6	-----	26.9

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	111	10.3	210	21.2	67	6.2
WHITE	88	10.0	155	19.2	53	6.0
BLACK	21	12.8	44	29.5	12	7.3
ASIAN/PI*	0	-----	2	DSU	0	-----
HISPANIC	21	13.5	49	35.8	13	8.3

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ERIE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	36	24	9	2	6
MOTOR VEHICLE ACCIDENTS	4	4	0	0	2
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	6	1	3	1	0
OTHER ACCIDENTS	2	1	1	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	3	3	0	0	0
ALL OTHER CAUSES	18	13	4	1	4

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	14	8.6	94	11.3
WHITE	11	8.7	53	8.2
BLACK	3	DSU	41	24.4
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	4	DSU

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	7,066	3,168	2,707	44	1,027
PERCENT	27.4	18.3	47.9	32.8	46.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	425	8.7	1,014	21.3	292	6.0
WHITE	280	7.4	644	17.5	145	3.8
BLACK	139	13.4	352	35.5	137	13.2
ASIAN/PI*	2	DSU	7	DSU	0	-----
HISPANIC	23	7.9	76	27.4	20	6.9

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS HARRISBURG CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	23	5	15	1	2
MOTOR VEHICLE ACCIDENTS	1	0	1	0	0
RESIDENTIAL FIRE	1	0	1	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	3	0	1	0	0
ASSAULT (HOMICIDE)	5	1	4	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	13	4	8	1	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	4	DSU	39	8.1
WHITE	2	DSU	12	6.7
BLACK	2	DSU	24	8.9
ASIAN/PI*	0	-----	2	DSU
HISPANIC	1	DSU	3	DSU

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	4,741	691	2,993	45	1,111
PERCENT	35.2	34.9	34.2	13.8	48.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	353	13.3	459	18.8	212	8.0
WHITE	115	12.1	151	17.2	59	6.2
BLACK	208	14.1	276	20.3	137	9.3
ASIAN/PI*	3	DSU	10	14.7	0	-----
HISPANIC	41	11.6	72	22.6	44	12.5

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HAZLETON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	4	4	0	0	1
MOTOR VEHICLE ACCIDENTS	3	3	0	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	1	1	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	0	-----	11	7.8
WHITE	0	-----	11	8.0
BLACK	0	-----	0	-----
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	2	DSU

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	1,038	857	13	8	193
PERCENT	20.9	19.4	100.0	DSU	40.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	81	9.5	129	15.3	39	4.6
WHITE	79	9.5	125	15.3	35	4.2
BLACK	0	-----	2	DSU	3	DSU
ASIAN/PI*	0	-----	0	-----	0	-----
HISPANIC	9	DSU	31	30.1	10	9.5

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

JOHNSTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	9	8	0	0	0
MOTOR VEHICLE ACCIDENTS	1	1	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	7	6	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	3	DSU	20	12.0
WHITE	1	DSU	17	11.9
BLACK	2	DSU	2	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHtherIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	1,921	1,406	375	7	13
PERCENT	38.2	37.3	42.7	DSU	20.0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	88	9.2	162	17.9	42	4.4
WHITE	72	8.9	124	16.1	29	3.6
BLACK	15	11.5	38	31.1	13	9.9
ASIAN/PI*	0	-----	0	-----	0	-----
HISPANIC	3	DSU	4	DSU	1	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS LANCASTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	24	12	8	3	8
MOTOR VEHICLE ACCIDENTS	5	1	4	0	1
RESIDENTIAL FIRE	2	2	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	1
OTHER ACCIDENTS	2	2	0	0	1
ASSAULT (HOMICIDE)	3	1	0	2	1
INTENTIONAL SELF-HARM (SUICIDE)	3	1	1	0	1
ALL OTHER CAUSES	8	4	3	1	3

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	11	10.8	45	8.6
WHITE	7	DSU	27	6.4
BLACK	3	DSU	17	20.2
ASIAN/PI*	0	-----	0	-----
HISPANIC	5	DSU	17	8.3

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	4,442	1,373	1,103	31	2,660
PERCENT	29.6	20.5	37.7	9.2	38.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	263	8.6	358	12.6	280	9.2
WHITE	205	8.5	264	11.7	207	8.5
BLACK	52	10.1	74	15.7	69	13.4
ASIAN/PI*	3	DSU	11	17.5	1	DSU
HISPANIC	131	10.4	167	14.7	172	13.6

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LEBANON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	12	12	0	0	2
MOTOR VEHICLE ACCIDENTS	4	4	0	0	0
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	6	6	0	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	4	DSU	17	9.1
WHITE	4	DSU	16	8.9
BLACK	0	-----	0	-----
ASIAN/PI*	0	-----	0	-----
HISPANIC	1	DSU	4	DSU

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	1,525	869	131	30	709
PERCENT	25.5	18.9	86.8	44.8	41.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	94	8.5	274	25.7	79	7.1
WHITE	87	8.3	255	25.1	73	6.9
BLACK	3	DSU	14	45.2	4	DSU
ASIAN/PI*	2	DSU	3	DSU	0	-----
HISPANIC	24	8.0	103	35.8	24	8.0

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

McKEESPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	12	5	7	0	0
MOTOR VEHICLE ACCIDENTS	2	0	2	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	2	0	2	0	0
OTHER ACCIDENTS	2	2	0	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	4	2	2	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	2	DSU	17	9.8
WHITE	0	-----	6	DSU
BLACK	1	DSU	9	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	1	DSU

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	2
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	2,187	827	1,161	0	54
PERCENT	36.9	25.5	52.3	-----	46.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	107	11.1	108	11.5	91	9.5
WHITE	47	8.3	50	9.0	39	6.9
BLACK	60	16.3	55	15.3	51	13.9
ASIAN/PI*	0	-----	1	DSU	0	-----
HISPANIC	0	-----	1	DSU	2	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NEW CASTLE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	8	5	3	0	0
MOTOR VEHICLE ACCIDENTS	3	3	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	1	0	1	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	3	2	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	6	DSU	16	8.0
WHITE	5	DSU	15	9.0
BLACK	1	DSU	1	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	1
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	2,106	1,281	677	20	41
PERCENT	34.2	27.6	56.0	54.1	53.9

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	128	10.9	165	14.9	56	4.8
WHITE	97	9.9	119	12.8	44	4.5
BLACK	30	17.5	42	27.1	12	7.0
ASIAN/PI*	0	-----	1	DSU	0	-----
HISPANIC	1	DSU	1	DSU	1	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NORRISTOWN BORO

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	11	2	9	0	0
MOTOR VEHICLE ACCIDENTS	1	1	0	0	0
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	2	0	2	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	4	0	4	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	0	1	0	0
ALL OTHER CAUSES	2	0	2	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	3	DSU	26	10.0
WHITE	1	DSU	7	DSU
BLACK	2	DSU	19	17.1
ASIAN/PI*	0	-----	0	-----
HISPANIC	1	DSU	3	DSU

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	1,806	443	1,122	11	422
PERCENT	23.9	14.6	32.1	7.6	41.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	152	9.9	423	28.9	98	6.4
WHITE	62	8.0	190	25.4	34	4.4
BLACK	84	12.7	217	34.8	60	9.1
ASIAN/PI*	2	DSU	8	DSU	1	DSU
HISPANIC	14	5.1	99	36.8	12	4.3

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PHILADELPHIA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	648	211	401	31	82
MOTOR VEHICLE ACCIDENTS	72	26	41	5	11
RESIDENTIAL FIRE	41	6	30	5	5
DROWNING or SUFFOCATION	28	9	18	0	3
OTHER ACCIDENTS	37	18	16	2	3
ASSAULT (HOMICIDE)	145	26	114	3	22
INTENTIONAL SELF-HARM (SUICIDE)	23	16	7	0	2
ALL OTHER CAUSES	302	110	175	16	36

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	228	10.8	1,262	11.6
WHITE	54	6.6	292	6.7
BLACK	166	15.2	898	15.9
ASIAN/PI*	6	DSU	30	5.2
HISPANIC	22	8.3	118	9.4

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	25
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHtherIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	118,467	20,946	72,623	5,296	23,919
PERCENT	31.6	17.0	37.2	34.4	50.4

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	7,213	11.2	15,504	25.6	4,578	7.1
WHITE	1,979	7.7	4,499	18.3	1,189	4.6
BLACK	4,787	14.4	9,483	30.7	3,119	9.4
ASIAN/PI*	271	7.5	980	29.6	99	2.8
HISPANIC	743	9.6	2,040	27.6	808	10.4

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PITTSBURGH CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	99	37	57	2	3
MOTOR VEHICLE ACCIDENTS	6	4	1	1	0
RESIDENTIAL FIRE	8	2	6	0	0
DROWNING or SUFFOCATION	3	1	2	0	0
OTHER ACCIDENTS	9	4	5	0	0
ASSAULT (HOMICIDE)	20	5	15	0	0
INTENTIONAL SELF-HARM (SUICIDE)	3	3	0	0	1
ALL OTHER CAUSES	50	18	28	1	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	41	10.5	225	10.9
WHITE	14	6.3	69	5.9
BLACK	25	17.0	149	19.2
ASIAN/PI*	1	DSU	3	DSU
HISPANIC	0	-----	1	DSU

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	33
MUMPS	0
MEASLES	1
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	18,136	4,666	12,523	250	322
PERCENT	27.8	13.7	46.0	22.9	35.1

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	1,241	10.5	1,467	12.8	656	5.5
WHITE	505	7.6	552	8.5	147	2.2
BLACK	689	15.1	851	19.6	494	10.8
ASIAN/PI*	22	5.2	31	7.4	0	-----
HISPANIC	8	DSU	21	13.0	4	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

READING CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	39	30	8	1	18
MOTOR VEHICLE ACCIDENTS	5	4	0	1	2
RESIDENTIAL FIRE	9	5	4	0	4
DROWNING or SUFFOCATION	4	3	1	0	2
OTHER ACCIDENTS	3	3	0	0	1
ASSAULT (HOMICIDE)	6	4	2	0	4
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	12	11	1	0	5

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	20	12.2	82	10.2
WHITE	15	11.2	61	9.0
BLACK	5	DSU	19	20.4
ASIAN/PI*	0	-----	2	DSU
HISPANIC	11	12.6	44	12.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHtherIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	8,768	3,028	1,225	121	5,978
PERCENT	36.8	28.1	38.5	26.7	46.7

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	423	8.8	1,844	42.6	422	8.8
WHITE	325	8.2	1,533	42.3	345	8.7
BLACK	71	12.5	217	44.5	57	10.1
ASIAN/PI*	7	DSU	22	32.4	3	DSU
HISPANIC	194	8.5	983	47.5	252	11.0

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

SCRANTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	20	19	1	0	1
MOTOR VEHICLE ACCIDENTS	1	1	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	3	3	0	0	1
ASSAULT (HOMICIDE)	2	2	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	2	2	0	0	0
ALL OTHER CAUSES	11	10	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	8	DSU	28	6.7
WHITE	7	DSU	22	5.7
BLACK	1	DSU	5	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	2	DSU	6	DSU

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	2,973	2,257	426	14	174
PERCENT	19.2	16.4	57.8	9.1	25.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	201	8.0	488	20.4	104	4.1
WHITE	173	7.5	413	18.7	88	3.8
BLACK	21	14.2	62	46.3	14	9.5
ASIAN/PI*	4	DSU	10	28.6	0	-----
HISPANIC	20	10.6	60	34.5	12	6.4

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WEST MIFFLIN BORO

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	4	4	0	0	0
MOTOR VEHICLE ACCIDENTS	2	2	0	0	0
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	1	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	0	0	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	2	DSU	16	13.8
WHITE	2	DSU	13	14.0
BLACK	0	-----	3	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	813	364	407	15	0
PERCENT	16.8	9.1	52.9	48.4	-----

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	62	8.8	38	5.5	12	1.7
WHITE	41	7.3	21	3.8	6	DSU
BLACK	19	14.4	15	11.5	6	DSU
ASIAN/PI*	0	-----	0	-----	0	-----
HISPANIC	1	DSU	0	-----	0	-----

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS WILKES-BARRE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	9	8	0	1	1
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	2	2	0	0	1
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	5	4	0	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	0	-----	18	8.2
WHITE	0	-----	13	6.6
BLACK	0	-----	5	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	1
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	2,055	1,553	372	0	17
PERCENT	24.3	21.4	45.2	-----	9.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	89	6.9	172	13.9	64	5.0
WHITE	76	6.6	139	12.6	56	4.9
BLACK	9	DSU	30	30.3	6	DSU
ASIAN/PI*	3	DSU	1	DSU	0	-----
HISPANIC	0	-----	7	DSU	3	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILLIAMSPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	9	7	2	0	0
MOTOR VEHICLE ACCIDENTS	1	1	0	0	0
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	1	0	1	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	2	2	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	8	DSU	29	13.4
WHITE	7	DSU	19	10.6
BLACK	1	DSU	10	27.8
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	1,648	945	517	38	54
PERCENT	24.8	19.7	34.7	74.5	42.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	112	8.7	225	18.2	71	5.5
WHITE	85	7.8	164	15.6	45	4.1
BLACK	25	13.3	60	33.5	24	12.8
ASIAN/PI*	0	-----	1	DSU	0	-----
HISPANIC	2	DSU	7	DSU	2	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS YORK CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	17	10	6	1	3
MOTOR VEHICLE ACCIDENTS	4	2	1	1	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	2	0	2	0	0
OTHER ACCIDENTS	2	1	1	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	7	6	1	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	8	DSU	37	9.3
WHITE	6	DSU	25	9.0
BLACK	2	DSU	11	10.5
ASIAN/PI*	0	-----	1	DSU
HISPANIC	1	DSU	7	DSU

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	2
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHThERIA	0
TETANUS	0
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	3,703	1,042	1,435	21	1,254
PERCENT	32.4	22.0	39.1	9.9	41.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	255	10.5	515	22.5	206	8.5
WHITE	145	8.8	316	20.1	104	6.3
BLACK	87	13.8	168	29.0	89	14.1
ASIAN/PI*	6	DSU	7	DSU	1	DSU
HISPANIC	44	8.4	128	26.1	55	10.5

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PENNSYLVANIA

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-2001

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	3,630	2,803	729	72	184
MOTOR VEHICLE ACCIDENTS	832	729	87	13	31
RESIDENTIAL FIRE	155	97	53	5	11
DROWNING or SUFFOCATION	209	154	45	6	7
OTHER ACCIDENTS	294	241	42	7	7
ASSAULT (HOMICIDE)	313	138	165	7	37
INTENTIONAL SELF-HARM (SUICIDE)	211	191	17	2	5
ALL OTHER CAUSES	1,616	1,253	320	32	86

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2001 AND 1997-2001

RACE or ETHNICITY	2001		1997-2001	
	NO.	RATE	NO.	RATE
ALL RACES	1,038	7.2	5,232	7.2
WHITE	714	6.1	3,459	5.8
BLACK	295	14.9	1,617	16.0
ASIAN/PI*	17	4.4	73	4.1
HISPANIC	78	9.6	326	9.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 2001

PERTUSSIS	167
MUMPS	4
MEASLES	8
RUBELLA	1
DIPHtherIA	0
TETANUS	1
POLIO	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
NUMBER	421,745	234,932	129,204	9,378	54,030
PERCENT	14.7	10.2	35.8	17.0	37.7

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999-2001

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	34,068	7.9	61,134	14.7	14,976	3.5
WHITE	24,296	6.8	42,512	12.4	9,005	2.5
BLACK	8,367	13.9	15,449	27.7	5,438	9.0
ASIAN/PI*	820	7.3	1,975	18.9	136	1.2
HISPANIC	2,046	9.0	5,623	26.5	2,025	8.9

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2001): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

*Asian/Pacific Islander