

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALLENTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	36	27	9	0	13
MOTOR VEHICLE ACCIDENTS	11	6	5	0	4
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	0	1	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	3	2	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	21	19	2	0	9

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	20	11.5	91	10.7
WHITE	14	15.2	68	10.4
BLACK	5	DSU	21	26.9
ASIAN/PI*	1	DSU	1	DSU
HISPANIC	6	DSU	30	8.8

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	7,703	29.9
WHITE	3,291	22.4
BLACK	1,274	45.8
ASIAN/PI*	109	17.9
HISPANIC	4,361	41.4

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	481	9.3	847	20.4	305	5.9
WHITE	309	8.3	531	17.6	187	5.0
BLACK	72	16.2	107	30.8	32	7.1
ASIAN/PI*	13	9.0	39	32.0	2	DSU
HISPANIC	192	8.7	424	24.0	197	8.9

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALTOONA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	16	15	1	0	1
MOTOR VEHICLE ACCIDENTS	4	4	0	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	2	1	1	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	2	2	0	0	0
ALL OTHER CAUSES	8	8	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	5	DSU	19	6.0
WHITE	4	DSU	16	5.3
BLACK	1	DSU	3	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,782	24.8
WHITE	2,464	23.4
BLACK	116	45.7
ASIAN/PI*	0	-----
HISPANIC	23	22.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	145	7.9	192	10.8	80	4.3
WHITE	141	7.9	181	10.5	76	4.3
BLACK	4	DSU	8	DSU	4	DSU
ASIAN/PI*	0	-----	2	DSU	0	-----
HISPANIC	2	DSU	6	DSU	1	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

BETHLEHEM CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	11	10	1	0	5
MOTOR VEHICLE ACCIDENTS	3	3	0	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	3	3	0	0	2
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	4	3	1	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	6	DSU	28	6.9
WHITE	6	DSU	24	7.0
BLACK	0	-----	4	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	1	DSU	14	10.8

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	3,101	21.2
WHITE	1,182	11.8
BLACK	277	36.4
ASIAN/PI*	84	23.2
HISPANIC	2,200	44.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	262	10.5	276	12.5	125	5.0
WHITE	202	10.0	198	10.9	81	4.0
BLACK	22	18.0	25	25.5	6	DSU
ASIAN/PI*	3	DSU	14	23.7	1	DSU
HISPANIC	97	12.1	110	15.9	85	10.6

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

CHESTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	15	2	13	0	1
MOTOR VEHICLE ACCIDENTS	3	1	2	0	1
RESIDENTIAL FIRE	3	0	3	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	1	0	1	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	6	0	6	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	6	DSU	35	11.0
WHITE	2	DSU	3	DSU
BLACK	4	DSU	32	12.1
ASIAN/PI*	0	-----	0	-----
HISPANIC	2	DSU	3	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	3,934	37.0
WHITE	149	19.3
BLACK	3,463	37.8
ASIAN/PI*	17	25.8
HISPANIC	394	55.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	218	11.9	645	37.9	217	11.8
WHITE	11	5.1	56	27.1	12	5.5
BLACK	202	13.2	563	39.7	194	12.6
ASIAN/PI*	0	-----	5	DSU	0	-----
HISPANIC	6	DSU	40	34.5	12	9.8

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

EASTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	2	2	0	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	2	2	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	3	DSU	13	6.7
WHITE	0	-----	6	DSU
BLACK	3	DSU	7	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,340	22.3
WHITE	711	17.7
BLACK	422	36.6
ASIAN/PI*	0	-----
HISPANIC	229	26.9

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	111	9.2	214	21.1	48	4.0
WHITE	87	9.3	146	18.4	26	2.8
BLACK	19	11.1	39	28.3	17	9.9
ASIAN/PI*	1	DSU	4	DSU	0	-----
HISPANIC	18	7.9	49	26.8	11	4.8

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ERIE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	41	28	10	1	6
MOTOR VEHICLE ACCIDENTS	6	6	0	0	2
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	7	2	3	1	1
OTHER ACCIDENTS	3	2	1	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	3	3	0	0	0
ALL OTHER CAUSES	19	13	5	0	3

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	16	10.9	97	12.1
WHITE	5	DSU	51	8.4
BLACK	10	35.2	44	26.0
ASIAN/PI*	0	-----	1	DSU
HISPANIC	1	DSU	7	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	7,066	27.4
WHITE	3,168	18.3
BLACK	2,707	47.9
ASIAN/PI*	44	32.8
HISPANIC	1,027	46.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	425	9.0	821	18.9	295	6.2
WHITE	273	7.7	476	14.6	164	4.7
BLACK	125	12.8	298	33.0	112	11.4
ASIAN/PI*	7	DSU	9	DSU	1	DSU
HISPANIC	27	8.9	67	25.3	32	10.6

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HARRISBURG CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	25	6	16	1	2
MOTOR VEHICLE ACCIDENTS	3	1	2	0	0
RESIDENTIAL FIRE	1	0	1	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	3	1	0	0	0
ASSAULT (HOMICIDE)	8	1	7	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	10	3	6	1	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	11	12.8	42	9.6
WHITE	2	DSU	14	9.5
BLACK	9	DSU	28	11.9
ASIAN/PI*	0	-----	0	-----
HISPANIC	1	DSU	4	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	4,741	35.2
WHITE	691	34.9
BLACK	2,993	34.2
ASIAN/PI*	45	13.8
HISPANIC	1,111	48.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	348	13.3	436	19.7	205	7.8
WHITE	88	10.5	124	16.9	48	5.7
BLACK	212	15.4	227	19.7	128	9.3
ASIAN/PI*	6	DSU	11	14.5	0	-----
HISPANIC	44	11.0	86	25.6	39	9.7

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HAZLETON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	6	5	1	0	1
MOTOR VEHICLE ACCIDENTS	4	3	1	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	2	2	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	6	DSU	12	8.3
WHITE	4	DSU	10	7.6
BLACK	1	DSU	1	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	3	DSU	4	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,038	20.9
WHITE	857	19.4
BLACK	13	100.0
ASIAN/PI*	8	DSU
HISPANIC	193	40.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	76	8.9	156	19.4	38	4.4
WHITE	67	9.1	120	17.2	27	3.7
BLACK	5	DSU	8	DSU	5	DSU
ASIAN/PI*	3	DSU	1	DSU	0	-----
HISPANIC	9	DSU	46	30.7	8	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

JOHNSTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	11	9	2	0	0
MOTOR VEHICLE ACCIDENTS	1	1	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	8	7	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	2	DSU	16	9.9
WHITE	1	DSU	10	7.3
BLACK	1	DSU	5	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,921	38.2
WHITE	1,406	37.3
BLACK	375	42.7
ASIAN/PI*	7	DSU
HISPANIC	13	20.0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	107	11.1	140	15.3	40	4.1
WHITE	84	10.3	108	13.9	30	3.7
BLACK	21	15.7	29	23.2	10	7.5
ASIAN/PI*	0	-----	0	-----	0	-----
HISPANIC	3	DSU	6	DSU	1	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS LANCASTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	29	19	9	1	10
MOTOR VEHICLE ACCIDENTS	6	1	5	0	1
RESIDENTIAL FIRE	2	2	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	2	2	0	0	1
ASSAULT (HOMICIDE)	7	5	2	0	1
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	11	8	2	1	7

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	11	11.6	48	9.6
WHITE	10	23.5	34	9.3
BLACK	1	DSU	13	15.8
ASIAN/PI*	0	-----	0	-----
HISPANIC	3	DSU	19	8.8

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	4,442	29.6
WHITE	1,373	20.5
BLACK	1,103	37.7
ASIAN/PI*	31	9.2
HISPANIC	2,660	38.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	288	9.7	389	15.5	251	8.4
WHITE	186	9.1	240	13.4	146	7.1
BLACK	47	10.0	89	22.9	51	10.8
ASIAN/PI*	6	DSU	15	22.4	1	DSU
HISPANIC	152	11.5	173	16.1	169	12.8

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LEBANON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	11	11	0	0	2
MOTOR VEHICLE ACCIDENTS	2	2	0	0	0
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	2	2	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	6	6	0	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	2	DSU	15	8.0
WHITE	2	DSU	14	8.1
BLACK	0	-----	0	-----
ASIAN/PI*	0	-----	0	-----
HISPANIC	1	DSU	4	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,525	25.5
WHITE	869	18.9
BLACK	131	86.8
ASIAN/PI*	30	44.8
HISPANIC	709	41.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	81	7.2	261	25.8	70	6.2
WHITE	75	7.3	231	24.8	60	5.8
BLACK	4	DSU	14	40.0	3	DSU
ASIAN/PI*	0	-----	5	DSU	0	-----
HISPANIC	24	7.1	117	38.4	31	9.1

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

McKEESPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	10	5	5	0	0
MOTOR VEHICLE ACCIDENTS	1	0	1	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	2	1	1	0	0
OTHER ACCIDENTS	2	2	0	0	0
ASSAULT (HOMICIDE)	1	1	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	4	1	3	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	0	-----	12	7.8
WHITE	0	-----	3	DSU
BLACK	0	-----	7	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	1	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,187	36.9
WHITE	827	25.5
BLACK	1,161	52.3
ASIAN/PI*	0	-----
HISPANIC	54	46.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	118	13.7	97	12.4	83	9.6
WHITE	56	11.0	50	10.7	30	5.9
BLACK	60	18.4	45	15.3	47	14.4
ASIAN/PI*	0	-----	0	-----	0	-----
HISPANIC	0	-----	0	-----	4	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NEW CASTLE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	4	2	2	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	1	0	1	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	3	2	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	3	DSU	20	10.7
WHITE	3	DSU	16	10.2
BLACK	0	-----	4	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,106	34.2
WHITE	1,281	27.6
BLACK	677	56.0
ASIAN/PI*	20	54.1
HISPANIC	41	53.9

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	124	11.4	153	15.1	45	4.1
WHITE	100	10.9	110	12.9	36	3.9
BLACK	21	15.0	37	28.7	9	DSU
ASIAN/PI*	0	-----	3	DSU	0	-----
HISPANIC	1	DSU	2	DSU	1	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NORRISTOWN BORO

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	11	0	11	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	2	0	2	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	4	0	4	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	0	1	0	0
ALL OTHER CAUSES	4	0	4	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	6	DSU	27	9.9
WHITE	4	DSU	12	8.5
BLACK	2	DSU	15	13.7
ASIAN/PI*	0	-----	0	-----
HISPANIC	2	DSU	6	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,806	23.9
WHITE	443	14.6
BLACK	1,122	32.1
ASIAN/PI*	11	7.6
HISPANIC	422	41.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	188	10.7	526	32.2	103	5.9
WHITE	80	8.6	249	28.3	45	4.9
BLACK	93	14.0	224	37.2	52	7.8
ASIAN/PI*	4	DSU	10	22.2	1	DSU
HISPANIC	24	5.2	154	35.0	30	6.5

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PHILADELPHIA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	551	182	348	19	66
MOTOR VEHICLE ACCIDENTS	57	24	31	2	8
RESIDENTIAL FIRE	27	6	21	0	4
DROWNING or SUFFOCATION	20	3	16	1	1
OTHER ACCIDENTS	33	16	16	1	2
ASSAULT (HOMICIDE)	111	19	90	0	13
INTENTIONAL SELF-HARM (SUICIDE)	25	11	14	0	2
ALL OTHER CAUSES	278	103	160	15	36

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	231	10.5	1,162	10.7
WHITE	59	9.0	280	6.9
BLACK	154	13.9	814	14.7
ASIAN/PI*	7	DSU	27	4.4
HISPANIC	20	5.8	111	8.0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	118,467	31.6
WHITE	20,946	17.0
BLACK	72,623	37.2
ASIAN/PI*	5,296	34.4
HISPANIC	23,919	50.4

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	7,444	11.6	15,413	29.0	4,445	6.9
WHITE	1,823	8.0	3,941	19.8	939	4.1
BLACK	4,797	14.7	9,070	34.5	2,977	9.1
ASIAN/PI*	315	8.3	996	32.7	72	1.9
HISPANIC	855	9.8	2,368	32.0	882	10.1

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PITTSBURGH CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	98	36	60	1	0
MOTOR VEHICLE ACCIDENTS	8	5	2	1	0
RESIDENTIAL FIRE	5	0	5	0	0
DROWNING or SUFFOCATION	3	0	3	0	0
OTHER ACCIDENTS	7	4	3	0	0
ASSAULT (HOMICIDE)	20	3	17	0	0
INTENTIONAL SELF-HARM (SUICIDE)	5	2	3	0	0
ALL OTHER CAUSES	50	22	27	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	53	14.5	242	12.6
WHITE	17	8.5	73	6.9
BLACK	36	26.5	163	22.2
ASIAN/PI*	0	-----	4	DSU
HISPANIC	1	DSU	2	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	18,136	27.8
WHITE	4,666	13.7
BLACK	12,523	46.0
ASIAN/PI*	250	22.9
HISPANIC	322	35.1

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	1,226	10.9	1,293	12.6	573	5.1
WHITE	483	7.8	478	8.2	141	2.3
BLACK	665	15.7	725	19.5	417	9.8
ASIAN/PI*	36	6.9	42	8.6	1	DSU
HISPANIC	16	7.2	37	18.1	8	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

READING CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	39	33	6	0	25
MOTOR VEHICLE ACCIDENTS	6	6	0	0	4
RESIDENTIAL FIRE	3	3	0	0	3
DROWNING or SUFFOCATION	4	3	1	0	3
OTHER ACCIDENTS	3	2	1	0	2
ASSAULT (HOMICIDE)	7	6	1	0	5
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	15	12	3	0	8

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	15	8.6	82	10.0
WHITE	11	8.9	62	9.5
BLACK	2	DSU	18	19.4
ASIAN/PI*	0	-----	0	-----
HISPANIC	10	9.3	48	11.2

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	8,768	36.8
WHITE	3,028	28.1
BLACK	1,225	38.5
ASIAN/PI*	121	26.7
HISPANIC	5,978	46.7

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	479	9.6	1,716	40.8	378	7.6
WHITE	345	8.9	1,328	40.2	283	7.3
BLACK	80	14.1	208	45.3	50	8.8
ASIAN/PI*	11	11.3	29	35.4	4	DSU
HISPANIC	254	8.9	1,076	44.2	250	8.8

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

SCRANTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	14	14	0	0	1
MOTOR VEHICLE ACCIDENTS	1	1	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	3	3	0	0	1
ASSAULT (HOMICIDE)	2	2	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	6	6	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	9	DSU	34	8.2
WHITE	8	DSU	27	7.2
BLACK	1	DSU	6	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	2	DSU	9	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,973	19.2
WHITE	2,257	16.4
BLACK	426	57.8
ASIAN/PI*	14	9.1
HISPANIC	174	25.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	211	8.5	396	17.4	102	4.1
WHITE	176	8.0	310	15.3	85	3.9
BLACK	25	16.2	54	39.7	13	8.4
ASIAN/PI*	6	DSU	12	31.6	0	-----
HISPANIC	25	8.6	62	23.2	13	4.5

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WEST MIFFLIN BORO

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	0	0	0	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	0	0	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	1	DSU	8	DSU
WHITE	1	DSU	8	DSU
BLACK	0	-----	0	-----
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	813	16.8
WHITE	364	9.1
BLACK	407	52.9
ASIAN/PI*	15	48.4
HISPANIC	0	-----

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	67	10.2	43	6.9	18	2.7
WHITE	45	8.3	27	5.3	10	1.9
BLACK	18	16.8	14	14.1	8	DSU
ASIAN/PI*	0	-----	0	-----	0	-----
HISPANIC	0	-----	0	-----	0	-----

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILKES-BARRE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	9	7	0	2	1
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	2	2	0	0	1
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	5	3	0	2	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	3	DSU	15	7.0
WHITE	3	DSU	11	5.8
BLACK	0	-----	4	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	1	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,055	24.3
WHITE	1,553	21.4
BLACK	372	45.2
ASIAN/PI*	0	-----
HISPANIC	17	9.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	111	8.7	192	16.9	59	4.6
WHITE	91	8.1	150	14.8	49	4.4
BLACK	13	13.4	27	31.8	5	DSU
ASIAN/PI*	1	DSU	4	DSU	0	-----
HISPANIC	1	DSU	25	36.8	9	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILLIAMSPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	9	8	1	0	0
MOTOR VEHICLE ACCIDENTS	1	1	0	0	0
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	3	3	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	2	DSU	26	12.1
WHITE	1	DSU	18	9.9
BLACK	1	DSU	8	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,648	24.8
WHITE	945	19.7
BLACK	517	34.7
ASIAN/PI*	38	74.5
HISPANIC	54	42.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	110	8.6	235	19.4	52	4.1
WHITE	83	7.8	159	15.7	27	2.5
BLACK	22	12.0	70	40.9	22	12.0
ASIAN/PI*	1	DSU	1	DSU	0	-----
HISPANIC	1	DSU	4	DSU	2	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS YORK CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	17	9	6	2	2
MOTOR VEHICLE ACCIDENTS	2	0	0	2	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	0	1	0	0
OTHER ACCIDENTS	2	1	1	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	2	1	1	0	0
ALL OTHER CAUSES	9	7	2	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	12	14.2	41	10.0
WHITE	8	DSU	24	9.0
BLACK	4	DSU	17	16.2
ASIAN/PI*	0	-----	0	-----
HISPANIC	4	DSU	8	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	3,703	32.4
WHITE	1,042	22.0
BLACK	1,435	39.1
ASIAN/PI*	21	9.9
HISPANIC	1,254	41.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	288	11.7	549	23.9	205	8.3
WHITE	158	10.2	327	22.9	94	6.1
BLACK	92	14.3	167	27.6	79	12.2
ASIAN/PI*	3	DSU	6	DSU	1	DSU
HISPANIC	69	10.8	161	26.8	62	9.7

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PENNSYLVANIA

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1999-2003

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	3,451	2,698	676	55	188
MOTOR VEHICLE ACCIDENTS	787	703	74	8	40
RESIDENTIAL FIRE	122	84	38	0	7
DROWNING or SUFFOCATION	195	147	40	5	8
OTHER ACCIDENTS	278	228	40	6	7
ASSAULT (HOMICIDE)	263	114	146	1	26
INTENTIONAL SELF-HARM (SUICIDE)	226	200	25	1	3
ALL OTHER CAUSES	1,580	1,222	313	34	97

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2003 AND 1999-2003

RACE or ETHNICITY	2003		1999-2003	
	NO.	RATE	NO.	RATE
ALL RACES	1,060	7.3	5,227	7.2
WHITE	702	6.2	3,498	6.0
BLACK	320	16.1	1,569	15.7
ASIAN/PI*	13	2.8	70	3.5
HISPANIC	83	7.7	362	8.6

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	421,745	14.7
WHITE	234,932	10.2
BLACK	129,204	35.8
ASIAN/PI*	9,378	17.0
HISPANIC	54,030	37.7

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2001-2003

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	34,764	8.1	62,148	16.0	13,775	3.2
WHITE	24,145	7.0	41,910	13.2	7,562	2.2
BLACK	8,303	14.0	14,833	30.0	5,089	8.6
ASIAN/PI*	1,002	7.9	2,231	20.4	115	0.9
HISPANIC	2,466	9.0	6,730	28.6	2,231	8.1

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (1999-2003): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/
*Asian/Pacific Islander