

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALLENTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	31	24	7	0	14
MOTOR VEHICLE ACCIDENTS	8	4	4	0	5
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	0	1	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	2	2	0	0	1
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	1
ALL OTHER CAUSES	19	17	2	0	7

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	14	7.3	78	8.6
WHITE	12	15.0	58	10.8
BLACK	2	DSU	18	21.5
ASIAN/PI*	0	-----	1	DSU
HISPANIC	7	DSU	32	7.8

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	7,703	29.9
WHITE	3,291	22.4
BLACK	1,274	45.8
ASIAN/PI*	109	17.9
HISPANIC	4,361	41.4

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	547	9.9	1,054	23.9	378	6.8	990	18.6
WHITE	228	8.9	380	18.7	111	4.4	583	23.5
BLACK	70	12.8	134	31.8	46	8.4	95	18.2
ASIAN/PI*	14	8.3	43	29.1	7	DSU	6	DSU
HISPANIC	273	10.2	572	27.2	255	9.5	347	13.6

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALTOONA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	10	9	1	0	0
MOTOR VEHICLE ACCIDENTS	3	3	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	1	0	1	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	6	6	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	5	DSU	21	6.8
WHITE	4	DSU	16	5.4
BLACK	1	DSU	5	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,782	24.8
WHITE	2,464	23.4
BLACK	116	45.7
ASIAN/PI*	0	-----
HISPANIC	23	22.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	147	8.0	245	14.2	73	3.9	582	31.6
WHITE	141	8.0	224	13.6	64	3.6	555	31.7
BLACK	5	DSU	13	28.9	7	DSU	16	29.6
ASIAN/PI*	0	-----	2	DSU	1	DSU	3	DSU
HISPANIC	2	DSU	6	DSU	1	DSU	6	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

BETHLEHEM CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	11	10	1	0	4
MOTOR VEHICLE ACCIDENTS	4	4	0	0	2
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	3	3	0	0	1
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	3	2	1	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	3	DSU	31	7.4
WHITE	2	DSU	25	8.3
BLACK	1	DSU	5	DSU
ASIAN/PI*	0	-----	1	DSU
HISPANIC	0	-----	12	8.4

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	3,101	21.2
WHITE	1,182	11.8
BLACK	277	36.4
ASIAN/PI*	84	23.2
HISPANIC	2,200	44.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	239	9.3	368	16.9	118	4.6	347	13.7
WHITE	116	7.6	181	13.9	23	1.5	251	16.7
BLACK	30	21.1	29	25.2	10	7.0	22	16.1
ASIAN/PI*	6	DSU	17	23.3	0	-----	0	-----
HISPANIC	89	9.7	161	20.7	89	9.7	88	9.7

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

CHESTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	16	0	16	0	0
MOTOR VEHICLE ACCIDENTS	2	0	2	0	0
RESIDENTIAL FIRE	3	0	3	0	0
DROWNING or SUFFOCATION	1	0	1	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	4	0	4	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	6	0	6	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	6	DSU	35	11.4
WHITE	0	-----	4	DSU
BLACK	6	DSU	31	12.2
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	3	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	3,934	37.0
WHITE	149	19.3
BLACK	3,463	37.8
ASIAN/PI*	17	25.8
HISPANIC	394	55.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	236	12.6	637	38.7	190	10.1	314	20.3
WHITE	17	9.7	44	28.4	5	DSU	59	37.8
BLACK	204	13.1	543	39.9	161	10.4	246	19.4
ASIAN/PI*	1	DSU	4	DSU	0	-----	1	DSU
HISPANIC	16	9.8	55	38.2	27	16.6	13	9.2

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

EASTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	7	4	2	1	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	6	4	1	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	2	DSU	17	8.2
WHITE	2	DSU	8	DSU
BLACK	0	-----	9	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	2	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,340	22.3
WHITE	711	17.7
BLACK	422	36.6
ASIAN/PI*	0	-----
HISPANIC	229	26.9

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	123	9.3	256	25.3	51	3.8	296	24.0
WHITE	67	8.1	139	21.9	21	2.5	223	29.3
BLACK	32	15.5	47	30.1	15	7.2	52	26.5
ASIAN/PI*	3	DSU	8	DSU	0	-----	2	DSU
HISPANIC	22	7.1	66	29.6	16	5.2	23	7.9

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ERIE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	32	22	8	0	5
MOTOR VEHICLE ACCIDENTS	5	5	0	0	2
RESIDENTIAL FIRE	2	1	1	0	0
DROWNING or SUFFOCATION	3	1	1	0	1
OTHER ACCIDENTS	3	3	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	18	11	6	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	14	9.1	82	10.5
WHITE	11	10.9	49	8.8
BLACK	2	DSU	29	17.2
ASIAN/PI*	0	-----	1	DSU
HISPANIC	0	-----	4	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	7,066	27.4
WHITE	3,168	18.3
BLACK	2,707	47.9
ASIAN/PI*	44	32.8
HISPANIC	1,027	46.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	416	9.2	707	18.7	244	5.4	1,345	29.8
WHITE	247	8.0	352	13.5	112	3.6	972	31.6
BLACK	117	11.9	250	30.5	100	10.2	282	28.7
ASIAN/PI*	4	DSU	16	23.2	0	-----	2	DSU
HISPANIC	48	13.0	82	27.5	42	11.4	82	22.2

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HARRISBURG CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	22	5	14	1	3
MOTOR VEHICLE ACCIDENTS	3	1	2	0	0
RESIDENTIAL FIRE	1	0	1	0	0
DROWNING or SUFFOCATION	1	0	1	0	0
OTHER ACCIDENTS	3	1	0	0	0
ASSAULT (HOMICIDE)	6	0	6	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	8	3	4	1	3

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	15	14.5	47	10.1
WHITE	2	DSU	13	9.1
BLACK	13	26.3	34	14.4
ASIAN/PI*	0	-----	0	-----
HISPANIC	2	DSU	7	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	4,741	35.2
WHITE	691	34.9
BLACK	2,993	34.2
ASIAN/PI*	45	13.8
HISPANIC	1,111	48.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	304	10.5	657	30.7	226	7.8	535	18.6
WHITE	63	7.8	136	21.3	24	3.0	183	23.0
BLACK	176	12.7	332	33.5	148	10.6	246	17.9
ASIAN/PI*	9	DSU	18	22.8	2	DSU	2	DSU
HISPANIC	49	8.5	162	38.1	53	9.1	99	17.0

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HAZLETON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	7	6	1	0	2
MOTOR VEHICLE ACCIDENTS	3	2	1	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	3	3	0	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	5	DSU	12	7.5
WHITE	4	DSU	9	DSU
BLACK	0	-----	1	DSU
ASIAN/PI*	1	DSU	1	DSU
HISPANIC	0	-----	4	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,038	20.9
WHITE	857	19.4
BLACK	13	100.0
ASIAN/PI*	8	DSU
HISPANIC	193	40.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	94	9.0	230	25.0	51	4.9	275	26.9
WHITE	65	9.2	122	19.5	34	4.8	248	35.6
BLACK	4	DSU	10	35.7	0	-----	8	DSU
ASIAN/PI*	4	DSU	1	DSU	0	-----	0	-----
HISPANIC	30	8.8	116	38.4	20	5.9	19	5.7

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

JOHNSTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	11	8	3	0	0
MOTOR VEHICLE ACCIDENTS	1	1	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	9	7	2	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	4	DSU	13	8.2
WHITE	1	DSU	5	DSU
BLACK	3	DSU	8	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,921	38.2
WHITE	1,406	37.3
BLACK	375	42.7
ASIAN/PI*	7	DSU
HISPANIC	13	20.0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	116	12.1	153	17.5	45	4.7	363	38.6
WHITE	86	10.9	113	15.7	36	4.6	307	39.6
BLACK	29	19.7	33	24.6	8	DSU	54	37.0
ASIAN/PI*	0	-----	1	DSU	0	-----	0	-----
HISPANIC	4	DSU	6	DSU	1	DSU	10	34.5

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LANCASTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	26	18	7	1	10
MOTOR VEHICLE ACCIDENTS	3	2	1	0	2
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	2	2	0	0	1
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	7	5	2	0	1
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	13	8	4	1	6

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	9	DSU	48	9.5
WHITE	6	DSU	37	13.0
BLACK	3	DSU	9	DSU
ASIAN/PI*	0	-----	1	DSU
HISPANIC	6	DSU	23	10.2

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	4,442	29.6
WHITE	1,373	20.5
BLACK	1,103	37.7
ASIAN/PI*	31	9.2
HISPANIC	2,660	38.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	304	10.1	445	19.4	257	8.5	583	19.6
WHITE	112	9.2	168	16.8	55	4.5	302	25.1
BLACK	65	13.9	95	28.9	61	13.0	102	22.1
ASIAN/PI*	9	DSU	23	33.8	2	DSU	3	DSU
HISPANIC	126	9.2	179	18.3	162	11.9	185	13.7

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LEBANON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	9	9	0	0	1
MOTOR VEHICLE ACCIDENTS	5	5	0	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	3	3	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	4	DSU	17	8.6
WHITE	4	DSU	16	9.5
BLACK	0	-----	0	-----
ASIAN/PI*	0	-----	0	-----
HISPANIC	1	DSU	6	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,525	25.5
WHITE	869	18.9
BLACK	131	86.8
ASIAN/PI*	30	44.8
HISPANIC	709	41.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	116	9.6	222	25.4	66	5.5	310	26.1
WHITE	88	9.1	155	21.6	47	4.9	267	27.8
BLACK	7	DSU	14	43.8	4	DSU	13	24.1
ASIAN/PI*	0	-----	5	DSU	0	-----	1	DSU
HISPANIC	37	9.3	91	32.7	35	8.7	71	17.9

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

McKEESPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	8	3	5	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	2	1	1	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	4	1	3	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	3	DSU	8	DSU
WHITE	1	DSU	2	DSU
BLACK	2	DSU	5	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,187	36.9
WHITE	827	25.5
BLACK	1,161	52.3
ASIAN/PI*	0	-----
HISPANIC	54	46.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	110	12.6	89	12.0	61	6.9	276	32.1
WHITE	53	10.3	53	11.6	18	3.5	194	38.1
BLACK	55	16.1	31	11.4	42	12.3	78	23.1
ASIAN/PI*	0	-----	0	-----	0	-----	0	-----
HISPANIC	1	DSU	3	DSU	0	-----	6	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NEW CASTLE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	7	6	1	0	0
MOTOR VEHICLE ACCIDENTS	1	1	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	5	4	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	4	DSU	24	13.4
WHITE	4	DSU	18	11.9
BLACK	0	-----	6	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,106	34.2
WHITE	1,281	27.6
BLACK	677	56.0
ASIAN/PI*	20	54.1
HISPANIC	41	53.9

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	118	11.3	228	23.4	35	3.3	353	34.8
WHITE	84	9.5	171	20.6	24	2.7	290	33.3
BLACK	31	22.6	51	40.2	11	8.0	60	46.5
ASIAN/PI*	0	-----	2	DSU	0	-----	0	-----
HISPANIC	3	DSU	5	DSU	0	-----	4	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NORRISTOWN BORO

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	16	1	13	0	3
MOTOR VEHICLE ACCIDENTS	2	0	1	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	3	0	3	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	3	0	3	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	0	1	0	0
ALL OTHER CAUSES	7	1	5	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	10	12.8	33	10.1
WHITE	1	DSU	14	8.8
BLACK	9	DSU	19	16.2
ASIAN/PI*	0	-----	0	-----
HISPANIC	1	DSU	9	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,806	23.9
WHITE	443	14.6
BLACK	1,122	32.1
ASIAN/PI*	11	7.6
HISPANIC	422	41.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	210	9.7	808	44.9	128	6.0	310	14.7
WHITE	72	7.4	309	37.9	46	4.7	171	17.7
BLACK	98	13.2	293	48.0	58	7.8	129	17.9
ASIAN/PI*	5	DSU	15	31.9	2	DSU	2	DSU
HISPANIC	46	6.2	344	54.6	46	6.2	17	2.3

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PHILADELPHIA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	568	183	366	18	74
MOTOR VEHICLE ACCIDENTS	56	22	32	2	6
RESIDENTIAL FIRE	30	7	21	2	5
DROWNING or SUFFOCATION	17	5	10	2	2
OTHER ACCIDENTS	26	12	14	0	1
ASSAULT (HOMICIDE)	128	22	103	3	14
INTENTIONAL SELF-HARM (SUICIDE)	25	12	13	0	5
ALL OTHER CAUSES	286	103	173	9	41

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	263	11.9	1,180	10.9
WHITE	74	12.2	302	8.6
BLACK	169	15.5	805	14.8
ASIAN/PI*	6	DSU	25	3.9
HISPANIC	36	10.3	129	8.2

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	118,467	31.6
WHITE	20,946	17.0
BLACK	72,623	37.2
ASIAN/PI*	5,296	34.4
HISPANIC	23,919	50.4

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	7,507	11.6	15,005	33.8	4,290	6.5	9,020	14.4
WHITE	1,455	7.8	2,807	21.7	508	2.7	3,786	20.9
BLACK	4,685	14.6	8,467	39.6	2,847	8.7	4,016	13.0
ASIAN/PI*	288	7.6	999	38.5	63	1.6	93	2.5
HISPANIC	1,040	10.1	2,618	35.0	958	9.3	1,234	12.5

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PITTSBURGH CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	86	31	54	0	0
MOTOR VEHICLE ACCIDENTS	12	6	6	0	0
RESIDENTIAL FIRE	1	0	1	0	0
DROWNING or SUFFOCATION	4	2	2	0	0
OTHER ACCIDENTS	5	3	2	0	0
ASSAULT (HOMICIDE)	19	1	18	0	0
INTENTIONAL SELF-HARM (SUICIDE)	4	0	4	0	0
ALL OTHER CAUSES	41	19	21	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	41	10.9	223	11.9
WHITE	17	8.1	71	6.9
BLACK	22	15.6	144	20.3
ASIAN/PI*	2	DSU	5	DSU
HISPANIC	0	-----	1	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	18,136	27.8
WHITE	4,666	13.7
BLACK	12,523	46.0
ASIAN/PI*	250	22.9
HISPANIC	322	35.1

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	1,239	11.2	1,270	13.5	523	4.7	2,378	21.9
WHITE	532	8.8	534	10.0	111	1.8	1,315	22.0
BLACK	641	15.3	651	19.5	404	9.6	1,030	25.2
ASIAN/PI*	39	7.1	40	7.9	0	-----	1	DSU
HISPANIC	15	6.3	34	17.4	7	DSU	34	14.4

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

READING CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	35	28	7	0	23
MOTOR VEHICLE ACCIDENTS	5	5	0	0	4
RESIDENTIAL FIRE	2	2	0	0	2
DROWNING or SUFFOCATION	3	2	1	0	2
OTHER ACCIDENTS	1	0	1	0	1
ASSAULT (HOMICIDE)	8	7	1	0	5
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	15	11	4	0	9

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	10	5.4	87	10.2
WHITE	7	DSU	69	12.6
BLACK	3	DSU	16	16.9
ASIAN/PI*	0	-----	0	-----
HISPANIC	7	DSU	54	10.4

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	8,768	36.8
WHITE	3,028	28.1
BLACK	1,225	38.5
ASIAN/PI*	121	26.7
HISPANIC	5,978	46.7

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	497	9.4	1,741	39.2	423	8.0	970	19.1
WHITE	274	9.7	871	36.7	188	6.7	615	22.7
BLACK	56	10.5	190	41.9	58	10.8	125	24.1
ASIAN/PI*	5	DSU	18	25.7	2	DSU	7	DSU
HISPANIC	316	9.2	1,211	42.0	320	9.4	422	13.0

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

SCRANTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	13	13	0	0	0
MOTOR VEHICLE ACCIDENTS	2	2	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	3	3	0	0	0
ALL OTHER CAUSES	6	6	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	5	DSU	34	7.8
WHITE	5	DSU	30	8.1
BLACK	0	-----	4	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	7	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,973	19.2
WHITE	2,257	16.4
BLACK	426	57.8
ASIAN/PI*	14	9.1
HISPANIC	174	25.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	238	8.9	550	22.4	103	3.8	754	28.8
WHITE	194	8.9	364	18.3	72	3.3	670	31.5
BLACK	23	13.6	56	38.6	14	8.3	53	32.3
ASIAN/PI*	6	DSU	19	33.3	0	-----	5	DSU
HISPANIC	33	7.7	152	37.8	26	6.0	53	12.9

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WEST MIFFLIN BORO

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	1	0	1	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	0	0	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	4	DSU	8	DSU
WHITE	2	DSU	6	DSU
BLACK	2	DSU	2	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	813	16.8
WHITE	364	9.1
BLACK	407	52.9
ASIAN/PI*	15	48.4
HISPANIC	0	-----

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	75	10.9	51	8.2	20	2.9	178	26.1
WHITE	56	10.1	34	6.7	12	2.2	142	25.7
BLACK	18	14.5	17	16.0	7	DSU	36	30.0
ASIAN/PI*	0	-----	0	-----	0	-----	0	-----
HISPANIC	1	DSU	0	-----	1	DSU	0	-----

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILKES-BARRE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	9	7	1	1	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	1	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	2	1	1	0	0
ALL OTHER CAUSES	6	5	0	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	2	DSU	9	DSU
WHITE	2	DSU	7	DSU
BLACK	0	-----	2	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	1	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,055	24.3
WHITE	1,553	21.4
BLACK	372	45.2
ASIAN/PI*	0	-----
HISPANIC	17	9.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	117	8.9	262	24.9	54	4.1	423	34.7
WHITE	91	8.6	185	21.6	42	4.0	368	37.0
BLACK	13	9.4	38	36.9	5	DSU	45	36.0
ASIAN/PI*	2	DSU	5	DSU	1	DSU	3	DSU
HISPANIC	5	DSU	45	44.6	7	DSU	9	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILLIAMSPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	9	5	4	0	0
MOTOR VEHICLE ACCIDENTS	1	1	0	0	0
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	2	0	2	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	3	1	2	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	2	2	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	3	DSU	18	8.2
WHITE	2	DSU	15	8.3
BLACK	1	DSU	3	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,648	24.8
WHITE	945	19.7
BLACK	517	34.7
ASIAN/PI*	38	74.5
HISPANIC	54	42.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	118	8.6	292	23.2	64	4.7	437	32.6
WHITE	92	8.3	187	18.3	32	2.9	363	33.3
BLACK	19	8.7	96	49.0	27	12.4	63	31.0
ASIAN/PI*	3	DSU	2	DSU	0	-----	2	DSU
HISPANIC	2	DSU	11	30.6	7	DSU	10	25.6

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

YORK CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	19	10	7	2	1
MOTOR VEHICLE ACCIDENTS	4	1	1	2	0
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	2	0	2	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	0	1	0	0
ALL OTHER CAUSES	8	6	2	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	13	13.1	53	12.3
WHITE	7	DSU	30	12.3
BLACK	6	DSU	23	20.4
ASIAN/PI*	0	-----	0	-----
HISPANIC	2	DSU	10	8.7

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	3,703	32.4
WHITE	1,042	22.0
BLACK	1,435	39.1
ASIAN/PI*	21	9.9
HISPANIC	1,254	41.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	307	11.4	597	25.5	180	6.7	579	22.8
WHITE	136	10.2	249	21.8	56	4.2	384	31.1
BLACK	104	14.8	186	30.4	68	9.6	138	20.7
ASIAN/PI*	2	DSU	10	22.2	2	DSU	4	DSU
HISPANIC	77	10.2	197	28.7	69	9.1	81	11.0

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PENNSYLVANIA

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2001-2005

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	3,380	2,607	701	45	189
MOTOR VEHICLE ACCIDENTS	754	671	73	6	38
RESIDENTIAL FIRE	110	76	32	2	7
DROWNING or SUFFOCATION	177	135	36	3	10
OTHER ACCIDENTS	244	209	30	2	2
ASSAULT (HOMICIDE)	284	109	170	4	24
INTENTIONAL SELF-HARM (SUICIDE)	218	192	26	0	8
ALL OTHER CAUSES	1,593	1,215	334	28	100

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2005 AND 2001-2005

RACE or ETHNICITY	2005		2001-2005	
	NO.	RATE	NO.	RATE
ALL RACES	1,047	7.2	5,252	7.3
WHITE	680	6.3	3,522	6.3
BLACK	320	15.7	1,533	15.4
ASIAN/PI*	16	3.2	85	3.7
HISPANIC	86	7.1	418	8.2

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	421,745	14.7
WHITE	234,932	10.2
BLACK	129,204	35.8
ASIAN/PI*	9,378	17.0
HISPANIC	54,030	37.7

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2003-2005

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	35,488	8.2	66,416	18.6	13,400	3.1	71,330	17.1
WHITE	23,362	7.1	41,536	14.8	6,203	1.9	58,717	18.5
BLACK	8,229	13.8	14,859	34.2	4,963	8.3	9,171	16.1
ASIAN/PI*	1,128	7.8	2,567	22.3	113	0.8	300	2.1
HISPANIC	3,084	9.0	8,773	32.3	2,605	7.6	3,761	11.4

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2001-2005): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander