

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALLENTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	31	26	5	0	15
MOTOR VEHICLE ACCIDENTS	5	4	1	0	3
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	2	1	1	0	0
OTHER ACCIDENTS	1	0	1	0	0
ASSAULT (HOMICIDE)	3	3	0	0	2
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	1
ALL OTHER CAUSES	19	17	2	0	9

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	11	5.5	73	7.8
WHITE	8	DSU	55	11.5
BLACK	2	DSU	15	16.0
ASIAN/PI*	0	-----	1	DSU
HISPANIC	2	DSU	28	6.3

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	7,703	29.9
WHITE	3,291	22.4
BLACK	1,274	45.8
ASIAN/PI*	109	17.9
HISPANIC	4,361	41.4

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	570	9.8	1,174	25.6	368	6.3	1,009	18.3
WHITE	217	9.1	381	19.9	92	3.9	545	23.8
BLACK	69	11.1	149	31.4	49	7.9	108	18.1
ASIAN/PI*	9	DSU	43	28.7	9	DSU	13	7.6
HISPANIC	301	10.3	654	29.0	252	8.6	385	14.1

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALTOONA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	14	13	1	0	3
MOTOR VEHICLE ACCIDENTS	5	5	0	0	2
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	1
OTHER ACCIDENTS	1	0	1	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	7	7	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	3	DSU	21	6.8
WHITE	2	DSU	15	5.1
BLACK	1	DSU	6	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,782	24.8
WHITE	2,464	23.4
BLACK	116	45.7
ASIAN/PI*	0	-----
HISPANIC	23	22.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	160	8.6	263	15.1	88	4.7	592	31.9
WHITE	152	8.7	235	14.3	77	4.4	558	32.0
BLACK	6	DSU	19	30.6	9	DSU	22	31.4
ASIAN/PI*	1	DSU	2	DSU	1	DSU	5	DSU
HISPANIC	2	DSU	8	DSU	0	-----	7	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

BETHLEHEM CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	13	10	3	0	3
MOTOR VEHICLE ACCIDENTS	5	5	0	0	2
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	3	3	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	5	2	3	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	15	15.9	36	8.4
WHITE	11	20.6	30	10.8
BLACK	2	DSU	3	DSU
ASIAN/PI*	2	DSU	3	DSU
HISPANIC	5	DSU	11	7.2

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	3,101	21.2
WHITE	1,182	11.8
BLACK	277	36.4
ASIAN/PI*	84	23.2
HISPANIC	2,200	44.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	238	9.1	380	16.8	110	4.2	354	13.7
WHITE	109	7.2	168	12.8	22	1.5	247	16.7
BLACK	26	16.1	31	23.3	9	DSU	26	16.7
ASIAN/PI*	9	DSU	23	26.1	1	DSU	3	DSU
HISPANIC	107	10.9	183	21.6	85	8.6	96	9.8

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

CHESTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	15	1	14	0	0
MOTOR VEHICLE ACCIDENTS	1	0	1	0	0
RESIDENTIAL FIRE	1	0	1	0	0
DROWNING or SUFFOCATION	1	0	1	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	4	0	4	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	8	1	7	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	8	DSU	38	12.4
WHITE	1	DSU	5	DSU
BLACK	7	DSU	33	12.9
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	3	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	3,934	37.0
WHITE	149	19.3
BLACK	3,463	37.8
ASIAN/PI*	17	25.8
HISPANIC	394	55.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	233	12.6	655	40.3	164	8.9	307	19.7
WHITE	20	11.8	50	34.0	5	DSU	58	38.7
BLACK	195	12.7	546	40.5	140	9.1	239	18.5
ASIAN/PI*	1	DSU	8	DSU	0	-----	2	DSU
HISPANIC	20	12.6	55	39.0	21	13.2	11	8.1

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

EASTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	8	4	3	1	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	2	0	2	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	6	4	1	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	8	DSU	19	8.3
WHITE	2	DSU	7	DSU
BLACK	2	DSU	8	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	2	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,340	22.3
WHITE	711	17.7
BLACK	422	36.6
ASIAN/PI*	0	-----
HISPANIC	229	26.9

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	138	9.6	259	24.7	58	4.0	296	22.1
WHITE	76	8.6	135	20.9	25	2.8	224	27.6
BLACK	32	14.5	45	28.7	17	7.7	51	24.1
ASIAN/PI*	3	DSU	11	25.6	0	-----	3	DSU
HISPANIC	32	9.4	71	29.8	18	5.2	29	9.1

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ERIE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	29	17	10	0	2
MOTOR VEHICLE ACCIDENTS	3	2	1	0	0
RESIDENTIAL FIRE	2	1	1	0	0
DROWNING or SUFFOCATION	1	1	0	0	1
OTHER ACCIDENTS	3	3	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	2	1	1	0	0
ALL OTHER CAUSES	18	9	7	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	23	13.9	91	11.6
WHITE	11	10.0	49	9.0
BLACK	11	27.8	37	21.1
ASIAN/PI*	0	-----	1	DSU
HISPANIC	2	DSU	6	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	7,066	27.4
WHITE	3,168	18.3
BLACK	2,707	47.9
ASIAN/PI*	44	32.8
HISPANIC	1,027	46.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	479	10.2	831	20.6	247	5.2	1,469	31.3
WHITE	282	8.9	420	15.5	111	3.5	1,034	32.9
BLACK	143	13.0	297	32.0	109	9.9	340	31.2
ASIAN/PI*	5	DSU	17	23.9	0	-----	5	DSU
HISPANIC	55	14.2	95	29.0	38	9.8	84	21.9

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HARRISBURG CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	24	5	18	0	2
MOTOR VEHICLE ACCIDENTS	2	1	1	0	0
RESIDENTIAL FIRE	1	0	1	0	0
DROWNING or SUFFOCATION	1	0	1	0	0
OTHER ACCIDENTS	2	1	1	0	0
ASSAULT (HOMICIDE)	7	0	7	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	11	3	7	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	15	13.4	58	11.9
WHITE	3	DSU	14	10.1
BLACK	11	20.2	43	17.9
ASIAN/PI*	1	DSU	1	DSU
HISPANIC	2	DSU	8	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	4,741	35.2
WHITE	691	34.9
BLACK	2,993	34.2
ASIAN/PI*	45	13.8
HISPANIC	1,111	48.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	335	10.7	704	31.1	232	7.3	605	19.4
WHITE	71	8.3	126	19.1	16	1.9	196	23.3
BLACK	183	12.2	363	35.0	144	9.5	297	19.9
ASIAN/PI*	7	DSU	15	17.6	5	DSU	3	DSU
HISPANIC	58	8.9	191	40.8	65	9.8	100	15.2

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HAZLETON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	6	5	1	0	2
MOTOR VEHICLE ACCIDENTS	2	1	1	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	3	3	0	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	5	DSU	17	10.0
WHITE	5	DSU	14	11.6
BLACK	0	-----	1	DSU
ASIAN/PI*	0	-----	1	DSU
HISPANIC	0	-----	4	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,038	20.9
WHITE	857	19.4
BLACK	13	100.0
ASIAN/PI*	8	DSU
HISPANIC	193	40.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	110	10.0	256	26.2	52	4.7	287	26.7
WHITE	77	10.7	128	20.0	35	4.9	255	36.4
BLACK	3	DSU	7	DSU	0	-----	8	DSU
ASIAN/PI*	1	DSU	2	DSU	0	-----	1	DSU
HISPANIC	35	8.6	146	41.0	19	4.7	27	6.8

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

JOHNSTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	13	10	3	0	0
MOTOR VEHICLE ACCIDENTS	3	3	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	9	7	2	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	4	DSU	14	8.9
WHITE	4	DSU	8	DSU
BLACK	0	-----	6	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,921	38.2
WHITE	1,406	37.3
BLACK	375	42.7
ASIAN/PI*	7	DSU
HISPANIC	13	20.0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	119	13.0	163	19.6	49	5.4	352	38.8
WHITE	90	12.1	124	18.3	32	4.3	303	41.1
BLACK	27	18.0	34	25.2	16	10.7	46	30.9
ASIAN/PI*	0	-----	1	DSU	0	-----	1	DSU
HISPANIC	4	DSU	6	DSU	1	DSU	9	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LANCASTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	27	18	8	1	10
MOTOR VEHICLE ACCIDENTS	4	2	2	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	2	2	0	0	1
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	7	5	2	0	1
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	14	9	4	1	7

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	13	11.5	50	9.7
WHITE	11	26.8	41	16.8
BLACK	2	DSU	8	DSU
ASIAN/PI*	0	-----	1	DSU
HISPANIC	6	DSU	24	10.1

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	4,442	29.6
WHITE	1,373	20.5
BLACK	1,103	37.7
ASIAN/PI*	31	9.2
HISPANIC	2,660	38.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	334	10.5	478	19.2	263	8.3	600	19.0
WHITE	118	9.8	171	16.8	50	4.1	310	26.0
BLACK	79	15.6	106	28.0	64	12.6	111	22.2
ASIAN/PI*	7	DSU	25	35.2	5	DSU	4	DSU
HISPANIC	139	9.4	194	17.9	159	10.8	189	12.9

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LEBANON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	8	8	0	0	1
MOTOR VEHICLE ACCIDENTS	4	4	0	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	2	2	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	6	DSU	19	9.1
WHITE	6	DSU	18	10.6
BLACK	0	-----	0	-----
ASIAN/PI*	0	-----	0	-----
HISPANIC	2	DSU	7	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,525	25.5
WHITE	869	18.9
BLACK	131	86.8
ASIAN/PI*	30	44.8
HISPANIC	709	41.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	128	9.8	223	24.3	72	5.5	347	26.7
WHITE	90	8.8	150	20.6	50	4.9	298	29.2
BLACK	6	DSU	11	33.3	4	DSU	15	27.8
ASIAN/PI*	1	DSU	5	DSU	0	-----	1	DSU
HISPANIC	49	10.5	96	31.1	34	7.2	79	17.0

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

McKEESPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	7	4	3	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	3	2	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	3	1	2	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	2	DSU	8	DSU
WHITE	0	-----	2	DSU
BLACK	2	DSU	6	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,187	36.9
WHITE	827	25.5
BLACK	1,161	52.3
ASIAN/PI*	0	-----
HISPANIC	54	46.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	92	10.7	80	10.8	61	7.0	279	32.7
WHITE	43	8.7	46	10.5	17	3.4	193	39.6
BLACK	47	13.4	29	10.2	43	12.2	83	23.9
ASIAN/PI*	1	DSU	0	-----	0	-----	0	-----
HISPANIC	1	DSU	4	DSU	1	DSU	6	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NEW CASTLE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	8	7	1	0	0
MOTOR VEHICLE ACCIDENTS	1	1	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	5	4	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	3	DSU	21	12.0
WHITE	3	DSU	16	10.8
BLACK	0	-----	5	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,106	34.2
WHITE	1,281	27.6
BLACK	677	56.0
ASIAN/PI*	20	54.1
HISPANIC	41	53.9

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	124	11.8	231	23.9	40	3.8	374	36.3
WHITE	89	10.0	174	21.1	27	3.0	316	35.9
BLACK	31	22.8	49	41.5	13	9.6	52	40.0
ASIAN/PI*	0	-----	2	DSU	0	-----	0	-----
HISPANIC	4	DSU	7	DSU	0	-----	5	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NORRISTOWN BORO

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	14	2	10	0	3
MOTOR VEHICLE ACCIDENTS	2	0	1	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	2	0	2	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	0	1	0	0
ALL OTHER CAUSES	8	2	5	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	2	DSU	32	9.2
WHITE	0	-----	13	7.8
BLACK	2	DSU	19	16.3
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	8	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,806	23.9
WHITE	443	14.6
BLACK	1,122	32.1
ASIAN/PI*	11	7.6
HISPANIC	422	41.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	211	9.3	903	49.0	136	6.0	310	14.1
WHITE	75	7.3	336	41.1	49	4.8	164	16.1
BLACK	94	12.9	298	49.8	59	8.1	136	19.5
ASIAN/PI*	5	DSU	14	29.2	2	DSU	2	DSU
HISPANIC	60	6.7	449	62.1	56	6.3	15	1.7

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PHILADELPHIA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	537	171	347	18	74
MOTOR VEHICLE ACCIDENTS	56	25	29	2	6
RESIDENTIAL FIRE	34	8	22	4	5
DROWNING or SUFFOCATION	15	5	8	2	2
OTHER ACCIDENTS	22	10	12	0	1
ASSAULT (HOMICIDE)	132	23	106	3	15
INTENTIONAL SELF-HARM (SUICIDE)	24	12	12	0	6
ALL OTHER CAUSES	254	88	158	7	39

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	282	12.3	1,234	11.2
WHITE	66	10.7	314	9.5
BLACK	192	17.0	831	15.2
ASIAN/PI*	7	DSU	26	3.9
HISPANIC	23	6.1	130	7.7

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	118,467	31.6
WHITE	20,946	17.0
BLACK	72,623	37.2
ASIAN/PI*	5,296	34.4
HISPANIC	23,919	50.4

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	7,516	11.5	15,386	34.1	4,177	6.3	8,932	14.1
WHITE	1,419	7.8	2,621	21.9	424	2.3	3,720	21.1
BLACK	4,644	14.4	8,692	39.2	2,771	8.5	3,908	12.6
ASIAN/PI*	311	7.7	1,109	39.2	73	1.8	115	2.9
HISPANIC	1,056	10.0	2,681	35.1	957	9.0	1,212	12.0

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PITTSBURGH CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	92	35	57	0	1
MOTOR VEHICLE ACCIDENTS	13	6	7	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	5	3	2	0	0
OTHER ACCIDENTS	7	3	4	0	0
ASSAULT (HOMICIDE)	24	3	21	0	1
INTENTIONAL SELF-HARM (SUICIDE)	4	0	4	0	0
ALL OTHER CAUSES	39	20	19	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	47	13.5	229	12.5
WHITE	12	6.4	69	7.0
BLACK	32	23.8	151	21.7
ASIAN/PI*	2	DSU	6	DSU
HISPANIC	1	DSU	2	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	18,136	27.8
WHITE	4,666	13.7
BLACK	12,523	46.0
ASIAN/PI*	250	22.9
HISPANIC	322	35.1

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	1,188	10.9	1,244	13.5	518	4.7	2,315	21.5
WHITE	499	8.5	531	10.3	93	1.6	1,272	21.7
BLACK	632	15.1	641	19.2	418	10.0	1,011	24.7
ASIAN/PI*	37	6.6	34	6.7	0	-----	5	DSU
HISPANIC	16	6.9	32	16.4	3	DSU	27	11.7

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

READING CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	33	26	7	0	22
MOTOR VEHICLE ACCIDENTS	4	4	0	0	4
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	3	2	1	0	2
OTHER ACCIDENTS	1	0	1	0	1
ASSAULT (HOMICIDE)	7	6	1	0	4
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	17	13	4	0	11

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	14	7.4	81	9.2
WHITE	10	12.3	64	12.9
BLACK	3	DSU	14	14.8
ASIAN/PI*	0	-----	0	-----
HISPANIC	9	DSU	52	9.4

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	8,768	36.8
WHITE	3,028	28.1
BLACK	1,225	38.5
ASIAN/PI*	121	26.7
HISPANIC	5,978	46.7

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	475	8.8	1,787	38.7	462	8.5	972	18.8
WHITE	227	9.4	714	34.4	155	6.4	548	24.2
BLACK	58	9.9	206	42.0	68	11.6	141	24.8
ASIAN/PI*	3	DSU	28	30.8	3	DSU	15	14.9
HISPANIC	303	8.5	1,256	41.0	347	9.7	424	12.6

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

SCRANTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	10	10	0	0	0
MOTOR VEHICLE ACCIDENTS	2	2	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	3	3	0	0	0
ALL OTHER CAUSES	4	4	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	5	DSU	31	7.0
WHITE	3	DSU	26	7.2
BLACK	1	DSU	4	DSU
ASIAN/PI*	1	DSU	1	DSU
HISPANIC	0	-----	5	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,973	19.2
WHITE	2,257	16.4
BLACK	426	57.8
ASIAN/PI*	14	9.1
HISPANIC	174	25.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	243	8.7	616	24.1	105	3.7	744	27.3
WHITE	201	9.1	393	19.4	72	3.2	661	30.5
BLACK	16	8.8	63	38.9	15	8.2	54	31.6
ASIAN/PI*	8	DSU	24	34.3	0	-----	5	DSU
HISPANIC	38	7.9	185	42.2	30	6.2	49	10.7

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WEST MIFFLIN BORO

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	4	3	1	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	2	2	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	2	DSU	8	DSU
WHITE	2	DSU	6	DSU
BLACK	0	-----	2	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	813	16.8
WHITE	364	9.1
BLACK	407	52.9
ASIAN/PI*	15	48.4
HISPANIC	0	-----

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	59	8.9	49	8.4	15	2.3	160	24.4
WHITE	45	8.8	29	6.3	7	DSU	125	24.7
BLACK	13	9.4	19	16.8	7	DSU	34	25.4
ASIAN/PI*	0	-----	0	-----	0	-----	0	-----
HISPANIC	1	DSU	0	-----	1	DSU	0	-----

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILKES-BARRE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	10	7	1	2	0
MOTOR VEHICLE ACCIDENTS	1	1	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	3	1	1	1	0
ALL OTHER CAUSES	6	5	0	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	7	DSU	16	7.0
WHITE	6	DSU	13	7.1
BLACK	1	DSU	3	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	1	DSU	2	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,055	24.3
WHITE	1,553	21.4
BLACK	372	45.2
ASIAN/PI*	0	-----
HISPANIC	17	9.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	130	9.1	290	25.3	61	4.3	412	30.8
WHITE	93	8.7	177	20.5	36	3.4	348	34.2
BLACK	24	13.2	52	38.2	12	6.6	51	30.9
ASIAN/PI*	3	DSU	11	39.3	1	DSU	4	DSU
HISPANIC	12	6.6	65	44.2	15	8.2	15	9.0

NOTES: DSU=Data statistically unreliable (due to small numbers).

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats

*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILLIAMSPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	10	6	4	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	2	0	2	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	5	4	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	5	DSU	15	6.8
WHITE	2	DSU	10	5.6
BLACK	3	DSU	5	DSU
ASIAN/PI*	0	-----	0	-----
HISPANIC	0	-----	0	-----

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,648	24.8
WHITE	945	19.7
BLACK	517	34.7
ASIAN/PI*	38	74.5
HISPANIC	54	42.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	118	8.9	306	24.9	53	4.0	431	33.0
WHITE	92	8.6	195	19.7	28	2.6	354	33.6
BLACK	23	10.1	102	50.0	23	10.1	67	31.0
ASIAN/PI*	2	DSU	2	DSU	0	-----	3	DSU
HISPANIC	3	DSU	10	33.3	6	DSU	8	DSU

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

YORK CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	22	13	7	2	1
MOTOR VEHICLE ACCIDENTS	6	3	1	2	0
RESIDENTIAL FIRE	2	1	1	0	0
DROWNING or SUFFOCATION	1	0	1	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	2	1	1	0	0
ALL OTHER CAUSES	8	6	2	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	13	12.8	58	12.8
WHITE	6	DSU	30	12.7
BLACK	6	DSU	27	22.7
ASIAN/PI*	1	DSU	1	DSU
HISPANIC	5	DSU	14	10.9

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	3,703	32.4
WHITE	1,042	22.0
BLACK	1,435	39.1
ASIAN/PI*	21	9.9
HISPANIC	1,254	41.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	335	11.7	599	24.9	193	6.8	603	22.7
WHITE	139	10.3	231	20.9	59	4.4	381	31.3
BLACK	119	15.5	185	28.6	76	9.9	147	20.4
ASIAN/PI*	6	DSU	14	28.0	3	DSU	5	DSU
HISPANIC	81	9.8	211	28.9	69	8.3	87	10.8

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PENNSYLVANIA

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2002-2006

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	3,264	2,509	686	42	188
MOTOR VEHICLE ACCIDENTS	742	663	70	6	35
RESIDENTIAL FIRE	109	74	31	4	5
DROWNING or SUFFOCATION	163	130	29	2	12
OTHER ACCIDENTS	212	179	32	0	2
ASSAULT (HOMICIDE)	298	114	179	4	24
INTENTIONAL SELF-HARM (SUICIDE)	204	176	26	1	9
ALL OTHER CAUSES	1,536	1,173	319	25	101

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2006 AND 2002-2006

RACE or ETHNICITY	2006		2002-2006	
	NO.	RATE	NO.	RATE
ALL RACES	1,122	7.5	5,336	7.4
WHITE	689	6.3	3,497	6.3
BLACK	367	17.0	1,605	15.8
ASIAN/PI*	28	4.9	96	3.9
HISPANIC	77	5.8	417	7.4

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	421,745	14.7
WHITE	234,932	10.2
BLACK	129,204	35.8
ASIAN/PI*	9,378	17.0
HISPANIC	54,030	37.7

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2004-2006

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	36,230	8.3	69,018	19.2	13,310	3.0	71,751	17.1
WHITE	23,605	7.2	42,202	15.2	5,900	1.8	58,721	18.6
BLACK	8,414	13.8	15,434	34.1	5,003	8.1	9,251	15.8
ASIAN/PI*	1,208	7.8	2,901	23.1	146	0.9	410	2.7
HISPANIC	3,265	8.9	9,651	33.3	2,670	7.2	3,842	10.9

NOTES: DSU=Data statistically unreliable (due to small numbers).
Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes (2002-2006): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats
*Asian/Pacific Islander