

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALLENTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 26 | 21 | 5 | 0 | 15 |
| MOTOR VEHICLE ACCIDENTS | 4 | 3 | 1 | 0 | 2 |
| RESIDENTIAL FIRE | 1 | 0 | 1 | 0 | 0 |
| DROWNING or SUFFOCATION | 1 | 1 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 3 | 2 | 1 | 0 | 2 |
| ASSAULT (HOMICIDE) | 3 | 2 | 1 | 0 | 2 |
| INTENTIONAL SELF-HARM (SUICIDE) | 2 | 2 | 0 | 0 | 2 |
| ALL OTHER CAUSES | 12 | 11 | 1 | 0 | 7 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 19 | 9.2 | 80 | 7.9 |
| WHITE | 10 | 14.2 | 55 | 14.3 |
| BLACK | 8 | ND | 19 | 16.4 |
| ASIAN/PI* | 1 | ND | 1 | ND |
| HISPANIC | 7 | ND | 26 | 5.0 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 7,703 | 29.9 |
| WHITE | 3,291 | 22.4 |
| BLACK | 1,274 | 45.8 |
| ASIAN/PI* | 109 | 17.9 |
| HISPANIC | 4,361 | 41.4 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 619 | 10.0 | 1,324 | 27.9 | 384 | 6.2 | 953 | 16.6 |
| WHITE | 188 | 8.5 | 337 | 19.5 | 67 | 3.0 | 470 | 22.4 |
| BLACK | 115 | 14.9 | 204 | 35.2 | 54 | 7.0 | 114 | 15.8 |
| ASIAN/PI* | 18 | 11.3 | 34 | 27.2 | 5 | ND | 15 | 9.7 |
| HISPANIC | 311 | 9.5 | 789 | 32.2 | 280 | 8.6 | 392 | 13.3 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALTOONA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 10 | 9 | 1 | 0 | 3 |
| MOTOR VEHICLE ACCIDENTS | 3 | 3 | 0 | 0 | 2 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 1 | 1 | 0 | 0 | 1 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 1 | 1 | 0 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 5 | 4 | 1 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 3 | ND | 22 | 7.1 |
| WHITE | 3 | ND | 17 | 5.9 |
| BLACK | 0 | ND | 5 | ND |
| ASIAN/PI* | 0 | ND | 0 | ND |
| HISPANIC | 0 | ND | 0 | ND |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 2,782 | 24.8 |
| WHITE | 2,464 | 23.4 |
| BLACK | 116 | 45.7 |
| ASIAN/PI* | 0 | ND |
| HISPANIC | 23 | 22.3 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 158 | 8.5 | 308 | 18.1 | 76 | 4.1 | 598 | 32.4 |
| WHITE | 143 | 8.4 | 274 | 17.4 | 64 | 3.7 | 550 | 32.3 |
| BLACK | 10 | 10.5 | 26 | 31.3 | 9 | ND | 33 | 35.5 |
| ASIAN/PI* | 2 | ND | 4 | ND | 0 | ND | 3 | ND |
| HISPANIC | 1 | ND | 7 | ND | 3 | ND | 8 | ND |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

BETHLEHEM CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 21 | 17 | 3 | 1 | 6 |
| MOTOR VEHICLE ACCIDENTS | 5 | 5 | 0 | 0 | 1 |
| RESIDENTIAL FIRE | 4 | 4 | 0 | 0 | 4 |
| DROWNING or SUFFOCATION | 0 | 0 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 2 | 2 | 0 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 10 | 6 | 3 | 1 | 1 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 9 | ND | 42 | 9.4 |
| WHITE | 6 | ND | 32 | 13.0 |
| BLACK | 3 | ND | 7 | ND |
| ASIAN/PI* | 0 | ND | 3 | ND |
| HISPANIC | 2 | ND | 14 | 8.2 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 3,101 | 21.2 |
| WHITE | 1,182 | 11.8 |
| BLACK | 277 | 36.4 |
| ASIAN/PI* | 84 | 23.2 |
| HISPANIC | 2,200 | 44.5 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 254 | 9.2 | 437 | 18.8 | 132 | 4.8 | 347 | 13.0 |
| WHITE | 112 | 7.6 | 173 | 13.9 | 28 | 1.9 | 220 | 15.5 |
| BLACK | 22 | 11.5 | 51 | 33.6 | 7 | ND | 34 | 18.0 |
| ASIAN/PI* | 15 | 13.5 | 24 | 25.0 | 1 | ND | 4 | ND |
| HISPANIC | 113 | 10.5 | 208 | 22.6 | 104 | 9.6 | 99 | 9.4 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

CHESTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 14 | 1 | 13 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 2 | 0 | 2 | 0 | 0 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 2 | 0 | 2 | 0 | 0 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 3 | 0 | 3 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 7 | 1 | 6 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 7 | ND | 44 | 14.4 |
| WHITE | 1 | ND | 5 | ND |
| BLACK | 6 | ND | 39 | 15.5 |
| ASIAN/PI* | 0 | ND | 0 | ND |
| HISPANIC | 1 | ND | 3 | ND |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 3,934 | 37.0 |
| WHITE | 149 | 19.3 |
| BLACK | 3,463 | 37.8 |
| ASIAN/PI* | 17 | 25.8 |
| HISPANIC | 394 | 55.6 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 233 | 12.7 | 620 | 39.4 | 155 | 8.5 | 267 | 17.2 |
| WHITE | 16 | 11.1 | 46 | 40.4 | 4 | ND | 53 | 41.7 |
| BLACK | 199 | 13.2 | 517 | 39.5 | 137 | 9.1 | 199 | 15.5 |
| ASIAN/PI* | 3 | ND | 10 | 76.9 | 0 | ND | 2 | ND |
| HISPANIC | 17 | 9.9 | 56 | 37.8 | 17 | 9.9 | 14 | 9.9 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

EASTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 9 | 4 | 4 | 1 | 0 |
| MOTOR VEHICLE ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 0 | 0 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 2 | 0 | 2 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 1 | 0 | 1 | 0 | 0 |
| ALL OTHER CAUSES | 6 | 4 | 1 | 1 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 3 | ND | 23 | 9.3 |
| WHITE | 2 | ND | 10 | 6.7 |
| BLACK | 1 | ND | 8 | ND |
| ASIAN/PI* | 0 | ND | 1 | ND |
| HISPANIC | 1 | ND | 4 | ND |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 1,340 | 22.3 |
| WHITE | 711 | 17.7 |
| BLACK | 422 | 36.6 |
| ASIAN/PI* | 0 | ND |
| HISPANIC | 229 | 26.9 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 180 | 11.2 | 300 | 26.8 | 44 | 2.7 | 289 | 20.4 |
| WHITE | 103 | 10.6 | 137 | 20.7 | 17 | 1.7 | 222 | 26.5 |
| BLACK | 41 | 15.2 | 71 | 39.2 | 15 | 5.5 | 46 | 19.3 |
| ASIAN/PI* | 5 | ND | 15 | 32.6 | 1 | ND | 1 | ND |
| HISPANIC | 38 | 10.7 | 83 | 31.3 | 13 | 3.6 | 32 | 9.8 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ERIE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 21 | 11 | 9 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 1 | 0 | 1 | 0 | 0 |
| RESIDENTIAL FIRE | 2 | 1 | 1 | 0 | 0 |
| DROWNING or SUFFOCATION | 1 | 0 | 1 | 0 | 0 |
| OTHER ACCIDENTS | 3 | 3 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 1 | 0 | 1 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 2 | 1 | 1 | 0 | 0 |
| ALL OTHER CAUSES | 11 | 6 | 4 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 23 | 13.7 | 93 | 11.4 |
| WHITE | 10 | 9.0 | 51 | 9.4 |
| BLACK | 11 | 27.8 | 36 | 18.7 |
| ASIAN/PI* | 1 | ND | 2 | ND |
| HISPANIC | 1 | ND | 4 | ND |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 7,066 | 27.4 |
| WHITE | 3,168 | 18.3 |
| BLACK | 2,707 | 47.9 |
| ASIAN/PI* | 44 | 32.8 |
| HISPANIC | 1,027 | 46.5 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 516 | 10.1 | 1,067 | 24.3 | 320 | 6.3 | 1,566 | 30.9 |
| WHITE | 285 | 8.5 | 584 | 20.1 | 118 | 3.5 | 1,096 | 32.9 |
| BLACK | 167 | 13.7 | 364 | 35.3 | 161 | 13.2 | 366 | 30.2 |
| ASIAN/PI* | 8 | ND | 11 | 19.0 | 1 | ND | 9 | ND |
| HISPANIC | 60 | 13.2 | 108 | 28.6 | 47 | 10.4 | 98 | 21.7 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HARRISBURG CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 19 | 4 | 14 | 0 | 2 |
| MOTOR VEHICLE ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 1 | 0 | 1 | 0 | 0 |
| DROWNING or SUFFOCATION | 3 | 0 | 3 | 0 | 0 |
| OTHER ACCIDENTS | 2 | 1 | 1 | 0 | 0 |
| ASSAULT (HOMICIDE) | 5 | 0 | 5 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 8 | 3 | 4 | 0 | 2 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 17 | 15.6 | 65 | 12.2 |
| WHITE | 11 | 48.0 | 23 | 17.5 |
| BLACK | 6 | ND | 41 | 15.6 |
| ASIAN/PI* | 0 | ND | 1 | ND |
| HISPANIC | 3 | ND | 11 | 9.5 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 4,741 | 35.2 |
| WHITE | 691 | 34.9 |
| BLACK | 2,993 | 34.2 |
| ASIAN/PI* | 45 | 13.8 |
| HISPANIC | 1,111 | 48.5 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 393 | 12.1 | 808 | 33.6 | 215 | 6.6 | 645 | 20.0 |
| WHITE | 63 | 8.7 | 130 | 23.2 | 13 | 1.8 | 178 | 24.9 |
| BLACK | 222 | 13.4 | 427 | 35.8 | 131 | 7.9 | 350 | 21.2 |
| ASIAN/PI* | 10 | 9.5 | 15 | 17.4 | 3 | ND | 2 | ND |
| HISPANIC | 81 | 11.1 | 222 | 41.5 | 68 | 9.2 | 107 | 14.6 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HAZLETON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 12 | 12 | 0 | 0 | 6 |
| MOTOR VEHICLE ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 2 | 2 | 0 | 0 | 2 |
| DROWNING or SUFFOCATION | 1 | 1 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 1 | 1 | 0 | 0 | 1 |
| INTENTIONAL SELF-HARM (SUICIDE) | 2 | 2 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 4 | 4 | 0 | 0 | 3 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 3 | ND | 14 | 7.4 |
| WHITE | 1 | ND | 11 | 9.6 |
| BLACK | 2 | ND | 2 | ND |
| ASIAN/PI* | 0 | ND | 1 | ND |
| HISPANIC | 1 | ND | 2 | ND |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 1,038 | 20.9 |
| WHITE | 857 | 19.4 |
| BLACK | 13 | 100.0 |
| ASIAN/PI* | 8 | ND |
| HISPANIC | 193 | 40.5 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 113 | 9.8 | 308 | 30.4 | 53 | 4.6 | 247 | 23.4 |
| WHITE | 63 | 9.7 | 147 | 25.5 | 31 | 4.8 | 210 | 34.5 |
| BLACK | 9 | ND | 13 | 41.9 | 0 | ND | 6 | ND |
| ASIAN/PI* | 0 | ND | 1 | ND | 0 | ND | 1 | ND |
| HISPANIC | 49 | 9.2 | 177 | 37.7 | 25 | 4.7 | 35 | 7.4 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

JOHNSTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 11 | 9 | 2 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 2 | 2 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 0 | 0 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 0 | 0 | 0 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 9 | 7 | 2 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 5 | ND | 22 | 14.0 |
| WHITE | 3 | ND | 16 | 12.7 |
| BLACK | 2 | ND | 5 | ND |
| ASIAN/PI* | 0 | ND | 0 | ND |
| HISPANIC | 0 | ND | 0 | ND |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 1,921 | 38.2 |
| WHITE | 1,406 | 37.3 |
| BLACK | 375 | 42.7 |
| ASIAN/PI* | 7 | ND |
| HISPANIC | 13 | 20.0 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 134 | 14.1 | 184 | 21.9 | 44 | 4.6 | 370 | 39.1 |
| WHITE | 94 | 12.4 | 131 | 19.6 | 24 | 3.2 | 292 | 38.8 |
| BLACK | 38 | 21.8 | 52 | 34.0 | 19 | 10.9 | 73 | 42.0 |
| ASIAN/PI* | 0 | ND | 0 | ND | 0 | ND | 1 | ND |
| HISPANIC | 1 | ND | 13 | 37.1 | 1 | ND | 8 | ND |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LANCASTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 21 | 14 | 7 | 0 | 9 |
| MOTOR VEHICLE ACCIDENTS | 5 | 3 | 2 | 0 | 1 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 1 | 1 | 0 | 0 | 1 |
| OTHER ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 1 | 1 | 0 | 0 | 1 |
| INTENTIONAL SELF-HARM (SUICIDE) | 1 | 1 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 12 | 7 | 5 | 0 | 6 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 9 | ND | 54 | 9.8 |
| WHITE | 7 | ND | 44 | 21.3 |
| BLACK | 2 | ND | 9 | ND |
| ASIAN/PI* | 0 | ND | 1 | ND |
| HISPANIC | 4 | ND | 24 | 9.3 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 4,442 | 29.6 |
| WHITE | 1,373 | 20.5 |
| BLACK | 1,103 | 37.7 |
| ASIAN/PI* | 31 | 9.2 |
| HISPANIC | 2,660 | 38.8 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 383 | 11.1 | 569 | 21.1 | 258 | 7.5 | 610 | 17.8 |
| WHITE | 117 | 9.2 | 186 | 17.5 | 35 | 2.7 | 300 | 23.8 |
| BLACK | 80 | 13.5 | 136 | 30.7 | 61 | 10.3 | 127 | 21.7 |
| ASIAN/PI* | 9 | ND | 20 | 33.9 | 6 | ND | 6 | ND |
| HISPANIC | 193 | 11.8 | 253 | 20.5 | 166 | 10.2 | 203 | 12.5 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LEBANON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 9 | 9 | 0 | 0 | 2 |
| MOTOR VEHICLE ACCIDENTS | 4 | 4 | 0 | 0 | 1 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 0 | 0 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 0 | 0 | 0 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 4 | 4 | 0 | 0 | 1 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 11 | 23.1 | 30 | 13.3 |
| WHITE | 8 | ND | 27 | 15.7 |
| BLACK | 3 | ND | 3 | ND |
| ASIAN/PI* | 0 | ND | 0 | ND |
| HISPANIC | 4 | ND | 12 | 14.8 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 1,525 | 25.5 |
| WHITE | 869 | 18.9 |
| BLACK | 131 | 86.8 |
| ASIAN/PI* | 30 | 44.8 |
| HISPANIC | 709 | 41.8 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 129 | 9.1 | 272 | 26.5 | 66 | 4.7 | 320 | 22.7 |
| WHITE | 80 | 7.6 | 177 | 22.7 | 43 | 4.1 | 270 | 25.6 |
| BLACK | 8 | ND | 15 | 31.9 | 2 | ND | 15 | 23.8 |
| ASIAN/PI* | 2 | ND | 3 | ND | 1 | ND | 2 | ND |
| HISPANIC | 57 | 11.0 | 121 | 33.9 | 34 | 6.5 | 69 | 13.3 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

McKEESPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 5 | 3 | 2 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 0 | 0 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 3 | 1 | 2 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 2 | 2 | 0 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 2 | ND | 8 | ND |
| WHITE | 1 | ND | 3 | ND |
| BLACK | 0 | ND | 4 | ND |
| ASIAN/PI* | 0 | ND | 0 | ND |
| HISPANIC | 0 | ND | 0 | ND |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 2,187 | 36.9 |
| WHITE | 827 | 25.5 |
| BLACK | 1,161 | 52.3 |
| ASIAN/PI* | 0 | ND |
| HISPANIC | 54 | 46.6 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 94 | 11.1 | 69 | 10.2 | 64 | 7.6 | 292 | 34.9 |
| WHITE | 44 | 9.5 | 35 | 9.2 | 20 | 4.3 | 185 | 40.6 |
| BLACK | 48 | 13.4 | 33 | 11.8 | 42 | 11.7 | 103 | 28.9 |
| ASIAN/PI* | 1 | ND | 0 | ND | 0 | ND | 0 | ND |
| HISPANIC | 0 | ND | 1 | ND | 3 | ND | 4 | ND |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NEW CASTLE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 8 | 8 | 0 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 1 | 1 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 1 | 1 | 0 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 1 | 1 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 3 | 3 | 0 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 1 | ND | 15 | 8.8 |
| WHITE | 1 | ND | 11 | 7.9 |
| BLACK | 0 | ND | 4 | ND |
| ASIAN/PI* | 0 | ND | 0 | ND |
| HISPANIC | 0 | ND | 0 | ND |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 2,106 | 34.2 |
| WHITE | 1,281 | 27.6 |
| BLACK | 677 | 56.0 |
| ASIAN/PI* | 20 | 54.1 |
| HISPANIC | 41 | 53.9 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 110 | 10.9 | 225 | 24.9 | 47 | 4.7 | 352 | 36.5 |
| WHITE | 78 | 9.8 | 161 | 22.3 | 25 | 3.1 | 285 | 36.8 |
| BLACK | 28 | 16.9 | 53 | 37.9 | 20 | 12.0 | 56 | 36.6 |
| ASIAN/PI* | 0 | ND | 3 | ND | 0 | ND | 2 | ND |
| HISPANIC | 2 | ND | 5 | ND | 1 | ND | 2 | ND |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NORRISTOWN BORO

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 17 | 7 | 8 | 0 | 6 |
| MOTOR VEHICLE ACCIDENTS | 3 | 1 | 1 | 0 | 2 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 2 | 1 | 1 | 0 | 1 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 2 | 0 | 2 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 2 | 1 | 1 | 0 | 0 |
| ALL OTHER CAUSES | 8 | 4 | 3 | 0 | 3 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 13 | 16.1 | 38 | 9.8 |
| WHITE | 7 | ND | 13 | 7.9 |
| BLACK | 5 | ND | 23 | 18.5 |
| ASIAN/PI* | 1 | ND | 1 | ND |
| HISPANIC | 6 | ND | 12 | 7.7 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 1,806 | 23.9 |
| WHITE | 443 | 14.6 |
| BLACK | 1,122 | 32.1 |
| ASIAN/PI* | 11 | 7.6 |
| HISPANIC | 422 | 41.6 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 186 | 7.9 | 864 | 45.2 | 138 | 5.8 | 282 | 12.3 |
| WHITE | 61 | 6.2 | 315 | 39.6 | 43 | 4.4 | 142 | 14.6 |
| BLACK | 80 | 10.8 | 271 | 45.5 | 65 | 8.8 | 121 | 17.2 |
| ASIAN/PI* | 5 | ND | 10 | 21.7 | 0 | ND | 2 | ND |
| HISPANIC | 59 | 6.0 | 451 | 57.1 | 62 | 6.3 | 22 | 2.3 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PHILADELPHIA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 533 | 150 | 359 | 22 | 72 |
| MOTOR VEHICLE ACCIDENTS | 55 | 19 | 32 | 4 | 7 |
| RESIDENTIAL FIRE | 41 | 9 | 28 | 4 | 3 |
| DROWNING or SUFFOCATION | 12 | 4 | 7 | 1 | 2 |
| OTHER ACCIDENTS | 11 | 7 | 4 | 0 | 0 |
| ASSAULT (HOMICIDE) | 133 | 19 | 110 | 4 | 11 |
| INTENTIONAL SELF-HARM (SUICIDE) | 17 | 11 | 6 | 0 | 7 |
| ALL OTHER CAUSES | 264 | 81 | 172 | 9 | 42 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 255 | 10.8 | 1,317 | 11.6 |
| WHITE | 72 | 11.3 | 323 | 10.5 |
| BLACK | 164 | 14.4 | 883 | 15.8 |
| ASIAN/PI* | 8 | ND | 38 | 5.4 |
| HISPANIC | 34 | 8.5 | 151 | 8.1 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|---------|---------|
| ALL RACES | 118,467 | 31.6 |
| WHITE | 20,946 | 17.0 |
| BLACK | 72,623 | 37.2 |
| ASIAN/PI* | 5,296 | 34.4 |
| HISPANIC | 23,919 | 50.4 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 7,955 | 11.5 | 17,039 | 35.7 | 4,065 | 5.8 | 8,387 | 12.5 |
| WHITE | 1,414 | 7.6 | 2,954 | 23.0 | 357 | 1.9 | 3,419 | 18.9 |
| BLACK | 4,849 | 14.4 | 9,401 | 41.1 | 2,655 | 7.8 | 3,671 | 11.3 |
| ASIAN/PI* | 348 | 8.2 | 1,214 | 39.1 | 71 | 1.6 | 118 | 2.8 |
| HISPANIC | 1,118 | 9.6 | 3,018 | 37.4 | 958 | 8.2 | 1,109 | 9.9 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PITTSBURGH CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 93 | 27 | 65 | 1 | 2 |
| MOTOR VEHICLE ACCIDENTS | 8 | 3 | 5 | 0 | 0 |
| RESIDENTIAL FIRE | 6 | 0 | 6 | 0 | 0 |
| DROWNING or SUFFOCATION | 6 | 4 | 2 | 0 | 0 |
| OTHER ACCIDENTS | 7 | 4 | 3 | 0 | 0 |
| ASSAULT (HOMICIDE) | 22 | 3 | 19 | 0 | 1 |
| INTENTIONAL SELF-HARM (SUICIDE) | 5 | 2 | 3 | 0 | 1 |
| ALL OTHER CAUSES | 39 | 11 | 27 | 1 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 40 | 10.6 | 209 | 11.2 |
| WHITE | 10 | 4.9 | 57 | 5.7 |
| BLACK | 29 | 20.6 | 142 | 20.2 |
| ASIAN/PI* | 1 | ND | 6 | ND |
| HISPANIC | 1 | ND | 2 | ND |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 18,136 | 27.8 |
| WHITE | 4,666 | 13.7 |
| BLACK | 12,523 | 46.0 |
| ASIAN/PI* | 250 | 22.9 |
| HISPANIC | 322 | 35.1 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 1,163 | 10.5 | 1,150 | 12.9 | 470 | 4.2 | 2,164 | 19.8 |
| WHITE | 450 | 7.5 | 489 | 9.6 | 77 | 1.3 | 1,224 | 20.5 |
| BLACK | 634 | 15.2 | 584 | 18.9 | 384 | 9.2 | 891 | 22.1 |
| ASIAN/PI* | 45 | 7.5 | 27 | 5.5 | 1 | ND | 7 | ND |
| HISPANIC | 26 | 10.3 | 37 | 18.1 | 7 | ND | 29 | 11.6 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

READING CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 21 | 15 | 6 | 0 | 13 |
| MOTOR VEHICLE ACCIDENTS | 2 | 2 | 0 | 0 | 1 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 1 | 0 | 1 | 0 | 0 |
| OTHER ACCIDENTS | 1 | 0 | 1 | 0 | 1 |
| ASSAULT (HOMICIDE) | 6 | 4 | 2 | 0 | 3 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 11 | 9 | 2 | 0 | 8 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 13 | 6.8 | 78 | 8.4 |
| WHITE | 10 | 17.4 | 58 | 16.1 |
| BLACK | 2 | ND | 18 | 17.1 |
| ASIAN/PI* | 0 | ND | 0 | ND |
| HISPANIC | 9 | ND | 46 | 7.6 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 8,768 | 36.8 |
| WHITE | 3,028 | 28.1 |
| BLACK | 1,225 | 38.5 |
| ASIAN/PI* | 121 | 26.7 |
| HISPANIC | 5,978 | 46.7 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 510 | 8.9 | 1,698 | 35.7 | 446 | 7.8 | 955 | 17.6 |
| WHITE | 167 | 8.4 | 523 | 31.3 | 103 | 5.2 | 475 | 25.2 |
| BLACK | 86 | 12.9 | 195 | 36.9 | 57 | 8.5 | 140 | 22.0 |
| ASIAN/PI* | 6 | ND | 32 | 36.0 | 3 | ND | 12 | 11.4 |
| HISPANIC | 310 | 8.3 | 1,190 | 37.6 | 337 | 9.0 | 390 | 11.0 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

SCRANTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 13 | 12 | 1 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 1 | 1 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 0 | 0 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 2 | 1 | 1 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 3 | 3 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 5 | 5 | 0 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 8 | ND | 31 | 6.5 |
| WHITE | 6 | ND | 25 | 6.7 |
| BLACK | 0 | ND | 3 | ND |
| ASIAN/PI* | 1 | ND | 2 | ND |
| HISPANIC | 0 | ND | 2 | ND |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 2,973 | 19.2 |
| WHITE | 2,257 | 16.4 |
| BLACK | 426 | 57.8 |
| ASIAN/PI* | 14 | 9.1 |
| HISPANIC | 174 | 25.3 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 301 | 10.3 | 625 | 24.4 | 113 | 3.8 | 759 | 26.3 |
| WHITE | 220 | 9.9 | 395 | 20.2 | 75 | 3.4 | 677 | 30.7 |
| BLACK | 39 | 18.8 | 77 | 43.0 | 16 | 7.7 | 55 | 27.6 |
| ASIAN/PI* | 9 | ND | 17 | 25.0 | 1 | ND | 1 | ND |
| HISPANIC | 41 | 7.8 | 179 | 39.4 | 31 | 5.8 | 41 | 7.9 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WEST MIFFLIN BORO

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 5 | 3 | 2 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 1 | 0 | 1 | 0 | 0 |
| RESIDENTIAL FIRE | 0 | 0 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 0 | 0 | 0 | 0 | 0 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 1 | 0 | 1 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 1 | 1 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 2 | 2 | 0 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 2 | ND | 11 | 9.6 |
| WHITE | 0 | ND | 6 | ND |
| BLACK | 2 | ND | 5 | ND |
| ASIAN/PI* | 0 | ND | 0 | ND |
| HISPANIC | 0 | ND | 0 | ND |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 813 | 16.8 |
| WHITE | 364 | 9.1 |
| BLACK | 407 | 52.9 |
| ASIAN/PI* | 15 | 48.4 |
| HISPANIC | 0 | ND |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 51 | 7.6 | 51 | 9.3 | 14 | 2.1 | 150 | 22.3 |
| WHITE | 33 | 6.7 | 29 | 7.0 | 7 | ND | 115 | 23.2 |
| BLACK | 18 | 11.0 | 18 | 15.5 | 7 | ND | 32 | 19.8 |
| ASIAN/PI* | 0 | ND | 2 | ND | 0 | ND | 0 | ND |
| HISPANIC | 0 | ND | 1 | ND | 0 | ND | 0 | ND |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILKES-BARRE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 17 | 14 | 2 | 1 | 3 |
| MOTOR VEHICLE ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 2 | 1 | 1 | 0 | 1 |
| DROWNING or SUFFOCATION | 3 | 3 | 0 | 0 | 2 |
| OTHER ACCIDENTS | 1 | 1 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 0 | 0 | 0 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 2 | 0 | 1 | 1 | 0 |
| ALL OTHER CAUSES | 8 | 8 | 0 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 3 | ND | 20 | 8.2 |
| WHITE | 3 | ND | 18 | 10.3 |
| BLACK | 0 | ND | 2 | ND |
| ASIAN/PI* | 0 | ND | 0 | ND |
| HISPANIC | 0 | ND | 2 | ND |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 2,055 | 24.3 |
| WHITE | 1,553 | 21.4 |
| BLACK | 372 | 45.2 |
| ASIAN/PI* | 0 | ND |
| HISPANIC | 17 | 9.6 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 145 | 9.5 | 286 | 23.8 | 73 | 4.7 | 415 | 28.6 |
| WHITE | 93 | 8.8 | 161 | 19.1 | 42 | 4.0 | 344 | 33.8 |
| BLACK | 32 | 14.7 | 50 | 30.5 | 16 | 7.3 | 44 | 21.5 |
| ASIAN/PI* | 3 | ND | 7 | ND | 0 | ND | 1 | ND |
| HISPANIC | 19 | 7.5 | 74 | 37.9 | 19 | 7.5 | 25 | 10.9 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILLIAMSPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 14 | 6 | 8 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS | 2 | 2 | 0 | 0 | 0 |
| RESIDENTIAL FIRE | 1 | 1 | 0 | 0 | 0 |
| DROWNING or SUFFOCATION | 2 | 0 | 2 | 0 | 0 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 2 | 0 | 2 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 7 | 3 | 4 | 0 | 0 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 1 | ND | 16 | 7.3 |
| WHITE | 1 | ND | 11 | 6.4 |
| BLACK | 0 | ND | 5 | ND |
| ASIAN/PI* | 0 | ND | 0 | ND |
| HISPANIC | 0 | ND | 0 | ND |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 1,648 | 24.8 |
| WHITE | 945 | 19.7 |
| BLACK | 517 | 34.7 |
| ASIAN/PI* | 38 | 74.5 |
| HISPANIC | 54 | 42.5 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 115 | 9.1 | 313 | 27.2 | 51 | 4.0 | 426 | 34.0 |
| WHITE | 88 | 9.0 | 185 | 20.8 | 31 | 3.2 | 337 | 34.9 |
| BLACK | 22 | 9.0 | 116 | 52.0 | 18 | 7.3 | 75 | 30.7 |
| ASIAN/PI* | 0 | ND | 2 | ND | 0 | ND | 3 | ND |
| HISPANIC | 5 | ND | 10 | 26.3 | 3 | ND | 14 | 34.1 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

YORK CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 24 | 16 | 7 | 0 | 5 |
| MOTOR VEHICLE ACCIDENTS | 4 | 3 | 1 | 0 | 0 |
| RESIDENTIAL FIRE | 6 | 5 | 1 | 0 | 2 |
| DROWNING or SUFFOCATION | 1 | 0 | 1 | 0 | 0 |
| OTHER ACCIDENTS | 0 | 0 | 0 | 0 | 0 |
| ASSAULT (HOMICIDE) | 5 | 2 | 3 | 0 | 1 |
| INTENTIONAL SELF-HARM (SUICIDE) | 1 | 1 | 0 | 0 | 0 |
| ALL OTHER CAUSES | 7 | 5 | 1 | 0 | 2 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 11 | 11.6 | 61 | 12.7 |
| WHITE | 5 | ND | 34 | 15.9 |
| BLACK | 5 | ND | 25 | 18.9 |
| ASIAN/PI* | 0 | ND | 1 | ND |
| HISPANIC | 2 | ND | 17 | 11.8 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|--------|---------|
| ALL RACES | 3,703 | 32.4 |
| WHITE | 1,042 | 22.0 |
| BLACK | 1,435 | 39.1 |
| ASIAN/PI* | 21 | 9.9 |
| HISPANIC | 1,254 | 41.3 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 333 | 11.3 | 614 | 25.1 | 178 | 6.0 | 589 | 21.6 |
| WHITE | 131 | 10.4 | 232 | 23.3 | 41 | 3.3 | 350 | 31.6 |
| BLACK | 126 | 15.0 | 187 | 26.6 | 75 | 8.9 | 151 | 19.3 |
| ASIAN/PI* | 6 | ND | 9 | ND | 2 | ND | 1 | ND |
| HISPANIC | 87 | 9.5 | 211 | 25.7 | 66 | 7.2 | 95 | 10.5 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PENNSYLVANIA

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2004-2008

| | ALL RACES | WHITE | BLACK | ASIAN/PI* | HISPANIC |
|---------------------------------|-----------|-------|-------|-----------|----------|
| ALL CAUSES | 3,053 | 2,299 | 689 | 37 | 181 |
| MOTOR VEHICLE ACCIDENTS | 628 | 553 | 66 | 5 | 24 |
| RESIDENTIAL FIRE | 133 | 83 | 46 | 4 | 12 |
| DROWNING or SUFFOCATION | 161 | 128 | 29 | 1 | 14 |
| OTHER ACCIDENTS | 199 | 180 | 17 | 1 | 3 |
| ASSAULT (HOMICIDE) | 297 | 105 | 184 | 5 | 20 |
| INTENTIONAL SELF-HARM (SUICIDE) | 170 | 150 | 18 | 1 | 11 |
| ALL OTHER CAUSES | 1,465 | 1,100 | 329 | 20 | 97 |

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2008 AND 2004-2008

| RACE or ETHNICITY | 2008 | | 2004-2008 | |
|-------------------|-------|------|-----------|------|
| | NO. | RATE | NO. | RATE |
| ALL RACES | 1,090 | 7.3 | 5,408 | 7.3 |
| WHITE | 716 | 6.7 | 3,443 | 6.3 |
| BLACK | 322 | 14.4 | 1,683 | 15.8 |
| ASIAN/PI* | 24 | 4.4 | 119 | 4.5 |
| HISPANIC | 101 | 7.3 | 448 | 6.9 |

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

| RACE or ETHNICITY | NUMBER | PERCENT |
|-------------------|---------|---------|
| ALL RACES | 421,745 | 14.7 |
| WHITE | 234,932 | 10.2 |
| BLACK | 129,204 | 35.8 |
| ASIAN/PI* | 9,378 | 17.0 |
| HISPANIC | 54,030 | 37.7 |

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2006-2008

| RACE or ETHNICITY of MOTHER | LOW BIRTH WEIGHT | | NO PRENATAL CARE IN FIRST TRIMESTER | | BIRTHS TO MOTHERS UNDER 18 | | SMOKED IN FIRST TRIMESTER | |
|-----------------------------|------------------|---------|-------------------------------------|---------|----------------------------|---------|---------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| ALL RACES | 37,276 | 8.4 | 74,306 | 20.3 | 13,446 | 3.0 | 71,569 | 16.7 |
| WHITE | 23,363 | 7.2 | 44,415 | 16.1 | 5,743 | 1.8 | 58,379 | 18.5 |
| BLACK | 9,027 | 13.8 | 16,755 | 35.2 | 4,976 | 7.5 | 9,035 | 14.5 |
| ASIAN/PI* | 1,336 | 8.1 | 3,180 | 23.8 | 133 | 0.8 | 444 | 2.8 |
| HISPANIC | 3,554 | 8.8 | 10,721 | 33.8 | 2,877 | 7.1 | 3,831 | 9.9 |

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914
Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats