

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALLENTOWN

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	29	21	7	0	16
MOTOR VEHICLE ACCIDENTS	3	2	1	0	1
RESIDENTIAL FIRE	2	1	1	0	1
DROWNING or SUFFOCATION	2	2	0	0	0
OTHER ACCIDENTS	5	4	1	0	4
ASSAULT (HOMICIDE)	2	1	1	0	1
INTENTIONAL SELF-HARM (SUICIDE)	2	1	1	0	1
ALL OTHER CAUSES	13	10	2	0	8

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	12	6.5	95	9.4
WHITE	11	15.9	66	18.4
BLACK	1	ND	22	17.3
ASIAN/PI*	0	ND	1	ND
HISPANIC	7	ND	31	5.7

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	10,794	35.8
WHITE	4,283	28.4
BLACK	1,512	31.2
ASIAN/PI*	95	24.2
HISPANIC	7,766	45.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	556	9.4	2,015	36.2	343	5.8	843	15.7
WHITE	159	7.7	544	27.7	49	2.4	425	21.8
BLACK	100	12.7	345	47.2	49	6.2	118	16.3
ASIAN/PI*	11	7.6	52	38.8	1	ND	8	ND
HISPANIC	308	9.5	1,178	38.8	265	8.2	326	11.5

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALTOONA

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	10	9	1	0	3
MOTOR VEHICLE ACCIDENTS	4	4	0	0	2
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	2	2	0	0	1
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	1	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	2	1	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	5	ND	21	6.8
WHITE	4	ND	18	6.3
BLACK	1	ND	3	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	0	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,688	25.3
WHITE	2,237	23.5
BLACK	373	67.1
ASIAN/PI*	NA	NA
HISPANIC	76	38.2

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	144	7.7	437	23.9	57	3.1	619	33.4
WHITE	125	7.3	391	23.1	51	3.0	568	33.1
BLACK	16	15.8	34	35.8	5	ND	36	36.0
ASIAN/PI*	0	ND	3	ND	0	ND	2	ND
HISPANIC	1	ND	7	ND	1	ND	7	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

BETHEL PARK

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	3	3	0	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	2	2	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	4	ND	10	7.3
WHITE	4	ND	10	7.7
BLACK	0	ND	0	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	1	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	229	3.2
WHITE	229	3.3
BLACK	NA	NA
ASIAN/PI*	NA	NA
HISPANIC	NA	NA

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	49	6.0	80	10.3	2	ND	74	9.1
WHITE	46	6.0	69	9.4	2	ND	71	9.3
BLACK	0	ND	0	ND	0	ND	2	ND
ASIAN/PI*	0	ND	5	ND	0	ND	0	ND
HISPANIC	3	ND	3	ND	0	ND	1	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

BETHLEHEM

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	19	15	3	1	7
MOTOR VEHICLE ACCIDENTS	2	2	0	0	0
RESIDENTIAL FIRE	4	4	0	0	4
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	1	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	11	7	3	1	3

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	9	ND	49	10.8
WHITE	6	ND	37	15.2
BLACK	2	ND	9	ND
ASIAN/PI*	0	ND	2	ND
HISPANIC	3	ND	18	10.1

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	3,634	24.3
WHITE	1,552	17.1
BLACK	451	25.5
ASIAN/PI*	0	ND
HISPANIC	2,716	43.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	231	8.7	673	26.3	117	4.4	353	13.7
WHITE	99	6.9	292	21.2	26	1.8	219	15.7
BLACK	29	14.4	76	39.4	7	ND	34	17.3
ASIAN/PI*	9	ND	21	23.6	0	ND	3	ND
HISPANIC	102	9.7	322	31.6	85	8.1	115	11.4

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

CHAMBERSBURG

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	3	0	3	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	0	1	0	0
OTHER ACCIDENTS	1	0	1	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	1	0	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	4	ND	16	8.2
WHITE	3	ND	12	9.6
BLACK	1	ND	3	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	1	ND	4	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,533	34.6
WHITE	1,006	30.2
BLACK	174	32.8
ASIAN/PI*	NA	NA
HISPANIC	632	53.7

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	98	8.4	466	43.6	34	2.9	177	16.3
WHITE	58	7.8	216	32.7	11	1.5	136	20.1
BLACK	9	ND	52	49.1	5	ND	23	21.7
ASIAN/PI*	3	ND	8	ND	2	ND	6	ND
HISPANIC	27	9.0	199	68.9	15	5.0	14	4.8

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

CHESTER

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	16	3	13	0	2
MOTOR VEHICLE ACCIDENTS	2	0	2	0	0
RESIDENTIAL FIRE	1	0	1	0	0
DROWNING or SUFFOCATION	1	0	1	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	4	0	4	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	8	3	5	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	11	17.5	47	15.0
WHITE	0	ND	3	ND
BLACK	10	19.5	43	16.8
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	2	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	4,984	51.9
WHITE	417	63.1
BLACK	4,258	50.2
ASIAN/PI*	NA	NA
HISPANIC	662	74.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	247	12.9	972	52.6	177	9.2	277	17.5
WHITE	27	15.1	81	47.1	4	ND	66	40.0
BLACK	203	13.1	790	52.8	151	9.7	191	15.0
ASIAN/PI*	1	ND	4	ND	0	ND	1	ND
HISPANIC	16	8.0	103	52.6	25	12.5	25	15.1

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

EASTON

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	7	5	2	0	1
MOTOR VEHICLE ACCIDENTS	1	1	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	0	1	0	0
ALL OTHER CAUSES	4	4	0	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	5	ND	26	10.8
WHITE	3	ND	11	7.7
BLACK	2	ND	10	23.7
ASIAN/PI*	0	ND	1	ND
HISPANIC	2	ND	5	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,759	30.6
WHITE	632	21.9
BLACK	513	40.9
ASIAN/PI*	NA	NA
HISPANIC	638	38.1

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	151	11.9	416	37.3	39	3.0	250	21.3
WHITE	78	11.0	206	33.4	18	2.5	163	25.2
BLACK	42	17.1	92	42.2	9	ND	53	23.3
ASIAN/PI*	3	ND	19	59.4	0	ND	1	ND
HISPANIC	33	10.4	119	41.3	15	4.7	44	14.2

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ERIE

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	27	17	8	0	2
MOTOR VEHICLE ACCIDENTS	1	0	1	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	3	2	1	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	4	3	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	3	1	2	0	0
ALL OTHER CAUSES	15	10	3	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	15	9.2	105	12.6
WHITE	8	ND	48	8.9
BLACK	7	ND	52	25.5
ASIAN/PI*	0	ND	2	ND
HISPANIC	1	ND	5	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	8,947	36.6
WHITE	4,438	28.4
BLACK	2,908	50.8
ASIAN/PI*	155	46.0
HISPANIC	1,279	54.4

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	520	10.5	1,451	29.7	246	5.0	1,474	30.0
WHITE	257	8.1	765	24.5	83	2.6	1,011	32.1
BLACK	195	16.1	479	40.1	121	10.0	335	27.8
ASIAN/PI*	8	ND	24	36.4	1	ND	7	ND
HISPANIC	47	11.1	138	33.3	41	9.7	105	24.9

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HARRISBURG

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	24	3	20	0	1
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	5	0	5	0	0
DROWNING or SUFFOCATION	2	0	2	0	0
OTHER ACCIDENTS	2	1	1	0	0
ASSAULT (HOMICIDE)	3	0	3	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	12	2	9	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	12	11.5	72	13.5
WHITE	2	ND	25	21.2
BLACK	10	17.2	46	16.5
ASIAN/PI*	0	ND	1	ND
HISPANIC	1	ND	10	8.3

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	6,297	46.8
WHITE	1,223	44.2
BLACK	4,030	47.9
ASIAN/PI*	98	43.8
HISPANIC	1,656	59.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	398	12.6	1,395	46.1	185	5.8	622	19.9
WHITE	62	9.1	211	32.2	14	2.1	164	24.4
BLACK	246	14.6	792	49.2	117	6.9	348	20.8
ASIAN/PI*	13	14.1	31	36.0	0	ND	6	ND
HISPANIC	73	10.1	368	53.6	58	8.0	106	14.8

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HAZLETON

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	9	9	0	0	5
MOTOR VEHICLE ACCIDENTS	1	1	0	0	0
RESIDENTIAL FIRE	2	2	0	0	2
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	1	1	0	0	1
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	2	2	0	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	3	ND	15	7.7
WHITE	2	ND	11	11.0
BLACK	0	ND	3	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	1	ND	6	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,101	35.5
WHITE	1,324	30.7
BLACK	NA	NA
ASIAN/PI*	NA	NA
HISPANIC	1,672	52.9

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	118	10.1	441	39.3	70	6.0	183	18.2
WHITE	49	9.1	172	33.0	27	5.0	155	31.3
BLACK	11	24.4	14	32.6	5	ND	3	ND
ASIAN/PI*	1	ND	1	ND	0	ND	0	ND
HISPANIC	56	8.7	289	46.5	40	6.2	26	5.0

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

JOHNSTOWN

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	11	8	3	0	0
MOTOR VEHICLE ACCIDENTS	2	2	0	0	0
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	8	5	3	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	5	ND	26	16.6
WHITE	3	ND	20	16.4
BLACK	2	ND	5	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	0	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,281	49.8
WHITE	1,284	43.4
BLACK	727	66.8
ASIAN/PI*	NA	NA
HISPANIC	NA	NA

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	121	12.8	282	30.1	38	4.0	392	41.5
WHITE	82	11.5	195	27.5	21	2.9	290	40.6
BLACK	34	17.2	78	39.8	13	6.6	91	46.0
ASIAN/PI*	0	ND	0	ND	0	ND	0	ND
HISPANIC	4	ND	20	44.4	3	ND	13	28.3

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LANCASTER

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	19	13	6	0	8
MOTOR VEHICLE ACCIDENTS	6	3	3	0	1
RESIDENTIAL FIRE	1	1	0	0	1
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	2	1	1	0	1
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	8	6	2	0	5

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	14	13.3	61	10.8
WHITE	12	28.9	51	24.2
BLACK	2	ND	10	10.8
ASIAN/PI*	0	ND	0	ND
HISPANIC	9	ND	28	10.5

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	6,125	40.2
WHITE	3,351	37.4
BLACK	1,349	48.3
ASIAN/PI*	138	43.4
HISPANIC	3,827	46.9

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	380	11.2	1,156	36.6	221	6.5	547	16.3
WHITE	109	8.6	365	30.5	27	2.1	269	21.5
BLACK	70	12.9	233	46.0	48	8.8	114	21.1
ASIAN/PI*	15	14.3	57	58.2	4	ND	4	ND
HISPANIC	193	12.2	543	37.1	149	9.4	173	11.0

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LEBANON

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	5	5	0	0	2
MOTOR VEHICLE ACCIDENTS	1	1	0	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	3	3	0	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	4	ND	30	13.1
WHITE	3	ND	26	15.5
BLACK	1	ND	4	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	1	ND	11	12.6

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,258	34.8
WHITE	931	26.1
BLACK	197	33.6
ASIAN/PI*	NA	NA
HISPANIC	1,548	51.1

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	120	8.8	556	42.0	69	5.1	277	20.4
WHITE	74	7.7	354	37.4	44	4.6	241	25.0
BLACK	8	ND	38	63.3	4	ND	10	15.9
ASIAN/PI*	0	ND	4	ND	0	ND	1	ND
HISPANIC	48	9.1	234	45.8	41	7.8	54	10.3

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

MONROEVILLE

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	7	5	0	1	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	1	1	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	5	3	0	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	1	ND	7	ND
WHITE	1	ND	5	ND
BLACK	0	ND	2	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	0	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	406	7.9
WHITE	93	2.6
BLACK	248	30.8
ASIAN/PI*	35	10.9
HISPANIC	NA	NA

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	71	8.6	105	13.4	12	1.4	99	12.1
WHITE	43	7.5	65	11.7	7	ND	74	12.9
BLACK	21	14.3	22	16.8	4	ND	22	15.4
ASIAN/PI*	3	ND	16	20.8	0	ND	0	ND
HISPANIC	1	ND	3	ND	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

MURRYSVILLE

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	1	1	0	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	1	1	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	1	ND	2	ND
WHITE	1	ND	2	ND
BLACK	0	ND	0	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	1	ND	1	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	26	0.6
WHITE	26	0.6
BLACK	NA	NA
ASIAN/PI*	0	ND
HISPANIC	NA	NA

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	31	8.9	35	10.4	3	ND	21	6.1
WHITE	28	8.7	32	10.2	3	ND	21	6.6
BLACK	1	ND	0	ND	0	ND	0	ND
ASIAN/PI*	2	ND	2	ND	0	ND	0	ND
HISPANIC	0	ND	0	ND	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NEW CASTLE

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	5	5	0	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	1	1	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	1	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	1	1	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	7	ND	17	10.4
WHITE	5	ND	12	9.2
BLACK	0	ND	3	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	0	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,769	33.0
WHITE	969	24.6
BLACK	491	58.7
ASIAN/PI*	NA	NA
HISPANIC	NA	NA

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	107	11.3	324	35.1	51	5.4	375	42.5
WHITE	82	11.0	240	32.7	29	3.9	306	43.1
BLACK	24	15.1	72	46.8	19	11.9	54	38.3
ASIAN/PI*	0	ND	1	ND	0	ND	2	ND
HISPANIC	0	ND	4	ND	2	ND	4	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NORRISTOWN

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	16	11	5	0	7
MOTOR VEHICLE ACCIDENTS	2	1	1	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	1
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	3	1	2	0	0
INTENTIONAL SELF-HARM (SUICIDE)	2	2	0	0	1
ALL OTHER CAUSES	8	6	2	0	4

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	10	12.9	44	11.2
WHITE	2	ND	11	8.0
BLACK	8	ND	31	24.5
ASIAN/PI*	0	ND	1	ND
HISPANIC	2	ND	10	6.1

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,372	28.4
WHITE	670	20.5
BLACK	1,235	34.8
ASIAN/PI*	NA	NA
HISPANIC	588	26.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	196	8.2	1,284	56.5	146	6.1	270	11.7
WHITE	47	7.2	262	42.0	15	2.3	132	20.6
BLACK	103	13.0	448	59.3	71	8.9	114	15.0
ASIAN/PI*	4	ND	16	43.2	0	ND	2	ND
HISPANIC	39	4.0	606	64.9	67	6.9	23	2.5

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PHILADELPHIA

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	456	116	316	22	56
MOTOR VEHICLE ACCIDENTS	50	17	29	4	7
RESIDENTIAL FIRE	33	7	24	2	1
DROWNING or SUFFOCATION	8	2	6	0	1
OTHER ACCIDENTS	13	6	7	0	1
ASSAULT (HOMICIDE)	100	9	90	1	6
INTENTIONAL SELF-HARM (SUICIDE)	25	7	15	3	5
ALL OTHER CAUSES	227	68	145	12	35

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	248	10.7	1,324	11.3
WHITE	65	10.5	327	10.5
BLACK	148	13.3	866	15.3
ASIAN/PI*	4	ND	40	5.6
HISPANIC	31	8.1	140	7.2

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	120,803	35.3
WHITE	19,385	20.4
BLACK	73,364	40.2
ASIAN/PI*	6,020	31.8
HISPANIC	29,440	49.0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	7,698	11.1	29,041	46.5	3,553	5.1	7,656	11.4
WHITE	1,373	7.3	5,789	33.4	298	1.6	3,005	16.4
BLACK	4,629	13.8	15,672	52.5	2,341	6.9	3,384	10.5
ASIAN/PI*	353	8.6	1,685	45.0	65	1.6	87	2.2
HISPANIC	1,128	9.6	5,184	50.0	826	7.0	1,103	9.6

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PITTSBURGH

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	91	28	61	2	2
MOTOR VEHICLE ACCIDENTS	8	4	3	1	0
RESIDENTIAL FIRE	6	0	6	0	0
DROWNING or SUFFOCATION	3	2	1	0	0
OTHER ACCIDENTS	6	4	2	0	0
ASSAULT (HOMICIDE)	27	4	23	0	1
INTENTIONAL SELF-HARM (SUICIDE)	5	2	3	0	1
ALL OTHER CAUSES	36	12	23	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	29	8.0	200	10.8
WHITE	13	6.5	54	5.4
BLACK	16	12.7	138	20.3
ASIAN/PI*	0	ND	6	ND
HISPANIC	0	ND	4	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	15,884	30.4
WHITE	4,057	16.3
BLACK	10,169	47.2
ASIAN/PI*	134	8.7
HISPANIC	506	29.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	1,121	10.1	1,492	14.8	384	3.4	1,981	18.1
WHITE	425	7.0	674	11.8	71	1.2	1,128	18.7
BLACK	617	15.4	665	19.4	299	7.4	795	20.5
ASIAN/PI*	39	5.9	67	11.3	1	ND	5	ND
HISPANIC	27	10.3	49	21.4	8	ND	26	10.4

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PLUM

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	4	4	0	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	2	2	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	2	ND	4	ND
WHITE	1	ND	2	ND
BLACK	0	ND	1	ND
ASIAN/PI*	1	ND	1	ND
HISPANIC	0	ND	0	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	356	6.0
WHITE	274	5.2
BLACK	10	5.9
ASIAN/PI*	NA	NA
HISPANIC	NA	NA

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	37	4.9	53	7.3	6	ND	70	9.4
WHITE	34	4.8	45	6.6	6	ND	68	9.7
BLACK	3	ND	4	ND	0	ND	2	ND
ASIAN/PI*	0	ND	1	ND	0	ND	0	ND
HISPANIC	1	ND	1	ND	0	ND	1	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

POTTSTOWN

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	7	3	4	0	0
MOTOR VEHICLE ACCIDENTS	2	1	1	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	4	1	3	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	2	ND	19	9.2
WHITE	0	ND	13	8.8
BLACK	2	ND	4	ND
ASIAN/PI*	0	ND	1	ND
HISPANIC	0	ND	2	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,086	20.3
WHITE	333	10.7
BLACK	557	37.7
ASIAN/PI*	NA	NA
HISPANIC	16	3.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	93	7.3	474	37.7	42	3.3	250	19.9
WHITE	57	6.4	287	32.7	19	2.1	194	22.1
BLACK	25	9.4	125	47.7	18	6.7	37	14.1
ASIAN/PI*	0	ND	9	ND	0	ND	1	ND
HISPANIC	13	10.0	63	49.2	5	ND	16	12.6

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

READING

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	25	19	6	0	19
MOTOR VEHICLE ACCIDENTS	2	2	0	0	1
RESIDENTIAL FIRE	3	3	0	0	3
DROWNING or SUFFOCATION	1	1	0	0	1
OTHER ACCIDENTS	1	0	1	0	1
ASSAULT (HOMICIDE)	3	0	3	0	1
INTENTIONAL SELF-HARM (SUICIDE)	2	1	1	0	1
ALL OTHER CAUSES	13	12	1	0	11

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	21	11.6	81	8.6
WHITE	13	24.7	53	17.2
BLACK	7	ND	25	23.1
ASIAN/PI*	0	ND	0	ND
HISPANIC	12	9.8	45	7.2

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	12,805	48.6
WHITE	4,607	42.5
BLACK	1,632	45.9
ASIAN/PI*	0	ND
HISPANIC	10,260	53.9

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	536	9.5	2,413	45.1	439	7.8	887	16.5
WHITE	139	8.4	621	40.1	68	4.1	435	27.5
BLACK	85	12.9	330	52.6	52	7.9	135	21.6
ASIAN/PI*	4	ND	25	45.5	0	ND	3	ND
HISPANIC	357	9.4	1,675	46.2	352	9.3	360	10.0

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

SCRANTON

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	16	13	3	0	1
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	2	1	1	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	2	2	0	0	1
ASSAULT (HOMICIDE)	3	1	2	0	0
INTENTIONAL SELF-HARM (SUICIDE)	2	2	0	0	0
ALL OTHER CAUSES	7	7	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	12	12.8	38	7.8
WHITE	9	ND	27	7.5
BLACK	3	ND	8	ND
ASIAN/PI*	0	ND	2	ND
HISPANIC	2	ND	4	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	4,191	27.7
WHITE	2,610	21.2
BLACK	913	58.0
ASIAN/PI*	37	25.2
HISPANIC	1,029	45.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	272	9.4	949	34.7	110	3.8	729	25.4
WHITE	198	9.4	571	28.6	76	3.6	626	30.0
BLACK	34	15.5	111	55.5	6	ND	68	31.2
ASIAN/PI*	7	ND	30	33.0	1	ND	0	ND
HISPANIC	41	7.1	295	53.7	37	6.4	52	9.1

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

STATE COLLEGE

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	0	0	0	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	0	0	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	3	ND	7	ND
WHITE	3	ND	5	ND
BLACK	0	ND	0	ND
ASIAN/PI*	0	ND	1	ND
HISPANIC	0	ND	0	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	408	23.0
WHITE	289	26.5
BLACK	13	10.8
ASIAN/PI*	77	29.8
HISPANIC	22	71.0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	36	7.9	80	17.9	0	ND	15	3.3
WHITE	20	7.0	43	15.2	0	ND	12	4.2
BLACK	6	ND	9	ND	0	ND	2	ND
ASIAN/PI*	9	ND	23	18.9	0	ND	0	ND
HISPANIC	1	ND	3	ND	0	ND	3	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WEST MIFFLIN

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	6	4	2	0	1
MOTOR VEHICLE ACCIDENTS	1	0	1	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	3	3	0	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	1	ND	8	ND
WHITE	1	ND	4	ND
BLACK	0	ND	4	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	0	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	760	17.6
WHITE	431	12.1
BLACK	248	40.7
ASIAN/PI*	NA	NA
HISPANIC	NA	NA

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	55	8.6	63	10.4	9	ND	134	21.0
WHITE	35	7.3	40	8.8	6	ND	101	21.1
BLACK	20	13.5	21	15.6	2	ND	30	20.7
ASIAN/PI*	0	ND	0	ND	0	ND	1	ND
HISPANIC	0	ND	2	ND	0	ND	1	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILKES-BARRE

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	17	14	2	1	4
MOTOR VEHICLE ACCIDENTS	3	3	0	0	0
RESIDENTIAL FIRE	2	1	1	0	1
DROWNING or SUFFOCATION	4	4	0	0	2
OTHER ACCIDENTS	2	2	0	0	1
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	1	0	0	1	0
ALL OTHER CAUSES	4	4	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	2	ND	22	8.8
WHITE	2	ND	20	11.9
BLACK	0	ND	2	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	1	ND	3	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	3,124	36.6
WHITE	1,678	28.8
BLACK	929	54.1
ASIAN/PI*	NA	NA
HISPANIC	510	36.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	121	8.3	511	37.1	67	4.6	417	30.6
WHITE	71	7.6	276	30.9	41	4.4	335	37.1
BLACK	30	12.2	114	47.9	16	6.5	60	26.4
ASIAN/PI*	2	ND	7	ND	1	ND	0	ND
HISPANIC	16	6.3	115	48.1	15	5.9	30	13.0

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILLIAMSPORT

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	11	5	6	0	0
MOTOR VEHICLE ACCIDENTS	2	2	0	0	0
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SELF-HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	8	3	5	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	8	ND	26	12.5
WHITE	4	ND	14	8.7
BLACK	4	ND	10	24.9
ASIAN/PI*	0	ND	0	ND
HISPANIC	1	ND	1	ND

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,174	34.4
WHITE	1,076	25.2
BLACK	676	51.6
ASIAN/PI*	NA	NA
HISPANIC	NA	NA

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	122	9.9	438	36.1	60	4.8	363	29.4
WHITE	87	9.1	284	30.2	35	3.6	283	29.5
BLACK	32	13.6	134	57.5	23	9.7	63	26.7
ASIAN/PI*	0	ND	7	ND	0	ND	3	ND
HISPANIC	3	ND	19	46.3	3	ND	16	37.2

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

YORK

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	24	13	9	0	6
MOTOR VEHICLE ACCIDENTS	2	2	0	0	0
RESIDENTIAL FIRE	5	4	1	0	2
DROWNING or SUFFOCATION	2	1	1	0	1
OTHER ACCIDENTS	2	0	2	0	0
ASSAULT (HOMICIDE)	5	1	4	0	1
INTENTIONAL SELF-HARM (SUICIDE)	1	1	0	0	0
ALL OTHER CAUSES	7	4	1	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	9	ND	54	11.1
WHITE	3	ND	31	15.8
BLACK	5	ND	20	14.1
ASIAN/PI*	0	ND	1	ND
HISPANIC	4	ND	20	13.0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	6,058	50.2
WHITE	2,389	47.7
BLACK	1,655	42.2
ASIAN/PI*	80	38.1
HISPANIC	2,823	58.4

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	346	12.1	972	36.1	167	5.8	550	20.2
WHITE	112	10.2	332	33.3	33	3.0	311	30.8
BLACK	144	16.7	311	38.5	73	8.5	150	18.2
ASIAN/PI*	2	ND	5	ND	1	ND	2	ND
HISPANIC	94	10.4	333	37.2	65	7.2	88	9.8

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PENNSYLVANIA

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2006-2010

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	2,713	2,008	634	37	191
MOTOR VEHICLE ACCIDENTS	526	462	57	5	25
RESIDENTIAL FIRE	130	79	49	2	16
DROWNING or SUFFOCATION	136	113	21	0	15
OTHER ACCIDENTS	201	171	24	3	10
ASSAULT (HOMICIDE)	250	76	169	2	14
INTENTIONAL SELF-HARM (SUICIDE)	190	156	29	4	10
ALL OTHER CAUSES	1,280	951	285	21	101

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2010 AND 2006-2010

RACE or ETHNICITY	2010		2006-2010	
	NO.	RATE	NO.	RATE
ALL RACES	1,035	7.3	5,414	7.4
WHITE	658	6.4	3,377	6.3
BLACK	312	14.4	1,742	15.9
ASIAN/PI*	16	3.0	113	4.1
HISPANIC	114	8.4	471	6.9

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 2010, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	479,472	17.3
WHITE	256,559	12.1
BLACK	141,848	37.8
ASIAN/PI*	11,501	14.5
HISPANIC	88,874	37.9

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2008-2010

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		SMOKED IN FIRST TRIMESTER	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ALL RACES	36,252	8.3	119,865	29.1	12,140	2.8	67,106	15.9
WHITE	22,331	7.1	71,280	23.8	5,117	1.6	54,547	17.8
BLACK	8,874	13.5	27,091	45.4	4,400	6.7	8,524	13.6
ASIAN/PI*	1,273	7.9	4,725	31.1	96	0.6	315	2.0
HISPANIC	3,643	8.8	17,145	44.4	2,691	6.5	3,768	9.5

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
NA=Not Available

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V-83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V-89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

*Asian/Pacific Islander

SOURCES: Poverty Data: American Community Survey (ACS), U.S. Census Bureau

Birth and Death Data: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1914

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and many others are on our web site at www.health.state.pa.us/stats