

MATERNAL AND CHILD HEALTH STATUS INDICATORS

2013 Report



MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALLENTOWN

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	480	8.5	1,962	36.1	272	4.8
WHITE	161	7.8	553	27.7	50	2.4
BLACK	79	10.7	335	47.1	35	4.7
ASIAN/PI*	11	8.0	55	40.7	1	ND
HISPANIC	269	8.4	1,199	39.2	214	6.7

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	690	13.0	552	9.8	1,409	25.5
WHITE	354	17.8	194	9.4	507	25.2
BLACK	117	16.8	73	10.0	226	31.3
ASIAN/PI*	3	ND	16	11.7	21	15.7
HISPANIC	285	9.7	318	10.0	782	25.0

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	21	3	1
WHITE	8	3	0
BLACK	6	0	0
ASIAN/PI*	1	0	1
HISPANIC	9	2	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	4	ND	73	7.6
WHITE	2	ND	51	14.8
BLACK	0	ND	15	12.2
ASIAN/PI*	0	ND	1	ND
HISPANIC	4	ND	39	7.3

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ALTOONA

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	155	8.5	395	22.3	58	3.2
WHITE	144	8.5	351	21.4	47	2.8
BLACK	7	ND	28	37.3	4	ND
ASIAN/PI*	1	ND	1	ND	1	ND
HISPANIC	3	ND	8	ND	2	ND

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	521	28.7	164	9.0	692	37.8
WHITE	476	28.3	154	9.1	636	37.5
BLACK	24	30.8	7	ND	39	49.4
ASIAN/PI*	1	ND	0	ND	2	ND
HISPANIC	7	ND	2	ND	8	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	9	1	1
WHITE	8	1	1
BLACK	1	0	0
ASIAN/PI*	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	8	ND	21	6.8
WHITE	7	ND	19	6.7
BLACK	0	ND	1	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

BETHEL PARK

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	39	4.8	91	11.4	4	ND
WHITE	33	4.4	82	11.1	3	ND
BLACK	0	ND	2	ND	1	ND
ASIAN/PI*	4	ND	5	ND	0	ND
HISPANIC	3	ND	2	ND	0	ND

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	54	6.7	51	6.3	162	20.0
WHITE	50	6.7	46	6.1	146	19.6
BLACK	3	ND	1	ND	3	ND
ASIAN/PI*	1	ND	2	ND	8	ND
HISPANIC	0	ND	3	ND	0	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	3	0	0
WHITE	3	0	0
BLACK	0	0	0
ASIAN/PI*	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	1	ND	6	ND
WHITE	1	ND	6	ND
BLACK	0	ND	0	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	1	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

BETHLEHEM

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	231	8.7	632	24.4	68	2.5
WHITE	113	7.5	278	18.8	21	1.4
BLACK	27	12.6	83	40.9	9	ND
ASIAN/PI*	8	ND	27	26.2	0	ND
HISPANIC	87	8.6	278	28.4	45	4.5

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	281	10.9	266	10.0	546	21.8
WHITE	201	13.6	151	10.0	285	19.9
BLACK	21	10.1	24	11.2	56	27.3
ASIAN/PI*	1	ND	7	ND	3	ND
HISPANIC	73	7.7	103	10.3	246	26.5

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	9	1	2
WHITE	7	1	2
BLACK	1	0	0
ASIAN/PI*	0	0	0
HISPANIC	2	1	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	7	ND	39	8.8
WHITE	2	ND	22	8.9
BLACK	0	ND	8	ND
ASIAN/PI*	1	ND	1	ND
HISPANIC	3	ND	17	10.0

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

CHAMBERSBURG

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	91	8.3	281	26.4	39	3.5
WHITE	45	6.6	147	22.1	22	3.2
BLACK	15	13.6	31	29.0	2	ND
ASIAN/PI*	1	ND	4	ND	0	ND
HISPANIC	27	9.1	100	34.5	15	5.0

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	191	17.4	121	11.2	150	13.8
WHITE	143	21.0	66	9.8	105	15.6
BLACK	31	28.4	19	17.6	18	16.7
ASIAN/PI*	3	ND	1	ND	2	ND
HISPANIC	9	ND	34	11.5	27	9.1

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	2	2	0
WHITE	2	2	0
BLACK	0	0	0
ASIAN/PI*	0	0	0
HISPANIC	2	2	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	4	ND	14	7.7
WHITE	1	ND	9	ND
BLACK	2	ND	3	ND
ASIAN/PI*	0	ND	1	ND
HISPANIC	1	ND	6	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

CHESTER

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	209	12.2	743	46.4	83	4.8
WHITE	19	13.5	60	45.1	6	ND
BLACK	176	12.8	600	46.8	66	4.8
ASIAN/PI*	0	ND	1	ND	0	ND
HISPANIC	17	9.6	68	41.7	10	5.6

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	272	18.2	219	12.8	834	49.8
WHITE	52	40.3	18	12.7	61	45.9
BLACK	195	16.2	185	13.5	707	52.4
ASIAN/PI*	0	ND	0	ND	0	ND
HISPANIC	16	11.0	19	10.7	58	33.7

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	20	3	0
WHITE	4	1	0
BLACK	16	2	0
ASIAN/PI*	0	0	0
HISPANIC	4	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	8	ND	45	14.9
WHITE	0	ND	1	ND
BLACK	8	ND	42	17.3
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

EASTON

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	106	9.7	387	36.3	30	2.6
WHITE	61	10.4	177	30.8	7	ND
BLACK	28	14.8	86	46.7	6	ND
ASIAN/PI*	1	ND	13	46.4	0	ND
HISPANIC	18	5.6	108	35.3	16	4.9

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	238	21.5	124	11.0	420	39.2
WHITE	168	28.0	64	10.6	236	41.5
BLACK	39	20.2	29	14.7	94	49.5
ASIAN/PI*	1	ND	3	ND	5	ND
HISPANIC	32	10.2	28	8.6	91	29.8

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	2	0	1
WHITE	2	0	1
BLACK	0	0	0
ASIAN/PI*	0	0	0
HISPANIC	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	1	ND	16	8.3
WHITE	1	ND	7	ND
BLACK	0	ND	8	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	3	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

ERIE

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	441	9.4	1,291	28.0	187	4.0
WHITE	226	8.1	627	22.7	65	2.3
BLACK	140	12.9	377	35.5	80	7.3
ASIAN/PI*	22	11.3	82	44.1	2	ND
HISPANIC	44	9.6	147	32.9	38	8.3

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	1,076	23.0	448	9.6	1,850	39.6
WHITE	754	26.9	263	9.4	940	33.7
BLACK	227	20.9	106	9.7	607	56.1
ASIAN/PI*	3	ND	11	5.7	54	28.0
HISPANIC	85	18.6	52	11.4	192	42.2

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	10	1	3
WHITE	8	1	3
BLACK	2	0	0
ASIAN/PI*	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	15	9.9	83	10.4
WHITE	10	11.6	42	8.6
BLACK	3	ND	31	16.2
ASIAN/PI*	0	ND	1	ND
HISPANIC	1	ND	3	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HARRISBURG

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	355	12.0	1,282	45.6	152	5.1
WHITE	55	8.7	215	35.0	15	2.4
BLACK	226	14.9	677	47.1	92	6.0
ASIAN/PI*	11	10.6	45	47.4	2	ND
HISPANIC	68	9.6	336	50.2	47	6.6

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	523	17.8	343	11.6	1,032	35.0
WHITE	140	22.3	61	9.6	150	23.9
BLACK	275	18.1	203	13.4	668	44.2
ASIAN/PI*	3	ND	8	ND	19	18.4
HISPANIC	89	12.8	72	10.2	198	28.2

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	14	2	0
WHITE	2	0	0
BLACK	11	2	0
ASIAN/PI*	0	0	0
HISPANIC	3	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	14	14.1	66	13.1
WHITE	0	ND	9	ND
BLACK	13	26.1	52	19.7
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	7	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

HAZLETON

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	137	10.8	463	37.8	48	3.8
WHITE	53	11.2	145	31.6	11	2.3
BLACK	7	ND	24	42.1	3	ND
ASIAN/PI*	2	ND	6	ND	0	ND
HISPANIC	83	9.9	323	40.1	35	4.2

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	165	14.9	132	11.5	398	32.7
WHITE	129	30.3	49	11.1	227	49.1
BLACK	13	23.6	6	ND	15	27.8
ASIAN/PI*	0	ND	1	ND	2	ND
HISPANIC	27	3.8	83	11.2	173	21.8

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	5	0	1
WHITE	2	0	1
BLACK	1	0	0
ASIAN/PI*	0	0	0
HISPANIC	3	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	1	ND	22	10.6
WHITE	0	ND	12	14.6
BLACK	0	ND	2	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	1	ND	15	11.5

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

JOHNSTOWN

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	119	13.0	249	27.4	34	3.7
WHITE	85	12.8	166	25.2	20	3.0
BLACK	25	12.8	67	34.7	10	5.1
ASIAN/PI*	3	ND	1	ND	0	ND
HISPANIC	3	ND	14	34.1	3	ND

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	380	41.6	109	12.0	415	45.4
WHITE	302	45.6	75	11.4	300	45.4
BLACK	63	32.3	21	10.8	94	48.2
ASIAN/PI*	0	ND	3	ND	2	ND
HISPANIC	6	ND	6	ND	12	29.3

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	9	1	1
WHITE	5	1	0
BLACK	2	0	0
ASIAN/PI*	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	2	ND	15	9.8
WHITE	2	ND	9	ND
BLACK	0	ND	5	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LANCASTER

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	301	9.5	1,109	35.9	140	4.4
WHITE	83	6.5	394	31.6	18	1.4
BLACK	55	11.7	194	42.3	21	4.5
ASIAN/PI*	17	11.7	74	53.6	8	ND
HISPANIC	150	10.3	484	34.0	105	7.2

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	451	14.3	338	10.9	1,115	35.3
WHITE	212	16.6	101	8.2	325	25.6
BLACK	81	17.3	62	13.3	223	47.8
ASIAN/PI*	5	ND	16	11.0	43	29.9
HISPANIC	163	11.2	169	11.7	587	40.5

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	12	5	0
WHITE	7	4	0
BLACK	2	1	0
ASIAN/PI*	0	0	0
HISPANIC	5	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	11	10.9	51	9.5
WHITE	1	ND	30	14.2
BLACK	2	ND	8	ND
ASIAN/PI*	0	ND	1	ND
HISPANIC	6	ND	29	11.7

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

LEBANON

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	163	11.9	519	39.1	62	4.5
WHITE	109	10.3	376	36.3	45	4.2
BLACK	12	22.2	32	66.7	1	ND
ASIAN/PI*	1	ND	3	ND	0	ND
HISPANIC	78	13.0	257	44.4	45	7.5

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	254	18.5	152	11.2	401	29.5
WHITE	222	20.9	102	9.7	327	31.1
BLACK	13	23.6	6	ND	13	24.1
ASIAN/PI*	2	ND	1	ND	2	ND
HISPANIC	64	10.7	73	12.3	170	28.6

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	1	1	0
WHITE	1	1	0
BLACK	0	0	0
ASIAN/PI*	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	8	ND	23	10.2
WHITE	2	ND	13	7.7
BLACK	0	ND	2	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	5	ND	12	12.6

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

MONROEVILLE

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	52	6.1	99	12.1	12	1.4
WHITE	33	5.8	62	11.3	3	ND
BLACK	14	10.9	17	14.2	7	ND
ASIAN/PI*	3	ND	11	10.4	0	ND
HISPANIC	1	ND	4	ND	1	ND

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	78	9.2	60	7.0	182	21.7
WHITE	65	11.5	41	7.2	132	23.6
BLACK	12	9.4	14	10.9	36	28.1
ASIAN/PI*	0	ND	3	ND	6	ND
HISPANIC	1	ND	1	ND	2	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	2	0	0
WHITE	1	0	0
BLACK	1	0	0
ASIAN/PI*	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	2	ND	8	ND
WHITE	1	ND	4	ND
BLACK	0	ND	2	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

MURRYSVILLE

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	25	6.5	32	8.6	0	ND
WHITE	24	6.7	32	9.3	0	ND
BLACK	0	ND	0	ND	0	ND
ASIAN/PI*	1	ND	0	ND	0	ND
HISPANIC	0	ND	0	ND	0	ND

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	26	6.8	23	5.9	74	19.5
WHITE	25	7.0	23	6.4	72	20.5
BLACK	1	ND	0	ND	1	ND
ASIAN/PI*	0	ND	0	ND	1	ND
HISPANIC	0	ND	0	ND	0	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	3	1	1
WHITE	3	1	1
BLACK	0	0	0
ASIAN/PI*	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	1	ND	2	ND
WHITE	1	ND	2	ND
BLACK	0	ND	0	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	1	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NEW CASTLE

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	112	11.1	328	33.9	47	4.6
WHITE	86	10.8	250	32.9	27	3.4
BLACK	16	10.9	54	38.8	17	11.3
ASIAN/PI*	0	ND	1	ND	0	ND
HISPANIC	3	ND	9	ND	0	ND

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	391	41.0	126	12.5	493	48.8
WHITE	303	40.0	94	12.0	386	48.8
BLACK	56	42.7	18	11.9	75	50.0
ASIAN/PI*	2	ND	0	ND	0	ND
HISPANIC	10	37.0	6	ND	13	50.0

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	7	1	2
WHITE	4	1	1
BLACK	2	0	1
ASIAN/PI*	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	4	ND	22	13.4
WHITE	1	ND	14	10.8
BLACK	2	ND	5	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

NORRISTOWN

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	199	9.5	1,076	57.5	80	3.8
WHITE	46	8.6	178	36.9	9	ND
BLACK	97	14.0	345	55.9	31	4.4
ASIAN/PI*	3	ND	19	63.3	0	ND
HISPANIC	48	5.7	551	73.6	44	5.2

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	226	11.1	230	11.1	540	26.9
WHITE	111	21.2	55	10.3	138	26.6
BLACK	98	14.5	90	13.1	252	37.9
ASIAN/PI*	0	ND	1	ND	5	ND
HISPANIC	15	1.9	76	9.2	136	17.2

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	14	2	1
WHITE	4	0	1
BLACK	8	2	0
ASIAN/PI*	0	0	0
HISPANIC	4	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	6	ND	46	12.5
WHITE	2	ND	11	11.9
BLACK	3	ND	30	24.5
ASIAN/PI*	0	ND	0	ND
HISPANIC	2	ND	7	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PHILADELPHIA

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	7,329	10.8	27,910	44.6	2,363	3.5
WHITE	1,400	7.4	5,758	32.1	203	1.1
BLACK	4,248	13.6	14,158	50.4	1,489	4.7
ASIAN/PI*	347	8.1	1,630	40.8	34	0.8
HISPANIC	1,119	9.4	5,629	50.4	620	5.2

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	6,145	9.3	7,664	11.3	22,333	33.1
WHITE	2,429	13.1	1,660	8.8	4,908	26.2
BLACK	2,743	9.1	4,239	13.5	11,533	37.1
ASIAN/PI*	81	1.9	340	7.9	1,103	25.8
HISPANIC	809	6.9	1,196	10.0	4,364	36.8

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	353	35	27
WHITE	67	16	9
BLACK	250	11	13
ASIAN/PI*	11	4	3
HISPANIC	45	10	5

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	209	9.4	1,165	10.1
WHITE	31	4.9	243	7.7
BLACK	124	12.6	752	13.9
ASIAN/PI*	5	ND	29	4.1
HISPANIC	22	5.7	118	6.0

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PITTSBURGH

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	971	9.2	1,248	12.3	267	2.5
WHITE	399	7.0	597	10.7	51	0.9
BLACK	493	13.6	519	15.2	203	5.5
ASIAN/PI*	47	6.6	47	6.9	1	ND
HISPANIC	16	5.4	50	17.7	4	ND

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	1,550	14.7	1,108	10.4	3,252	30.5
WHITE	833	14.4	516	8.9	1,341	23.2
BLACK	663	18.5	490	13.3	1,740	47.3
ASIAN/PI*	6	ND	50	7.0	60	8.4
HISPANIC	22	7.7	31	10.4	59	19.9

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	67	9	9
WHITE	15	4	3
BLACK	48	3	5
ASIAN/PI*	2	2	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	28	8.0	157	8.7
WHITE	6	ND	44	4.5
BLACK	16	13.5	92	14.6
ASIAN/PI*	0	ND	6	ND
HISPANIC	0	ND	3	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PLUM

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	34	4.6	48	6.6	6	ND
WHITE	29	4.3	46	6.9	6	ND
BLACK	1	ND	2	ND	0	ND
ASIAN/PI*	2	ND	0	ND	0	ND
HISPANIC	1	ND	0	ND	0	ND

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	63	8.5	55	7.3	180	24.2
WHITE	59	8.7	46	6.7	170	25.1
BLACK	3	ND	4	ND	7	ND
ASIAN/PI*	0	ND	3	ND	0	ND
HISPANIC	0	ND	1	ND	0	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	1	1	0
WHITE	1	1	0
BLACK	0	0	0
ASIAN/PI*	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	1	ND	5	ND
WHITE	1	ND	3	ND
BLACK	0	ND	1	ND
ASIAN/PI*	0	ND	1	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

POTTSTOWN

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	91	7.7	424	36.7	31	2.6
WHITE	44	5.6	226	29.5	12	1.5
BLACK	31	12.3	126	51.6	11	4.3
ASIAN/PI*	0	ND	6	ND	0	ND
HISPANIC	14	12.7	56	50.9	5	ND

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	220	18.8	97	8.2	362	30.9
WHITE	144	18.4	51	6.5	207	26.6
BLACK	47	18.9	33	13.1	107	42.8
ASIAN/PI*	1	ND	0	ND	2	ND
HISPANIC	20	18.5	15	13.8	32	29.1

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	4	3	0
WHITE	3	2	0
BLACK	1	1	0
ASIAN/PI*	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	1	ND	10	5.0
WHITE	0	ND	4	ND
BLACK	1	ND	5	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	1	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

READING

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	499	9.4	1,670	33.1	315	5.9
WHITE	133	8.1	476	30.3	67	4.1
BLACK	84	14.2	209	37.8	38	6.5
ASIAN/PI*	5	ND	18	32.1	3	ND
HISPANIC	330	9.0	1,196	34.0	256	6.9

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	670	13.3	506	9.5	2,133	40.7
WHITE	329	20.8	130	7.9	695	42.8
BLACK	98	17.6	79	13.4	272	46.9
ASIAN/PI*	2	ND	9	ND	15	27.3
HISPANIC	293	8.4	361	9.8	1,380	38.0

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	25	4	2
WHITE	16	3	1
BLACK	8	0	1
ASIAN/PI*	0	0	0
HISPANIC	18	4	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	14	7.8	82	9.1
WHITE	9	ND	52	19.1
BLACK	4	ND	24	23.9
ASIAN/PI*	0	ND	0	ND
HISPANIC	9	ND	50	8.0

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

SCRANTON

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	236	8.8	917	36.2	99	3.7
WHITE	154	8.3	508	29.2	48	2.6
BLACK	18	8.9	107	55.4	12	5.9
ASIAN/PI*	15	13.3	53	49.5	1	ND
HISPANIC	48	8.8	251	49.0	42	7.7

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	603	22.6	283	10.6	1,269	48.2
WHITE	518	28.3	197	10.8	937	51.9
BLACK	38	18.9	17	8.5	112	55.7
ASIAN/PI*	3	ND	12	10.7	27	24.8
HISPANIC	54	10.0	56	10.4	207	39.4

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	11	0	4
WHITE	11	0	4
BLACK	0	0	0
ASIAN/PI*	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	5	ND	41	8.9
WHITE	2	ND	26	8.0
BLACK	1	ND	11	31.9
ASIAN/PI*	0	ND	0	ND
HISPANIC	1	ND	5	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

STATE COLLEGE

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	35	8.0	103	24.0	1	ND
WHITE	19	6.6	55	19.4	1	ND
BLACK	3	ND	10	55.6	0	ND
ASIAN/PI*	10	9.6	30	29.7	0	ND
HISPANIC	1	ND	2	ND	0	ND

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	18	4.1	26	6.0	33	7.5
WHITE	16	5.6	12	4.2	21	7.3
BLACK	2	ND	2	ND	7	ND
ASIAN/PI*	0	ND	10	9.7	4	ND
HISPANIC	0	ND	0	ND	1	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	0	0	0
WHITE	0	0	0
BLACK	0	0	0
ASIAN/PI*	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	1	ND	5	ND
WHITE	1	ND	5	ND
BLACK	0	ND	0	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WEST MIFFLIN

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	45	7.3	55	9.0	8	ND
WHITE	26	5.7	39	8.6	3	ND
BLACK	17	11.3	15	10.4	4	ND
ASIAN/PI*	0	ND	1	ND	0	ND
HISPANIC	0	ND	0	ND	0	ND

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	116	18.5	65	10.4	243	38.6
WHITE	76	16.6	44	9.6	163	35.4
BLACK	39	25.7	18	11.9	76	50.0
ASIAN/PI*	0	ND	0	ND	0	ND
HISPANIC	1	ND	1	ND	2	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	3	0	0
WHITE	0	0	0
BLACK	2	0	0
ASIAN/PI*	1	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	0	ND	4	ND
WHITE	0	ND	3	ND
BLACK	0	ND	1	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILKES-BARRE

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	126	8.3	543	37.4	68	4.5
WHITE	74	8.5	247	29.4	26	3.0
BLACK	31	10.7	134	49.4	20	6.9
ASIAN/PI*	2	ND	14	51.9	1	ND
HISPANIC	25	7.0	167	47.9	24	6.6

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	381	26.3	148	9.9	688	45.7
WHITE	292	34.5	82	9.5	444	51.3
BLACK	61	22.2	35	12.1	142	49.7
ASIAN/PI*	4	ND	2	ND	10	37.0
HISPANIC	32	9.3	33	9.2	98	27.5

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	8	3	2
WHITE	6	3	2
BLACK	1	0	0
ASIAN/PI*	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	9	ND	21	8.5
WHITE	4	ND	12	8.1
BLACK	3	ND	7	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	3	ND	5	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

WILLIAMSPORT

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	100	8.1	408	33.6	46	3.7
WHITE	71	7.6	274	29.8	30	3.2
BLACK	22	9.6	108	48.6	13	5.7
ASIAN/PI*	0	ND	4	ND	0	ND
HISPANIC	4	ND	18	54.5	1	ND

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	356	29.0	105	8.5	378	31.0
WHITE	285	30.7	72	7.7	267	29.2
BLACK	52	23.0	21	9.3	81	35.8
ASIAN/PI*	1	ND	1	ND	2	ND
HISPANIC	11	33.3	6	ND	9	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	1	1	0
WHITE	0	0	0
BLACK	0	0	0
ASIAN/PI*	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	6	ND	29	14.1
WHITE	4	ND	16	10.2
BLACK	2	ND	9	ND
ASIAN/PI*	0	ND	0	ND
HISPANIC	0	ND	1	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).
 Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.
 ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).
 Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.
 Preterm births are less than 37 weeks gestation.
 Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.
 Any unknown data are excluded from calculations.
 Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".
 Hispanics can be of any race.
 *Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS YORK

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	279	11.0	747	30.6	118	4.6
WHITE	94	10.3	244	27.8	13	1.4
BLACK	105	14.6	237	34.6	44	6.1
ASIAN/PI*	1	ND	9	ND	0	ND
HISPANIC	81	9.0	257	29.5	56	6.2

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	482	19.0	302	12.0	760	30.1
WHITE	278	30.7	100	11.1	281	31.2
BLACK	126	17.6	106	14.8	262	36.7
ASIAN/PI*	0	ND	2	ND	6	ND
HISPANIC	84	9.3	97	10.8	211	23.4

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	9	1	1
WHITE	3	1	0
BLACK	4	0	1
ASIAN/PI*	0	0	0
HISPANIC	3	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	10	12.2	46	10.3
WHITE	0	ND	16	9.9
BLACK	4	ND	21	16.2
ASIAN/PI*	0	ND	0	ND
HISPANIC	4	ND	16	10.5

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov

MATERNAL AND CHILD HEALTH STATUS INDICATORS

PENNSYLVANIA

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2011-2013

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	34,060	8.1	112,375	27.8	8,750	2.1
WHITE	20,761	7.0	66,536	22.9	3,894	1.3
BLACK	8,079	13.0	24,514	42.8	2,815	4.5
ASIAN/PI*	1,364	8.1	4,614	28.4	74	0.4
HISPANIC	3,562	8.5	16,420	41.1	2,064	4.9

RACE or ETHNICITY of MOTHER	SMOKED IN FIRST TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	59,172	14.3	39,441	9.4	110,338	26.7
WHITE	48,115	16.2	25,837	8.7	72,747	24.8
BLACK	7,273	12.1	8,046	12.9	23,091	37.7
ASIAN/PI*	234	1.4	1,291	7.6	2,310	13.9
HISPANIC	3,283	8.1	4,031	9.7	11,789	28.6

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2009-2013

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	2,129	585	325
WHITE	1,495	522	276
BLACK	528	43	35
ASIAN/PI*	24	7	7
HISPANIC	140	36	17

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2013 AND 2009-2013

RACE or ETHNICITY	2013		2009-2013	
	Number	Rate	Number	Rate
ALL RACES	940	6.7	4,936	6.9
WHITE	506	5.1	2,897	5.7
BLACK	268	13.6	1,547	14.6
ASIAN/PI*	11	2.0	85	3.0
HISPANIC	109	7.7	498	7.1

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

*Asian/Pacific Islander

SOURCES: Birth and Death Data: from Birth & Death Certificates. For more information please contact: Division of Health Informatics, Pennsylvania Department of Health 2150 Herr St., 2nd Floor, Harrisburg, PA 17103. Phone: (717) 782-2448. This report and many others are on our website www.statistics.health.pa.gov